
SURGIMENTS

ADDING CONFIDENCE TO GIFTED HANDS

World Renowned Design Innovation & Manufacturing
of Precision Surgical Instruments

60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS



GENERAL SURGICAL INSTRUMENTS

www.surgiments.com

About Us

For over 50+ years **SURGIMENTS** has built and sustained an enviable reputation for the manufacture and consistency in the supply of precision surgical instruments for super speciality and other surgical procedures.

As an ISO 9001:2015, ISO:13485 medical devices and CE certified company we have distinguished ourselves as a major leader in redefining the provision of high-quality surgical instruments and have become well known for the passion of our people, and partners, in providing unsurpassed levels of service to our customers worldwide.

Our mission is to be the healthcare industry's first choice for all their surgical instrument requirements and to deliver products of outstanding quality, with great service, at an affordable price.

What we can offer:

- High-performance surgical instruments covering various surgical specialties
- Over 1,00,000 patterns of surgical instruments and accessories
- Exceptional customer service
- Precise Microsurgical Instruments for Micro surgical procedures such as micro vascular, skull base, pitutary and micro ear, surgical procedures
- Complete range of Neuro-Spine, Ortho Cardio Thoracic, Hepatobiliary, Liver Transplant, Renal Transplant, General surgery, Paediatric Surgery, Oncology, Gynaecology, Arthroscopy, Sinus copy, Plastic and Cosmetic Surgery.

Competitive Advantage

Through precision engineering services we employ the latest technologies to enable us to offer everything from design, prototyping and on to full production run. We can assist with everything from a single component or device, through to a full instrument system.

From Concept, to Design, to Manufacture, our team of highly experienced skilled technicians can deliver the quality, the surgical industry and many other healthcare sectors insist on and expect. Our manufacturing facility has the unique combination of special purpose machines and the superior skills of artisans who are able to turn out hand-crafted, precise, durable and finely adjusted instruments. This combined with superior grades of Stainless Steel, Titanium and extra hard-working surfaces such as Ceramic and Tungsten Carbide gives an unmatched level of performance and longevity.

Our service team staffed by skilled craftsmen take much pride in restoration of damaged surgical instruments as they would do in the production of new instrument. Surgiments maintains a complete repair and sharpening after sales service facility



13.5 cm / 5 3/8 ″
KH2001S

Knife Handle # 3



13.5 cm / 5 3/8 ″
KH2002S

Knife Handle # 4



12.5 cm / 4 7/8 ″
KH2003S

Knife Handle # 7 short



16 cm / 6 2/8 ″
KH2004S

Knife Handle # 7 Regular



16 cm / 6 2/8 ″
KH2005S

Double ended Knife Handle # 3 & 4




3L
21.5 cm / 8 4/8 ″
KH2006S

4L
21.5 cm / 8 4/8 ″
KH2007S

Knife Handle Long





3L
20.5 cm / 8 1/2 ″
KH2008S

4L
20.5 cm / 8 1/2 ″
KH2009S

Knife Handle Long



3-XL
26 cm / 10 2/8 ″
KH2010S

4-XL
26 cm / 10 2/8 ″
KH2011S

Knife Handle Extra Long



21.5 cm / 8 4/8 ″
KH2012S

Knife Round Handle Long



21.5 cm / 8 4/8 ″
KH2013S

Bayonet Knife Handle





15.5 cm / 6 1/8 ″
SS **TU2001S**

19.5 cm / 7 5/8 ″
SS **TU2002S**

20.5 cm / 8 1/8 ″
SS **TU2003S**

Tubing Clamp



13 cm / 5 1/8 ″
SS **TU2004S**

Backhaus towel clamp with tube holder






15.5 cm / 6 1/8 ″
SS **TU2005S**

19.5 cm / 7 5/8 ″
SS **TU2006S**

20.5 cm / 8 1/8 ″
SS **TU2007S**

Tubing Clamp with safety guard





Fine seration wide jaw

11 cm / 4 3/8 ″
SS **TU2008S**

13 cm / 5 1/8 ″
SS **TU2009S**

16 cm / 6 2/8 ″
SS **TU2010S**

Lorna Clamp



8.5 cm / 3 3/8 ″
TC2001S

Jones Towel Clamp



10.5 cm / 4 1/2″
TC2002S

13 cm / 5 1/8″
TC2003S

16.5 cm / 6 4/8″
TC2004S

Backhaus Towel Clamp




10.5 cm / 4 1/2″
TC2005S

13 cm / 5 1/8″
TC2006S

16.5 cm / 6 4/8″
TC2007S


Roeder Towel Clamp



Wide jaws for tube fixation

14.5 cm / 5 6/8 ″
TC2008S

Peers-Bertran Towel Clamp



11.5 cm / 4 4/8 ″
TC2009S

14 cm / 5 4/8 ″
TC2010S

Paper-Drape Clamp




19.5 cm / 7 5/8 ″
TC2011S

Lanes Towel Clamp

SPONGE HOLDING FORCEPS





15.24 cm/ 6″
SH2001S

20.30 cm/ 8″
SH2002S

25.40 cm/ 10″
SH2003S

30.48 cm/ 12″
SH2004S

15.24 cm/ 6″
SH2005S

20.30 cm/ 8″
SH2006S

25.40 cm/ 10″
SH2007S

30.48 cm/ 12″
SH2008S




15.24 cm/ 6″
SH2009S

20.30 cm/ 8″
SH2010S

25.40 cm/ 10″
SH2011S

30.48 cm/ 12″
SH2012S



15.24 cm/ 6″
SH2013S

20.30 cm/ 8″
SH2014S

25.40 cm/ 10″
SH2015S

30.48 cm/ 12″
SH2016S

Forester Sponge Holder



15.24 cm/ $5^{1/8}$″
SH2017S



16 cm/ $6^{1/8}$″
SH2018S



18.15 cm/ $7^{2/8}$″
SH2019S


Lister Sinus Forceps




26 cm/ $10^{2/8}$″
SH2020S

Bozeman Swab Forceps







1 x 2 Tooth	*Non Tooth*
12 cm / 4 6/8” **DF2001T**	12 cm / 4 6/8” **DF2004P**
15 cm / 5 1/8” **DF2002T**	15 cm / 5 1/8” **DF2005P**
15.25 cm / 6” **DF2003T**	15.25 cm / 6” **DF2006P**

SS Adson





12 cm, / 4 6/8” **DF2007T**	12 cm, / 4 6/8” **DF2008P**
15 cm / 5 1/8” **DF2009T**	15 cm / 5 1/8” **DF2010P**
15.25 cm / 6” **DF2011T**	15.25 cm / 6” **DF2012P**
18.5 cm / 7” **DF2013T**	18.5 cm / 7” **DF2014P**
20.3 cm / 8” **DF2015T**	20.3 cm / 8” **DF2016P**
22.86 cm / 9” **DF2017T**	22.86 cm / 9” **DF2018P**
25.4 cm / 10” **DF2019T**	25.4 cm / 10” **DF2020P**
30.6 cm / 12” **DF2021T**	30.6 cm / 12” **DF2022P**

SS Standard Forceps






18 cm 7 1/8”
DF2023P

SS Potts-Smith





18.5 cm / 7 2/8”
DF2025T



17.5 cm / 6 7/8”
DF2026P

SS Cushing





18.5 cm / 7 2/8”
DF2027T



17.5 cm / 6 7/8”
DF2028P

SS Taylor





15.25 cm / 6”
DF2029T


18.0 cm / 7 7/8”
DF2030T

24.0 cm / 9 3/4”
DF2031P

SS Russian

TISSUE & DISSECTING FORCEPS






1X2 teeth
Tungsten Carbide Grip

12 cm / 4 6/8 ″
DF4001T

15 cm / 5 1/8 ″
DF4002T

15.25 cm / 6 ″
DF4003T



Non-tooth
Tungsten Carbide Grip


12 cm / 4 6/8 ″
DF4004P

15 cm / 5 1/8 ″
DF4005P

15.25 cm / 6 ″
DF4006P

TC Adson





12 cm / 4 3/4 ″
DF4007P

Tissue Forceps are for holding and manipulating delicate tissues. This forceps have a wide, flat thumb grasp area that is substituted with Tungsten Carbide serration. The jaws are short and the tips are narrow. This forceps is straight with 9x9 teeth

TC Adson-Brown





17.5 cm / 6 7/8 ″
DF4008T

1X2 teeth
Tungsten Carbide Grip




17.5 cm / 6 7/8 ″
DF4009T

Non-tooth
Tungsten Carbide Grip


TC Cushing





17.5 cm / 6 7/8 ″
DF4010T

1X2 teeth
Tungsten Carbide Grip



17.5 cm / 6 7/8 ″
DF4011T

Non-tooth
Tungsten Carbide Grip

TC Cushing-Angled





18.5 cm / 7 2/8 ″
DF4012T

1X2 teeth
Tungsten Carbide Grip



17.5 cm / 6 7/8 ″
DF4013T

Non-tooth
Tungsten Carbide Grip

TC Cushing-Taylor

TISSUE & DISSECTING FORCEPS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



1X2 teeth
Tungsten Carbide Grip

12 cm / 4 ″
DF4014T

15 cm / 5 ″
DF4016T

15.25 cm / 6 ″
DF4018T

18.5 cm / 7 ″
DF4020T

20.30 cm / 8 ″
DF4022T

22.86 cm / 9 ″
DF4024T

25.4 cm / 10 ″
DF4026T

30.50 cm / 12 ″
DF4028T

TC Standard Forceps





Non-Tooth
Tungsten Carbide Grip

12 cm / 4 ″
DF4015T

15 cm / 5 ″
DF4017T

15.25 cm / 6 ″
DF4019T

18.5 cm / 7 ″
DF4021T

20.30 cm / 8 ″
DF4023T

22.86 cm / 9 ″
DF4025T

25.4 cm / 10 ″
DF4027T

30.50 cm / 12 ″
DF4029T

TC Standard Forceps





Non-Tooth
Tungsten Carbide Grip

15 cm / 5 ″
DF4030T

15.25 cm / 6″
DF4031T

22.86 cm / 9 ″
DF4032T

25.4 cm / 10 ″
DF4033T

30.50 cm / 12 ″
DF4034T

TC Wangensten Forceps





Tungsten Attraumatic
Carbide Grip

12 cm / 4 ″
2mm tip **DF4035AD** 3mm tip **DF4036AD**

15 cm / 5 ″
2mm tip **DF4037AD** 3mm tip **DF4038AD**

15.25 cm / 6 ″
2mm tip **DF4039AD** 3mm tip **DF4040AD**

18.5 cm / 7 ″
2mm tip **DF4041AD** 3mm tip **DF4042AD**

20.30 cm / 8 ″
2mm tip **DF4043AD** 3mm tip **DF4044AD**

22.86 cm / 9 ″
2mm tip **DF4045AD** 3mm tip **DF4046AD**

25.4 cm / 10 ″
2mm tip **DF4047AD** 3mm tip **DF4048AD**

30.50 cm / 12 ″
2mm tip **DF4049AD** 3mm tip **DF4050AD**

Debakey Attraumatic Forceps





Tungsten Carbide Grip

15.25 cm / 6 ″
DF4051T

18.5 cm / 7 ″
DF4052T

20.30 cm / 8 ″
DF4053T


22.86 cm / 9 ″
DF4054T

25.4 cm / 10 ″
DF4055T

30.50 cm / 12 ″
DF4056T

Tuttle Forceps





Multiple Teeth
Tungsten Carbide Grip

15.25 cm / 6 ″
DF4057T

18.5 cm / 7 ″
DF4058T

20.30 cm / 8 ″
DF4059T

22.86 cm / 9 ″
DF4060T

25.4 cm / 10 ″
DF4061T

Alderkreutz Forceps

SUPER SHARP CUT SCISSORS



Iris Scissor - 11.5cm/41/2
Straight Fine
SS1001S



Iris Scissor - 11.5cm/41/2
Curved Fine
SS1002C

Iris Scissors, These fine, sharp scissors are ideal for detailed dissection of fine tissue and fine suture removal



Jameson Scissor

designed for maximum control. The upper blade is sharp to cleanly cut through tissue while the lower blade is serrated to grip the tissue. The curved blade style makes these instruments ideal for cutting deep tissues



Strabismus Scissor - 11.5cm / 4 1/2"
Straight
SS1011S



Strabismus Scissor - 11.5cm / 4 1/2"
Curved
SS1012C



Jameson Scissor - Straight

SS1003S 11.5 cm / 4 1/2"
SS1004S 13 cm / 5 1/8"
SS1005S 18 cm / 7"
SS1006S 23 cm / 9"



Jameson Scissor - Curved

SS1007C 11.5 cm / 4 1/2"
SS1008C 13 cm / 5 1/8"
SS1009C 18 cm / 7"
SS1010C 23 cm / 9"





Straight

SS1013S 12.5 cm / 5"

SS1014S 15 cm / 6"

SS1015S 18 cm / 7"



Curved

SS1016C 12.5 cm / 5"

SS1017C 15 cm / 6"

SS1018C 18 cm / 7"

Razor Point Fine Scissor

Excellent for cutting / dissecting tough tissue with sharp tips





Straight

SS1019S 12.5 cm / 5"

SS1020S 15 cm / 6"

SS1021S 18 cm / 7"



Curved

SS1022C 12.5 cm / 5"

SS1023C 15 cm / 6"

SS1024C 18 cm / 7"

Stevens Tenotomy Scissor

Ergonomic design adequate grip and control while dissecting or cutting in small or narrow areas. used for delicate dissection and cutting,





Straight

SS1025S 12.5 cm / 5 3/4"

SS1026S 16 cm / 6 1/4"

SS1027S 18 cm / 7"

SS1028S 20.5 cm / 5"



Curved

SS1029C 12.5 cm / 5 3/4"

SS1030C 16 cm / 6 1/4"

SS1031C 18 cm / 7"

SS1032C 20.5 cm / 5"

Reynolds Scissor

Designed to make a clean cut. The upper blade is sharp, which cuts the tissue, while the lower blade is serrated to grip and hold the tissue ,ideal for cutting deep tissue.





Curved

SS1034C

12.5cm / 5 3/4"



Straight

SS1033S

12.5cm / 5 3/4"

Waldram Scissor - Over sized ring handles

Ergonomic scissors that feature oversized ring handles for a more comfortable grip. scissor blade and one knife blade cuts smoothly and efficiently through soft tissue

SUPER SHARP CUT SCISSORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



Mayo Scissor

The Mayo scissor's design provides a firm grip with maximum cutting power for all types of tissue. They are perfectly precise - all the way to the tip.



Straight

SS1035S 15cm / 6"

SS1036S 17cm / 6 3/4"

SS1037S 19cm / 7 1/2"

SS1038S 20cm / 8"

SS1039S 23cm / 9"

SS1040S 27cm / 10 1/2"



Curved

SS1041C 15cm / 6"

SS1042C 17cm / 6 3/4"

SS1043C 19cm / 7 1/2"


SS1044C 20cm / 8"

SS1045C 23cm / 9"

SS1046C 27cm / 10 1/2"



Mayo-Lexer Scissor



Pointed tips

SS1047S 16.5cm / 6 1/2" Straight



SS1048C 16.5cm / 6 1/2" Curved

SUPER SHARP CUT SCISSORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



The popular Metzenbaum dissecting scissors with Super Sharp cut edges.
Light weight and well-balanced with a smooth, soft feel that follows every movement so that the scissors become a natural extension of the hand.



Slim Metzenbaum Scissor

Straight	Curved
SS1049S 10cm / 4"	**SS1054C** 10cm / 4"
SS1050S 14cm / 5 1/2"	**SS1055C** 14cm / 5 1/2"
SS1051S 15cm / 6"	**SS1056C** 15cm / 6"
SS1052S 18cm / 7"	**SS1057C** 18cm / 7"
SS1053S 20cm / 8"	**SS1058C** 20cm / 8"

McIndoe / Metzenbaum Scissors

Straight	Curved
SS1059S 15cm / 6"	**SS1064C** 15cm / 6"
SS1060S 18cm / 7"	**SS1065C** 18cm / 7"
SS1061S 20cm / 8"	**SS1066C** 20cm / 8"
SS1062S 23cm / 9"	**SS1067C** 23cm / 9"
SS1063S 26cm / 10 1/4"	**SS1068C** 26cm / 10 1/4"

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS



SS1069S 18cm / 7"

SS1070S 23cm / 9"

Gorney Scissor

Gorney facelift scissors are used in plastic surgery procedures, including rhytidectomies. With the blade open they glide through soft tissue for quick separation.



SS1075C 18cm / 7"

SS1076C 23cm / 9"

Kaye Freeman Scissor

The Kaye-Freeman pattern has open angled shanks for optimum control and reduced hand fatigue.

Gentle Curve



SS1071C 18cm / 7"

SS1072C 23cm / 9"

Deep Curve



SS1073C 18cm / 7"

SS1074C 23cm / 9"


Gentle Curve



SS1077C 18cm / 7"

SS1078C 23cm / 9"

Deep Curve



SS1079C 18cm / 7"

SS1080C 23cm / 9"

SUPER SHARP CUT SCISSORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



Straight

SS1081S
12cm / 4 3/4"
SS1082S
13cm / 5"
SS1083S
16cm / 6"
SS1084S
18cm / 7"



Curved

SS1085C
12cm / 4 3/4"
SS1086C
13cm / 5"
SS1087C
16cm / 6"
SS1088C
18cm / 7"

Ragnell (kilner) Scissor

Ragnell Scissors, also known as Kilner designed with flat blades and blunt tips often makes Ragnell scissors the dissection instrument of choice during longer procedures.





Straight

SS1089S
14cm / 5 1/2"
SS1090S
17cm / 6 3/4"
SS1091S
18cm / 7"




Curved

SS1092C
14cm / 5 1/2"
SS1093C
17cm / 6 3/4"
SS1094C
18cm / 7"

Operating Scissor

Operating Scissors with smooth blades and sharp/blunt, Also known as Surgical Scissors, are a versatile surgical instrument.,used in several types of general surgical procedures.



Designed for trimming and opening vessels in cardiovascular and thoracic procedures



25° angled
SS1095A
17.7cm / 7"
SS1096A
22.32cm / 8 3/4"



45° angled
SS1097A
17.7cm / 7"
SS1098A
22.32cm / 8 3/4"




60° angled
SS1099A
17.7cm / 7"
SS1100A
22.32cm / 8 3/4"



90° angled
SS1101A
17.7cm / 7"
SS1102A
22.32cm / 8 3/4"

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS





Mayo




15 cm, / 5 7/8”
SS2001S

17 cm / 6 6/8”
SS2002S

19.5 cm / 7 5/8”
SS2003S

21.5 cm / 8 1/2”
SS2004S



15 cm, / 5 7/8”
SS2005CS

17 cm / 6 6/8”
SS2006C

19.5 cm / 7 5/8”
SS2007C

21.5 cm / 8 1/2”
SS2008C





Mayo - Stille



15 cm, / 5 7/8”
SS2009S

17 cm / 6 6/8”
SS2010S

19.5 cm / 7 5/8”
SS2011S

21.5 cm / 8 1/2”
SS2012S



15 cm, / 5 7/8”
SS2013S

17 cm / 6 6/8”
SS2014S

19.5 cm / 7 5/8”
SS2015S

21.5 cm / 8 1/2”
SS2016S







11.5 cm, / 4 1/2”
SS2017S

14.5 cm / 5 3/4“
SS2018S

16 cm / 6 2/3”
SS2019S


11.5 cm, / 4 1/2”
SS2020C

14.5 cm / 5 3/4““
SS2021C

16 cm / 6 2/3”
SS2022C

Baby Metzenbaum







18 cm, / 7”
SS2023S

20.5 cm / 8”
SS2024S

23 cm / 9”
SS2025S

26 cm / 10 1/4”
SS2026S

28.5 cm 11 1/4”
SS2027S

31 cm 12 2/8”
SS2028S

18 cm, / 7”
SS2029C

20.5 cm / 8”
SS2030C

23 cm / 9”
SS2031C

26 cm / 10 1/4”
SS2032C

28.5 cm 11 1/4”
SS2033C

31 cm 12 2/8”
SS2034C

Metzenbaum





Mayo scissors - standard



Straight



Curved

14.5 cm / 5 6/8″	**SS4001S**	14.5 cm / 5 6/8″	**SS4008C**
15 cm / 5 7/8 ″	**SS4002S**	15 cm / 5 7/8″	**SS4009C**
17 cm / 6 6/8 ″	**SS4003S**	17 cm / 6 6/8″	**SS4010C**
19.5 / 7 5/8 ″	**SS4004S**	19.5 / 7 5/8 ″	**SS4011C**
20.5 / 8 1/8 ″	**SS4005S**	20.5 / 8 1/8 ″	**SS4012C**
23 cm / 9 ″	**SS4006S**	23 cm / 9 ″	**SS4013C**
28 cm / 11 ″	**SS4007S**	28 cm / 11 ″	**SS4014C**





Mayo scissors - Stille



Straight




Curved

15 cm / 5 7/8 ″	**SS4015S**	15 cm / 5 7/8 ″	**SS4019C**
17 cm / 6 6/8 ″	**SS4016S**	17 cm / 6 6/8 ″	**SS4020C**
19.5 / 7 5/8 ″	**SS4017S**	19.5 / 7 5/8 ″	**SS4021C**
21.5 / 8 4/8 ″	**SS4018S**	21.5 / 8 4/8 ″	**SS4022C**



Baby Metzenbaum







Straight	Curved
11.5 cm / 4 4/8 ″ **SS4023S**	11.5 cm / 4 4/8 ″ **SS4026C**
14.5 cm / 5 4/8 ″ **SS4024S**	14.5 cm / 5 4/8 ″ **SS4027C**
16 cm / 6 2/8 ″ **SS4025S**	16 cm / 6 2/8 ″ **SS4028C**



Metzenbaum







Straight	Curved
18 cm / 7 1/8 ″ **SS4029S**	18 cm / 7 1/8 ″ **SS4035C**
20.5 cm / 8 1/8 ″ **SS4030S**	20.5 cm / 8 1/8 ″ **SS4036C**
23 cm / 9 ″ **SS4031S**	23 cm / 9 ″ **SS4037C**
26 cm / 10 2/8 ″ **SS4032S**	26 cm / 10 2/8 ″ **SS4038C**
28.5 cm / 11 2/8 ″ **SS4033S**	28.5 cm / 11 2/8 ″ **SS4039C**
31 cm / 12 2/8 ″ **SS4034S**	31 cm / 12 2/8 ″ **SS4040C**



Fine Metzenbaum







Straight	Curved
14.5 cm / 5 4/8 ″ **SS4041S**	14.5 cm / 5 4/8 ″ **SS4045C**
16 cm / 6 2/8 ″ **SS4042S**	16 cm / 6 2/8 ″ **SS4046C**
18 cm / 7 1/8 ″ **SS4043S**	18 cm / 7 1/8 ″ **SS4047C**
20.5 cm / 8 1/8 ″ **SS4044S**	20.5 cm / 8 1/8 ″ **SS4048C**





Slender “S” Bend Metzenbaum

Curved

18 cm / 7 1/8 ″ **SS4049C**

20.5 cm / 8 1/8 ″ **SS4050C**

23 cm / 9 ″ **SS4051C**



17.5 cm / 6 7/8 ″
SS8055C

Ceramic



17.5 cm / 6 7/8 ″
SS4053C

Laser Trim



17.5 cm / 6 7/8 ″
SS4055C

Tungsten Carbide

TOENNIS- ADSON



Straight
16 cm / 6 2/8 ″
SS8056S

Curved
16 cm / 6 2/8 ″
SS8057C

Ceramic



Straight
16 cm / 6 2/8 ″
SS4056S

Curved
16 cm / 6 2/8 ″
SS4057C

Laser Trim




Straight
16 cm / 6 2/8 ″
SS4058S

Curved
16 cm / 6 2/8″
SS4059C

Tungsten Carbide

MAYO - LEXER







Straight

12.7 cm / 5″
SS4060S

17.7cm / 7″
SS4061S

Curved

12.7 cm / 5″
SS4062C

17.7cm / 7″
SS4063C

Ragnell







Straight

12.7 cm / 5″
SS4064S

17.7cm / 7″
SS4065S

Curved

12.7 cm / 5″
SS4066C

17.7cm / 7″
SS4067C

Iris Metzenbaum






Curved

15.5 cm / 6 1/8 ″
SS4068C

18 cm / 7 1/8 ″
SS4069C

Reynolds Tenotomy





Curved

17.5 cm / 6 7/8 ″
SS4070C


20 cm / 7 7/8 ″
SS4071C

23 cm / 9 ″
SS4072C

27 cm / 11 ″
SS4073C

Debakey - Thorek





17.5 cm / 6 7/8 ″
SS4074C


20 cm / 7 7/8 ″
SS4075C

21 cm / 8 2/8 ″
SS4076C

24 cm / 9 4/8 ″
SS4077C

Cobra





Straight		Curved	
20 cm / 7 7/8″	**SS4078S**	20 cm / 7 7/8″	**SS4080C**
23 cm / 9 ″	**SS4079S**	23 cm / 9 ″	**SS4081C**





Sims Gynecological scissors

Sims - “S” Bend

24.5 cm / 9 5/8″




Stainless Steel



Tungsten Carbide




Super-cut




Straight	Curved
SS2037S	SS2044C
SS2038S	SS2045C
SS2039S	SS2046C
SS2040S	SS2047C
SS2041S	SS2048C
SS2042S	SS2049C
SS2043S	SS2050C

Sizes
12 cm / 4 6/8 ″
13 cm / 5 1/8 ″
14.5 cm / 5 6/8 ″
15.5 cm / 6 1/8 ″
16.5 cm / 6 4/8 ″
17.5 cm / 7 2/8 ″
20.5 cm / 8 1/8 ″



Straight	Curved
SS4082S	SS4089C
SS4083S	SS4090C
SS4084S	SS4091C
SS4085S	SS4092C
SS4086S	SS4093C
SS4087S	SS4094C
SS4088S	SS4095C

Sizes
12 cm / 4 6/8 ″
13 cm / 5 1/8 ″
14.5 cm / 5 6/8 ″
15.5 cm / 6 1/8 ″
16.5 cm / 6 4/8 ″
17.5 cm / 7 2/8 ″
20.5 cm / 8 1/8 ″



Straight	Curved
SS1103S	SS1110C
SS1104S	SS1111C
SS1105S	SS1112C
SS1106S	SS1113C
SS1107S	SS1114C
SS1108S	SS1115C
SS1109S	SS1116C

Sizes
12 cm / 4 6/8 ″
13 cm / 5 1/8 ″
14.5 cm / 5 6/8 ″
15.5 cm / 6 1/8 ″
16.5 cm / 6 4/8 ″
17.5 cm / 7 2/8 ″
20.5 cm / 8 1/8 ″



NH2001S
12 cm / 4 6/8”

Derf



NH2004S
13.5 cm / 5 3/8”

Halsey



NH2005S
15 cm / 5 7/8”

Crile-wood



Mayo Hegar



NH2010S
14 cm / 5 1/2”



NH2011S
16 cm / 6 1/4”



NH2012S
18 cm / 7”



NH2013S
20 cm / 8”



NH2014S
23 cm / 9”




NH2015S
26 cm / 10 1/4”



NH2016S
30 cm / 12”





NH4001S **NH4002S**

Derf Needle Holder





NH4003S **NH4004S**

Halsey Needle Holder






NH4005S

Nieverts Needle Holder
(offset ring)





NH4006S 10cm / 4" **NH4007S** 10cm / 4"

Stratte Needle Holder



NH4008S 10cm / 4"

NH4009S 10cm / 4"

Berry Sternal Needle Holder


Berry Sternal Needle Holder & Wire Twister is a highly versatile instrument that is useful in a vast array of surgical settings. Not only does it serve as a needle holder to aid in suturing during and at the close of surgery but it has other uses as well.



Mayo Hegar Needle Holder



Crile Wood Needle Holder




NH4010S 14cm / 5 ½”

NH4011S 16cm / 6 ¼”

NH4012S 18cm / 7”


NH4013S 20cm / 8”



NH4017S 15cm / 6”

NH4018S 18cm / 7”


NH4019S 20cm / 8”



NH4014S 23cm / 9”

NH4015S 26cm / 10 ¼”


NH4016S 30cm / 12”



NH4020S 23cm / 9”

NH4021S 26cm / 10 ¼”

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED




NH4022S 18cm / 7”
NH4023S 23cm / 9”
NH4024S 26cm / 10 ¼”
NH4025S 30cm / 12”

DeBakey Needle Holder



NH4026S 15cm / 6”
NH4027S 18cm / 7”

Micro Vascular Needle Holder



NH4028S 13cm / 5”
NH4029S 15cm / 6”
NH4030S 18cm / 7”
NH4031S 20cm / 8”
NH4032S 23cm / 9”

Micro Ryder Needle Holder



NH4033S 16cm / 6 ¼”
NH4034S 18cm / 7”
NH4035S 20cm / 8”
NH4036S 26cm / 10 ¼”

French Eye (Ryder) Needle Holder





NH4037S
14.5 cm / 5 3/4”

NH4038S
17 cm / 6 3/4”

NH4039S
14.5 cm / 5 3/4”

NH4040S
17 cm / 6 3/4”

NH4041S
19 cm / 7 1/2”

Olsen Needle Holder

Olsen- Hegar needle holder is combined with a suture scissor for ease of use while suturing.





NH4042S
17 cm / 6 3/4”

NH4043S
20 cm / 7 3/4”

NH4044S
23 cm / 9”

Mathieu Needle Holder

Mathieu Needle Holder is designed with a ratchet locking mechanism at the base of the handles that can be easily squeezed to be locked and unlocked.





NH4045S
18 cm / 7”

NH4046S
20 cm / 7 3/4”

Sarot Needle Holder

Sarot Needle Holder is used for approximation suturing, often in cardiovascular procedures.



NH4047S
20.5 cm / 8”


NH4048S
24 cm / 9 1/2”

Heaney Needle Holder


Heaney Needle Holder is used for light to medium weight suturing, most commonly in gynecological abdominal hysterectomy.

HEMOSTATIC FORCEPS


SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED




Hartmann Hemostatic forceps
10 cm / 3 7/8 “



Micro-Mosquito Hemostatic Forceps
12 cm / 4 6/8 “



Halstead Mosquito Forceps
14cm / 5″




Halstead Mosquito Forceps
18cm / 7″

Available in the following materials




Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED




Kelly Hemostatic forceps
14.5 cm / 5 6/8 "



Crile Hemostatic forceps
14.5 / 5 6/8 "



12 cm / 4 5/8 "



14.5 cm / 5 6/8 "



14.5 cm / 5 6/8 "


Dandys Side Curved Hemostatic forceps

Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS



Curved
HF2032C

Overholt-Baby Hemostatic Forceps
13.5cm / 5 3/8″



Straight
HF2033S

Curved
HF2034C

Straight
HF2035S

1x2 teeth

Curved
HF2036C

LeriChe Hemostatic Forceps
15.5cm / 6 1/8″



Straight
HF2037S

Curved
HF2038C

Kelly-Rankin Hemostatic Forceps
16 cm / 6 ″



Straight
HF2039S

Curved
HF2040C


Crile-Rankin Hemostatic Forceps
16 cm / 6 ″

Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium






15.24cm 6″	18.5cm 7 2/8″	20.5cm 8 1/8″	24cm 9 4/8″	26cm 10 2/8″	31cm 12 2/8″
HF2041S	**HF2043S**	**HF2045S**	**HF2047S**	**HF2049S**	**HF2051S**

Rochester-Pean Hemostatic Forceps — Straight






15.24cm 6″	18.5cm 7 2/8″	20.5cm 8 1/8″	24cm 9 4/8″	26cm 10 2/8″	31cm 12 2/8″
HF2042C	**HF2044C**	**HF2046C**	**HF2048C**	**HF2050C**	**HF2052C**

Curved

Quality Commitment
60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

Spencer well Forceps






15.24cm 6″	18.5cm 7 2/8″	20.5cm 8 1/8″	24cm 9 4/8″	26cm 10 2/8″	31cm 12 2/8″
HF2053S	**HF2055S**	**HF2057S**	**HF2059S**	**HF2061S**	**HF2063S**

Straight

Spencer well Forceps






15.24cm 6″	18.5cm 7 2/8″	20.5cm 8 1/8″	24cm 9 4/8″	26cm 10 2/8″	31cm 12 2/8″
HF2054C	**HF2056C**	**HF2058C**	**HF2060C**	**HF2062C**	**HF2064C**

Curved




Kocher Hemostatic Forceps



Straight- 1x2 teeth

15.24cm	18.5cm	20.5cm	24cm	26cm	31cm
6″	7 2/8″	8 1/8″	9 4/8″	10 2/8″	12 2/8″
HF2065S	**HF2067S**	**HF2069S**	**HF2071S**	**HF2073S**	**HF2075S**






Curved 1x2 teeth

5.24cm	18.5cm	20.5cm	24cm	26cm	31cm
6″	7 2/8″	8 1/8″	9 4/8″	10 2/8″	12 2/8″
HF2066C	**HF2068C**	**HF2070C**	**HF2072C**	**HF2074C**	**HF2076C**



Rochester Carmalt


Straight
17 cm / 6 6/8″
HF2077S



Curved
17 cm / 6 6/8″
HF2078C



Straight
20.5 cm / 8 1/8″
HF2079S



Curved
20.5 cm / 8 1/8″
HF2080C




Dunhill

Slight Curved
18.5 cm / 7 2/8″
HF2082C




Crafoord Sellors Vascular Hemostats

Strongly Curved
22 cm / 8 5/8″
HF2087C



Medium Curved
23 cm / 9 ″
HF2088C



Gentle Curved
24.5 cm / 9 5/8″
HF2089C


Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium




Straight
22.5 cm / 8 1/8″
HF2090S




Curved
22.5 cm / 8 1/8″
HF2091C

Roberts Hemostatic Forceps





Straight
25 cm / 9 7/8″
HF2092S




Curved
25 cm / 9 7/8″
HF2093C


Sarot Hemostatic Forceps




20.5 cm / 8 1/8″
HF2094C




20 cm / 7 7/8″
HF2095C




21.5 cm / 8 4/8″
HF2096C



22 cm / 8 5/8″
HF2097C



21.5 cm / 8 4/8″
HF2098C



21.5 cm / 8 2/8″
HF2099C



22 cm / 8 5/8″
HF2100C

27 cm / 10 5/8″
HF2101C

26.5 cm / 10 3/8″
HF2102C

27.5 cm / 10 7/8″
HF2103C

28 cm / 11″
HF2104C

27.5 cm / 10 7/8″
HF2105C

28 cm / 11 ″
HF2106C


27.5 cm / 8 7/8″
HF2107C

Overholt-Geissendörfer Dissection Forceps

TISSUE & ORGAN GRASPING FORCEPS




3x4 teeth



Allis Baby

4x5 teeth



10.16 cm / 4″
TF2001T

13 cm / 5 1/2″
TF2002T

15.25 cm / 6″
TF2003T


17.80 cm / 7″
TF2004T

20.30 cm / 8″
TF2005T

Allis Forceps



11x12 teeth



16 cm / 6 2/8″
TF2006T

20.30 cm / 8″
TF2007T

25.4 cm / 10″
TF2008T

30.50 cm / 12″
TF2009T

Allis-Adair Forceps



5x6 teeth


15.25 cm / 6″
TF2010T

20.20 cm / 8″
TF2011T

Boys-Allis Forceps



6x7 teeth



15.25 cm / 6″
TF2012T

20.20 cm / 8″
TF2013T

Thoms-Allis Forceps



15.25 cm / 6″
TF2014T

20 cm / 7 7/8″
TF2015T


24.5 cm / 9 5/8″
TF2016T

30 cm / 11 5/8″
TF2017T

*Atraumatic-Allis Forceps

TISSUE & ORGAN GRASPING FORCEPS





Tungsten Carbide Tip


10.16 cm / 4″
TF4001T
13 cm / 5 1/2 ″
TF4002T
15.25 cm / 6″
TF4003T
17.80 cm / 7″
TF4004T
20.30 cm / 8″
TF4005T
25.4 cm / 10″
TF4006T



Non TC

10.16 cm / 4″
TF2018T
13 cm / 5 1/2 ″
TF2019T
15.25 cm / 6
TF2020T
17.80 cm / 7
TF2021T
20.30 cm / 8
TF2022T
25.4 cm / 10
TF2023T
30.5 cm / 12
TF2024T





Atraumatic Serrations

10.16 cm / 4″
TF2025AD
13 cm / 5 1/2 ″
TF2026AD
15.25 cm / 6″
TF2027AD
17.80 cm / 7″
TF2028AD
20.30 cm / 8″
TF2029AD
25.4 cm / 10″
TF2030AD

Babcock Tissue Forceps

* Atraumatic-Babcock Forceps



Tungsten Carbide Tip

15.25 cm / 6″
TF4007T
20.30 cm / 8″
TF4008T
23 cm / 9″
TF4009T



Narrow

Wide

15.25 cm / 6″
TF2031T
20.30 cm / 8″
TF2032T



18 cm / 7 1/8″
TF2033T

20.50cm / 8 1/8″
TF2034T


23 cm / 9″
TF2035T

Duval Organ Holding Forceps

* Atraumatic Duval Organ Grasping



Right Angle Forceps



Gemini


13 cm / 5 1/8″
LF2001C

18 cm / 7 1/8″
LF2002C

21 cm / 8 2/8″
LF2003C

23 cm / 9 ″
LF2004C

28 cm / 11 ″
LF2005C



Mixter


13 cm / 5 1/8″
LF2006A

18 cm / 7 1/8″
LF2007A

21 cm / 8 2/8″
LF2008A

23 cm / 9 ″
LF2009A

28 cm / 11 ″
LF2010A



Lahey


13 cm / 5 1/8″
LF2011A

18 cm / 7 1/8″
LF2012A

21 cm / 8 2/8″
LF2013A

23 cm / 9 ″
LF2014A

28 cm / 11 ″
LF2015A




Attraumatic
Debakey

16 cm / 6 2/8″
LF2016AD

18 cm / 7 1/8″
LF2017AD

21 cm / 8 2/8″
LF2018AD

23 cm / 9″
LF2019AD




Attraumatic
Cooley

13 cm / 5 1/8″
LF2020AD

18 cm / 7 1/8″
LF2021AD

21 cm / 8 2/8″
LF2022AD

23 cm / 9″
LF2023AD




Attraumatic
Caramalt

18 cm / 7 1/8″
LF2024A

21 cm / 8 2/8″
LF2025A

23 cm / 9″
LF2026A

26 cm / 10 2/8 ″
LF2027A



Finnochietto
24.5 cm / 9 5/8″
LF2028A


Available in the following materials




Premium Quality Stainless Steel | Ceramic | Titanium




SURGIMENTS Improved Forceps




18.5 cm / 7 2/8″
LF2029C




20.5 cm / 8 1/8″
LF2030C



21 cm / 8 2/8″
LF2031C



21.5 cm / 8 2/8″
LF2032C



24 cm / 9 6/8″
LF2033C

Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium





* Atraumatic Intestinal Clamp

Doyen-Baby
14 cm / 5 4/8 ″
IC2001S
17 cm / 6 6/8 ″
IC2003S

Doyens
18.5 cm / 7 2/8 ″
IC2005S
21.5 cm / 8 4/8 ″
IC2007S

Mayo-Robson
23.5 cm / 9 2/8 ″
IC2009S
26 cm / 10 2/8 ″
IC2011S
28 cm / 11″
IC2013S

Scudder
33.5cm / 13 ″
IC2015S

Doyen-Baby
14 cm / 5 4/8 ″
IC2002C
17 cm / 6 6/8 ″
IC2004C

Doyens
18.5 cm / 7 2/8 ″
IC2006C
21.5 cm / 8 4/8 ″
IC2008C

Mayo-Robson
23.5 cm / 9 2/8 ″
IC2010C
26 cm / 10 2/8 ″
IC2012C
28 cm / 11″
IC2014C

Scudder
32.5cm / 12 6/8 ″
IC2016C



Tungsten Carbide Tip

15.25 cm / 6″
IC4017S


20.30 cm / 8″
IC4018S

23 cm / 9″
IC4019S

25.4 cm / 10″
IC4020S

WILLIAMS






Brunner

27 cm / 10 6/8″
IC4021B

* Atraumatic Intestinal Clamp





Kocher

22.5cm / 8 6/8″
IC4022S


25 cm / 9 7/8″
IC4024S

28 cm / 11″
IC4026S

* Atraumatic Intestinal Clamp







Kocher


22 cm / 8 5/8″
IC4023C

24.5 cm / 9 5/8″
IC4025C

27 cm / 10 6/8″
IC4027C



Payr-Baby




with pin
15 cm / 5 7/8 ″
IC2028S




Payr Intestianal Crushing Clamp



with pin
21 cm / 8 2/8 ″
IC2029S



with pin
29 cm / 11 3/8 ″
IC2030S




with pin
34 cm / 13 3/8 ″
IC2031S

22.5 cm / 8 1/8 ″
IC2032S

23.5 cm / 9 2/8 ″
IC2034S


25.5 cm / 10 ″
IC2036S



Straight



Mayo-Robson



Curved

21 cm / 8 2/8 ″
IC2033C

23 cm / 9 ″
IC2035C

24.5 cm / 9 5/8 ″
IC2037C

HAND HELD RETRACTORS



15.5 cm / 6 1/8 ″



2 Prong **HR2001** | Sharp | 2 Prong **HR2002** | Blunt



3 Prong Sharp **HR2003**



3 Prong Blunt **HR2004**



4 Prong Sharp **HR2005**




4 Prong Blunt **HR2006**


Wound Retractor



16 cm / 6 ″




3 Prong | Sharp **HR2007**



3 Prong | Blunt **HR2008**

Double - Ended Retractors




Senn-Miller Retractor



18 cm 7 1/8 ″





Blade Size - 18 x 7 mm **HR2009**






Blade Size - 16 x 5 mm **HR2010**






Blade Size - 7 x 4 mm **HR2011**






Blade Size - 12 x 4 mm **HR2012**





Blade Size - 8 x 4 mm **HR2013**



Blade Size - 7 x 9 mm **HR2014**

Meyerding Retractor



Desmarres

16 cm / 6 2/8 ″

Saddle Back Rectractors

8 mm **HR2015**


10 mm **HR2016**

12 mm **HR2017**

14mm **HR2018**

16mm **HR2019**

18 mm **HR2020**



Cushings

20.5 cm / 8 1/8 ″

Saddle Back Rectractors

8 mm **HR2021**


10 mm **HR2022**

12 mm **HR2023**

14mm **HR2024**

16mm **HR2025**

18 mm **HR2026**



Gil-Vernet

24 cm / 9 4/8 ″

Saddle Back Rectractors

4 mm **HR2027**

6 mm **HR2028**

8 mm **HR2029**

11 mm **HR2030**

15 mm **HR2031**

17 mm **HR2031**


20 mm **HR2032**

23 mm **HR2033**


Knurling round handle with malleable copper blade

Volkmann Rake Retractor
21.5 cm / 8 4/8 "




Sharp

1 Prong **HR2034**
2 Prong **HR2035**
3 Prong **HR2036**
4 Prong **HR2037**
5 Prong **HR2038**
6 Prong **HR2039**



Blunt

1 Prong **HR2040**
2 Prong **HR2041**
3 Prong **HR2042**
4 Prong **HR2043**
5 Prong **HR2044**
6 Prong **HR2045**


Semi Sharp


1 Prong **HR2046**
2 Prong **HR2047**
3 Prong **HR2048**
4 Prong **HR2049**
5 Prong **HR2050**
6 Prong **HR2051**

Morris Retractor
24 cm / 9.4”





51 x 51 **HR2052**
70 x 40 **HR2053**
70 x 50 **HR2054**
70 x 65 **HR2055**




Czerny Retractor, s - sharped
HR2056



Blade size 14 x 8 mm

Hooklet Retractor
16 cm / 6 2/8 "
HR2057





Blade size 33 x 20 mm

Wassmund
20.5 cm / 8 1/8 "
HR2058





Israel Hooklet Retractor
24.5 cm / 9 5/8 "



Blade size 40 x 40 mm
HR2059



Blade size 40 x 50 mm
HR2060




Blade size 50 x 60 mm
HR2061



Blade size 70 x 70 mm
HR2062

Hooklet Retractors are Rake like finger shaped instruments used to retract heavy tissue during surgical procedures. The prongs are available in a variety or widths and depths can be custom made on request



16 cm / 6 2/8 "
Langenbeck Green Retractor

Blade Size

10 x 6 mm
HR2063

12 x 6 mm
HR2064


18 x 6 mm
HR2065

20 x 6 mm
HR2066

21 x 8 mm
HR2067



Langenbeck - Kocher Retractor



Blade Size

25 x 6 mm
HR2068

25 x 10 mm
HR2069

35 x 10 mm
HR2070

35 x 15 mm
HR2071

40 x 11 mm
HR2072

41 x 18 mm
HR2073

55 x 11 mm
HR2074

60 x 18 mm
HR2075

61 x 25 mm
HR2076

70 x 14 mm
HR2077

75 x 30 mm
HR2078

75 x 40 mm
HR2079

80 x 13 mm
HR2080

80 x 16 mm
HR2081

85 x 25 mm
HR2082



HR2083

14.5 cm / 5 6/8 "


Mini-Roux Retractor



HR2084

12.5 cm / 4 7/8 "

Baby-Roux Retractor



HR2085

15 cm / 5 7/8 "

Collin - Hartman




Upper Blade Size

A : 28 x 29 mm
B : 25 x 26 mm
C : 22 x 21 mm

Lower Blade Size

A : 33 x 43 mm
B : 30 x 38 mm
C : 27 x 29 mm

HR2086
(set of three)



17 cm / 6 6/8 "

Roux or "C" Retractor



overall length 21.5 cm / 8 4/8 "

HR2087

Parker-Langenbeck Retractor



25 x 21 mm
HR2088

30 x 29 mm
HR2089

38 x 40 mm
HR2090

48 x 22 mm
HR2091

62 x 50 mm
HR2092

These retractors are very useful for holding back multiple layers of deep tissue. this retractor is often used in appendectomy and "C" section procedures

Richardson Retractors

HR2093

Upper Blade Size
25 x 20 mm

Lower Blade Size
30 x 28 mm


HR2094

Upper Blade Size
30 x 28 mm

Lower Blade Size
63 x 44 mm



Richardson-Eastman Retractors



15 x 17 mm
HR2095

22 x 22 mm
HR2096


26 x 31 mm
HR2097

Durhams Retractor



20.5 cm / 8 1/8"
HR2098

Cushings Retractor



Blade Size 35 x 31
HR2099

Blade Size 33 x 40
HR2100

Blade Size 39 x 50
HR2101

Blade Size 45 x 63
HR2102

Blade Size 45 x 75
HR2103


Blade Size 53 x 85
HR2104



Firtsch Retractor
25.5 cm / 10″



Doyens Retractor
24 cm / 9 4/8″



Blade Size 35 x 31
HR2105

Blade Size 35 x 31
HR2106

Blade Size 39 x 50
HR2107


Blade Size 39 x 50
HR2108

Blade Size 39 x 50
HR2109

Blade Size 39 x 50
HR2110



18.5 cm / 7 2/8 "
HR2111



119 x 65 mm
HR2113

108 x 43 mm
HR2114

80 x 22 mm
HR2115

Coryllos Retractor
24 cm / 9 4/8 "



19 cm / 7 4/8 "
HR2112

Davidson Scapular Retractor

Deaver Retractors



Blade Width 19 mm
18 cm / 7 1/8 "
HR2116



Blade Width 22 mm
21.5 cm / 8 4/8 "
HR2117



Blade Width 25 mm
30.5 cm / 12 "
HR2118



Blade Width 25 mm
33.5 cm / 13 2/8 "
HR2119



Blade Width 75 mm
31.5 cm / 12 3/8 "
HR2120



Blade Width 50 mm
31.5 cm / 12 3/8 "
HR2121



Blade Width 38 mm
32 cm / 12 5/8 "
HR2122



Blade Width 25 mm
34.5 cm / 13 5/8 "
HR2123



	A : Overall Length 20cm 7 7/8 "	B : Overall Length 33cm 13 "
Blade Width 6.5 mm	**HR2124**	**HR2133**
Blade Width 9.5 mm	**HR2125**	**HR2134**
Blade Width 13 mm	**HR2126**	**HR2135**
Blade Width 16 mm	**HR2127**	**HR2136**
Blade Width 19 mm	**HR2128**	**HR2137**
Blade Width 25 mm	**HR2129**	**HR2138**
Blade Width 30 mm	**HR2130**	**HR2139**
Blade Width 37 mm	**HR2131**	**HR2140**
Blade Width 40 mm	**HR2132**	**HR2141**

Ribbon Retractor

Ribbon retractor is a Malleable surgical instrument used to separate the edges of a surgical incision or wound, or to hold back underlying organs and tissues so that body parts under the incision may be accessed from obstructing the surgeon's view.



18 cm / 7 1/8 "

SR2001

Collin-Baby Self Retaining
Abdominal Retractor



Detachable Blades




40 x 30 mm
Lateral Blades

12.5 cm / 4 7/8 "

SR2002

Gosset-Baby Self Retaining
Abdominal Retractor



20 x 24 mm
Central Blade

12.5 cm / 4 7/8 "

SR2003

Balfou-Baby Self Retaining
Abdominal Retractor



20 cm / 7 7/8 "

SR2004

Pozzi Abdominal Retractor

Pozzi Abdominal Retractor supplied with 2 pairs of detachable lateral baldes & 1 central blade.




31 cm / 12 2/8 "

SR2005

Collin Abdominal Retractor

Collin Abdominal Retractor supplied with 5 pairs of detachable lateral baldes & 2 central blades.



20 cm / 7 7/8 "

SR2006

Balfour Abdominal Retractor

Collin Abdominal Retractor supplied with 5 pairs of detachable lateral baldes & 2 central blades.



Central Detachable Abdominal Retractor Blade

Blade Size

45 x 80 mm **SR2007**
68 x 85 mm **SR2008**
40 x 68 mm **SR2009**



20 cm / 7 7/8 "

Balfour USA Pattern Abdominal Retractor Blade

60 x 30 mm **SR2010**



80 x 30 mm **SR2011**

Detachable Lateral Blades



Central Detachable Abdominal Retractor Blade

Blade Size

45 x 80 mm **SR2012**
68 x 85 mm **SR2013**
40 x 68 mm **SR2014**

Mikulicz Retractor
26 cm / 10 1/4”



Blade Size 90 x 35
HR2142

Blade Size 120 x 50
HR2143

Blade Size 150 x 50
HR2144

Harrington Retractor
26 cm / 11 5/8”



Blade Size 123 x 45
11 5/8”
HR2145

Blade Size 123 x 64
11 5/8”
HR2146

Blade Size 190 x 115
12 1/2”
HR2147

Frazier Hook



HO2001
5", 12.7 cm
4.5 mm
Sharp

HO2002
7", 17.8 cm
3.5 mm
Sharp

Tyrell Hook



HO2003
4 3/4", 12.1 cm
2 mm
Sharp

Delicate Skin Hook



HO2004
5", 12.7 cm
4.5 mm
Sharp

HO2005
7", 17.8 cm
3.5 mm
Sharp

Kilner Skin Hook



HO2006
5", 12.7 cm
2.5 mm
Sharp
Smooth handle

HO2007
6", 15.2 cm
2.5 mm
Sharp, Detachable hook
Knurling Handle

HO2008
6", 15.2 cm
2.5 mm
Sharp, Spare hook

Guthrie Hook



HO2009
5", 12.7 cm
2.5 mm
2 Sharp Prongs

HO2010
4 3/4", 12.1 cm
1.5 mm
2 Sharp Prongs
Delicate

HO2011
4 3/4", 12.1 cm
1.5 mm
2 Sharp Prongs
Extra Delicate

HO2012
6", 15.2 cm
2.5 mm
2 Sharp Prongs
Knurling Handle

Joseph Single Prong Hook



HO2013
6 1/4", 15.9 cm
6.5 mm
Sharp

Joseph Double Prong Hook



HO2014
6 1/4", 15.9 cm
2 mm
Heavy handle

HO2015
6 1/4", 15.9 cm
5 mm
Heavy handle

HO2016
6 1/4", 15.9 cm
8 mm
Heavy handle

HO2017
6 1/4", 15.9 cm
10 mm
Heavy handle

HO2018
6 1/4",15.9 cm
3 mm
Regular Pattern

HO2019
6 1/4", 15.9 cm
6 mm
Regular Pattern

HO2020
6 1/4", 15.9 cm
8 mm
Regular Pattern

HO2021
6 1/4", 15.9 cm
11 mm
Regular Pattern

HO2022
6 1/4", 15.9 cm
12 mm
Regular Pattern

Palate Hook



HO2023
8", 20.3 cm
8.5 mm
Blunt

Lewis Delicate Skin Hook



HO2024
5", 12.7 cm
2.5 mm
Sharp Delicate hook w/o bead stop

Carroll Retractor Hook



HO2025
5", 12.7 cm
2.5 mm
Sharp Delicate hook with bead stop

Converse (Gillies) Skin Hook



HO2026
7”, 17.8 cm
2.5 mm
Small, Sharp

HO2027
7”, 17.8 cm
4.0 mm
Large, Sharp

Klienert-Kutz Skin Hook



HO2028
6”, 15.2 cm
3.0 mm
Small, Sharp

HO2029
6”, 15.2 cm
5.0 mm
Medium, Sharp

HO2030
6”, 15.2 cm
7.0 mm
Large, Sharp

Straight Skin Hook



HO2031
6”, 15.2 cm
7.0 mm
Large, Sharp

Converse Skin Hook



HO2032
7”, 17.8 cm
2.5 mm
Small, Sharp
Aluminium Handle

HO2033
6”, 15.2 cm
4.0 mm
Medium, Sharp
Aluminium Handle

HO2034
7”, 17.8 cm
4.0 mm
Large, Sharp
Aluminium Handle

Straight Skin Hook



HO2035
7”, 17.8 cm
5.0 mm
Large, Sharp
Aluminium Handle

HO2036
6”, 15.2 cm
2.5 mm
Small, Delicate, Sharp
Aluminium Handle

Nasal Tenaculum Hook



HO2037
6 1/4”, 15.9 cm
6.0 mm
2 Sharp Prongs
Aluminium Handle

HO2038
6 1/4”, 15.9 cm
7.0 mm
2 Sharp Prongs
Aluminium Handle

HO2039
6 1/4”, 15.9 cm
9.0 mm
2 Sharp Prongs
Aluminium Handle

Humby's Skin Graft Knife



SK2001 | 12" Long | Uses a 6 1/4" Blade

Watson Mod Skin Graft Knife



SK2002 | 12" Long | Uses a 6 1/4" Blade

Cobbetts Mod Skin Graft Knife



SK2003 | 12" Long | Uses a 6 1/4" Blade

Silvers Miniature Skin Graft Knife



SK2004 | 7 1/2" Long | Uses Double Edge Razor Blade

We manufacture an exclusive range of

- *Neuro & Spine Instruments*
- *Micro Vascular Instruments*
- *Cardio Thoracic Instruments*
- *Liver Transplant Instruments*
- *Renal Transplant Instruments*
- *Oncology Instruments*
- *ENT Instruments*
- *General Surgery Instruments*
- *Obstetrics & Gynecology Instruments*
- *Orthopaedics Instruments*
- *Plastic Surgery Instruments*
- *Oral Maxillo Facial Instruments*
- *Podiatry & Cosmetic Surgery*

We specialise in

- *Surgical Spider Table Mount Abdominal Self Retaining Retractor such as*
  - * *Thompson style Retractor*
  - * *Omni tract style Retractor*
  - * *Bookwalter style Retractor*
  - * *Nathanson Liver Retractor*
  - * *Nathanson style Liver Endoscopic Retractor*
- *Leyla Retractor Self Retaining Brain Retractor*

Certifications:

ISO 7153-1:2016

CE for Micro Instruments

Licenses:

MICRO, SMALL & MEDIUM ENTERPRISES
सूक्ष्म, लघु एवं मध्यम उद्यम

UDYAM REGISTERED - UDYAM-TN-11-0001406

भारत सरकार
Government of India
व्यापार चिन्ह रजिस्ट्री
Trade Marks Registry
व्यापार चिन्ह अधिनियम, 1999
Trade Marks Act, 1999

Trade Mark No. 2766611

SURGIM-Krish-TN/M/MD/013840

SURGIMENTS®

ADDING CONFIDENCE TO GIFTED HANDS

Address: N 30, SIDCO Industrial Estate, 3rd Phase, Hosur, Tamil Nadu - 635 126, India

Email: info@surgiments.com, sales@surgiments.com Website: www.surgiments.com

Helpline: +91 96290 6060, +91 96290 07070, +91 94480 81908

Guarantee & Warranty Service Certificate

This is to certify that all "SURGIMENTS" branded surgical instruments (except micro surgical instruments) are guaranteed against inherent manufacturing defects for a period of 2 years and 1 year for all Tungsten Carbide range of products provided the instruments are used for the appropriate surgical use.

Any instruments that has proved to be defective when used for it's normal surgical purpose will be repaired or replaced free of cost. We will replace or repair a damaged instrument if the damage is found to have been caused by a defect in workmanship or materials.
The guarantee does not include normal wear and tear.

This obligation is limited to servicing any instruments or part returned to the factory with pre-paid transportation charges. Guarantee will not hold good for mishandling, improper usage and unauthorized handling.

SURGIMENTS®

Contact Us

No. 30, SIDCO Industrial Estate, 3rd Phase
Hosur - 635126, Tamil Nadu, India

UAM No : TN11B0014387
GST No: 33ABQPV2534B1ZQ

Call Us

+91 9448081908
9629007070
9629006060

Skype Account : SURGIMENTS1964

Email : surgiments@gmail.com

Website : www.surgiments.com