
SURGIMENTS®

ADDING CONFIDENCE TO GIFTED HANDS

World Renowned Design Innovation & Manufacturing
of Precision Surgical Instruments

60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS



LIVER TRANSPLANT & HEPATO-PANCREATO-BILIARY SURGICAL INSTRUMENTS

www.surgiments.com

About Us

For over 50+ years **SURGIMENTS** has built and sustained an enviable reputation for the manufacture and consistency in the supply of precision surgical instruments for super speciality and other surgical procedures.

As an ISO 9001:2015, ISO:13485 medical devices and CE certified company we have distinguished ourselves as a major leader in redefining the provision of high-quality surgical instruments and have become well known for the passion of our people, and partners, in providing unsurpassed levels of service to our customers worldwide.

Our mission is to be the healthcare industry's first choice for all their surgical instrument requirements and to deliver products of outstanding quality, with great service, at an affordable price.

What we can offer:

- High-performance surgical instruments covering various surgical specialties
- Over 1,00,000 patterns of surgical instruments and accessories
- Exceptional customer service
- Precise Microsurgical Instruments for Micro surgical procedures such as micro vascular, skull base, pitutary and micro ear, surgical procedures
- Complete range of Neuro-Spine, Ortho Cardio Thoracic, Hepatobiliary, Liver Transplant, Renal Transplant, General surgery, Paediatric Surgery, Oncology, Gynaecology, Arthroscopy, Sinus copy, Plastic and Cosmetic Surgery.

Competitive Advantage

Through precision engineering services we employ the latest technologies to enable us to offer everything from design, prototyping and on to full production run. We can assist with everything from a single component or device, through to a full instrument system.

From Concept, to Design, to Manufacture, our team of highly experienced skilled technicians can deliver the quality, the surgical industry and many other healthcare sectors insist on and expect. Our manufacturing facility has the unique combination of special purpose machines and the superior skills of artisans who are able to turn out hand-crafted, precise, durable and finely adjusted instruments. This combined with superior grades of Stainless Steel, Titanium and extra hard-working surfaces such as Ceramic and Tungsten Carbide gives an unmatched level of performance and longevity.

Our service team staffed by skilled craftsmen take much pride in restoration of damaged surgical instruments as they would do in the production of new instrument. Surgiments maintains a complete repair and sharpening after sales service facility

SURGIMENTS®

Table Of Content

Scalpel Handles	1
Towel clamps	2
Tubing & Towel Clamps	3
Sponge Holding Forceps	4
Scissors	5-17
Tissue & Dissecting Forceps	18-19
Vascular Haemostats	20-21
Haemostatic Forceps	22-28
Tissue & Organ Grasping Forceps	29-30
Right Angle Forceps	31
Suction Cannulas	32
Lacrimal Probe	33
Hand Held Retractors	34-43
Ligature & Dissecting Forceps	44-45
Vascular Clamps	46-55
Bulldog Clamps	56-58
Atraumatic Tissue Forceps	59-60
Micro Forceps	61-62
Vascular Scissors	63-64
Micro Needle Holders	65-67
Needle Holders	68-71
Rib Instruments	72-76



13.5 cm / 5 3/8 ″
KH2001S

Knife Handle # 3



13.5 cm / 5 3/8 ″
KH2002S

Knife Handle # 4



12.5 cm / 4 7/8 ″
KH2003S

Knife Handle # 7 short



16 cm / 6 2/8 ″
KH2004S

Knife Handle # 7 Regular



16 cm / 6 2/8 ″
KH2005S

Double ended Knife Handle # 3 & 4




3L
21.5 cm / 8 4/8 ″
KH2006S

4L
21.5 cm / 8 4/8 ″
KH2007S

Knife Handle Long





3L
20.5 cm / 8 1/2 ″
KH2008S

4L
20.5 cm / 8 1/2 ″
KH2009S

Knife Handle Long



3-XL
26 cm / 10 2/8 ″
KH2010S

4-XL
26 cm / 10 2/8 ″
KH2011S

Knife Handle Extra Long



21.5 cm / 8 4/8 ″
KH2012S

Knife Round Handle Long



21.5 cm / 8 4/8 ″
KH2013S

Bayonet Knife Handle



8.5 cm / 3 3/8 ″
TC2001S

Jones Towel Clamp



10.5 cm / 4 1/2″
TC2002S

13 cm / 5 1/8″
TC2003S

16.5 cm / 6 4/8″
TC2004S

Backhaus Towel Clamp




10.5 cm / 4 1/2″
TC2005S

13 cm / 5 1/8″
TC2006S

16.5 cm / 6 4/8″
TC2007S


Roeder Towel Clamp



Wide jaws for tube fixation

14.5 cm / 5 6/8 ″
TC2008S

Peers-Bertran Towel Clamp



11.5 cm / 4 4/8 ″
TC2009S

14 cm / 5 4/8 ″
TC2010S

Paper-Drape Clamp



19.5 cm / 7 5/8 ″
TC2011S

Lanes Towel Clamp





15.5 cm / 6 1/8 ″
SS **TU2001S**

19.5 cm / 7 5/8 ″
SS **TU2002S**

20.5 cm / 8 1/8 ″
SS **TU2003S**

Tubing Clamp



13 cm / 5 1/8 ″
SS **TU2004S**

Backhaus towel clamp with tube holder






15.5 cm / 6 1/8 ″
SS **TU2005S**

19.5 cm / 7 5/8 ″
SS **TU2006S**

20.5 cm / 8 1/8 ″
SS **TU2007S**

Tubing Clamp with safety guard





Fine seration wide jaw

11 cm / 4 3/8 ″
SS **TU2008S**


13 cm / 5 1/8 ″
SS **TU2009S**

16 cm / 6 2/8 ″
SS **TU2010S**

Lorna Clamp

SPONGE HOLDING FORCEPS





15.24 cm/ 6″
SH2001S

20.30 cm/ 8″
SH2002S

25.40 cm/ 10″
SH2003S

30.48 cm/ 12″
SH2004S

15.24 cm/ 6″
SH2005S

20.30 cm/ 8″
SH2006S

25.40 cm/ 10″
SH2007S

30.48 cm/ 12″
SH2008S




15.24 cm/ 6″
SH2009S

20.30 cm/ 8″
SH2010S

25.40 cm/ 10″
SH2011S

30.48 cm/ 12″
SH2012S



15.24 cm/ 6″
SH2013S

20.30 cm/ 8″
SH2014S

25.40 cm/ 10″
SH2015S

30.48 cm/ 12″
SH2016S

Forester Sponge Holder



15.24 cm/ $5^{1/8}$″
SH2017S



16 cm/ $6^{1/8}$″
SH2018S



18.15 cm/ $7^{2/8}$″
SH2019S

Lister Sinus Forceps



26 cm/ $10^{2/8}$″
SH2020S

Bozeman Swab Forceps

DE BAKEY ARTERIOTOMY SCISSORS



17.5 cm, 6 ⅞”
SS2109C

COTTLE SCISSORS



15.8 cm, 6 ¼”
SS2110A

JAMESON TENOTOMY SCISSORS



17.5 cm, 6 ⅞”
SS2111C

Jameson Scissor

designed for maximum control. The upper blade is sharp to cleanly cut through tissue while the lower blade is serrated to grip the tissue. The curved blade style makes these instruments ideal for cutting deep tissues

TOENNIS SCISSORS X-DEL



18 cm, 7”
SS2112S

METZENABUM SCISSORS



20 cm, 8”
SS2113C

Laser Trim

METZENBAUM FINE & DELICATE



20 cm, 8”
SS2114C



SS1069S 18cm / 7"

SS1070S 23cm / 9"

Gorney Scissor

Gorney facelift scissors are used in plastic surgery procedures, including rhytidectomies. With the blade open they glide through soft tissue for quick separation.



SS1075C 18cm / 7"

SS1076C 23cm / 9"

Kaye Freeman Scissor

The Kaye-Freeman pattern has open angled shanks for optimum control and reduced hand fatigue.


Gentle Curve



SS1071C 18cm / 7"

SS1072C 23cm / 9"

Deep Curve



SS1073C 18cm / 7"

SS1074C 23cm / 9"


Gentle Curve



SS1077C 18cm / 7"

SS1078C 23cm / 9"

Deep Curve



SS1079C 18cm / 7"

SS1080C 23cm / 9"

SUPER SHARP CUT SCISSORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



The popular Metzenbaum dissecting scissors with Super Sharp cut edges.
Light weight and well-balanced with a smooth, soft feel that follows every movement so that the scissors become a natural extension of the hand.



Slim Metzenbaum Scissor

Straight	Curved
SS1049S 10cm / 4"	**SS1054C** 10cm / 4"
SS1050S 14cm / 5 1/2"	**SS1055C** 14cm / 5 1/2"
SS1051S 15cm / 6"	**SS1056C** 15cm / 6"
SS1052S 18cm / 7"	**SS1057C** 18cm / 7"
SS1053S 20cm / 8"	**SS1058C** 20cm / 8"

McIndoe / Metzenbaum Scissors

Straight	Curved
SS1059S 15cm / 6"	**SS1064C** 15cm / 6"
SS1060S 18cm / 7"	**SS1065C** 18cm / 7"
SS1061S 20cm / 8"	**SS1066C** 20cm / 8"
SS1062S 23cm / 9"	**SS1067C** 23cm / 9"
SS1063S 26cm / 10 1/4"	**SS1068C** 26cm / 10 1/4"

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

SUPER SHARP CUT SCISSORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



Mayo Scissor

The Mayo scissor's design provides a firm grip with maximum cutting power for all types of tissue. They are perfectly precise - all the way to the tip.



Straight

SS1035S 15cm / 6"

SS1036S 17cm / 6 3/4"

SS1037S 19cm / 7 1/2"

SS1038S 20cm / 8"

SS1039S 23cm / 9"

SS1040S 27cm / 10 1/2"



Curved

SS1041C 15cm / 6"

SS1042C 17cm / 6 3/4"

SS1043C 19cm / 7 1/2"


SS1044C 20cm / 8"

SS1045C 23cm / 9"

SS1046C 27cm / 10 1/2"



Mayo-Lexer Scissor



SS1047S 16.5cm / 6 1/2" Straight



SS1048C 16.5cm / 6 1/2" Curved

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS





Straight

SS1013S 12.5 cm / 5"

SS1014S 15 cm / 6"

SS1015S 18 cm / 7"



Curved

SS1016C 12.5 cm / 5"

SS1017C 15 cm / 6"

SS1018C 18 cm / 7"

Razor Point Fine Scissor

Excellent for cutting / dissecting tough tissue with sharp tips





Straight

SS1019S 12.5 cm / 5"

SS1020S 15 cm / 6"

SS1021S 18 cm / 7"



Curved

SS1022C 12.5 cm / 5"

SS1023C 15 cm / 6"

SS1024C 18 cm / 7"

Stevens Tenotomy Scissor

Ergonomic design adequate grip and control while dissecting or cutting in small or narrow areas. used for delicate dissection and cutting,





Straight

SS1025S 12.5 cm / 5 3/4"

SS1026S 16 cm / 6 1/4"

SS1027S 18 cm / 7"

SS1028S 20.5 cm / 5"



Curved

SS1029C 12.5 cm / 5 3/4"

SS1030C 16 cm / 6 1/4"

SS1031C 18 cm / 7"

SS1032C 20.5 cm / 5"

Reynolds Scissor

Designed to make a clean cut. The upper blade is sharp, which cuts the tissue, while the lower blade is serrated to grip and hold the tissue ,ideal for cutting deep tissue.





Curved

SS1034C

12.5cm / 5 3/4"



Straight

SS1033S

12.5cm / 5 3/4"

Waldram Scissor - Over sized ring handles

Ergonomic scissors that feature oversized ring handles for a more comfortable grip. scissor blade and one knife blade cuts smoothly and efficiently through soft tissue



Iris Scissor - 11.5cm/41/2
Straight Fine
SS1001S



Iris Scissor - 11.5cm/41/2
Curved Fine
SS1002C

Iris Scissors, These fine, sharp scissors are ideal for detailed dissection of fine tissue and fine suture removal



Jameson Scissor

designed for maximum control. The upper blade is sharp to cleanly cut through tissue while the lower blade is serrated to grip the tissue. The curved blade style makes these instruments ideal for cutting deep tissues



Strabismus Scissor - 11.5cm / 4 1/2"
Straight
SS1011S



Strabismus Scissor - 11.5cm / 4 1/2"
Curved
SS1012C



Jameson Scissor - Straight

SS1003S 11.5 cm / 4 1/2"
SS1004S 13 cm / 5 1/8"
SS1005S 18 cm / 7"
SS1006S 23 cm / 9"



Jameson Scissor - Curved

SS1007C 11.5 cm / 4 1/2"
SS1008C 13 cm / 5 1/8"
SS1009C 18 cm / 7"
SS1010C 23 cm / 9"

SUPER SHARP CUT SCISSORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



Straight

SS1081S
12cm / 4 3/4"
SS1082S
13cm / 5"
SS1083S
16cm / 6"
SS1084S
18cm / 7"




Curved

SS1085C
12cm / 4 3/4"
SS1086C
13cm / 5"
SS1087C
16cm / 6"
SS1088C
18cm / 7"

Ragnell (kilner) Scissor

Ragnell Scissors, also known as Kilner designed with flat blades and blunt tips often makes Ragnell scissors the dissection instrument of choice during longer procedures.





Straight

SS1089S
14cm / 5 1/2"
SS1090S
17cm / 6 3/4"
SS1091S
18cm / 7"




Curved

SS1092C
14cm / 5 1/2"
SS1093C
17cm / 6 3/4"
SS1094C
18cm / 7"

Operating Scissor

Operating Scissors with smooth blades and sharp/blunt, Also known as Surgical Scissors, are a versatile surgical instrument.,used in several types of general surgical procedures.



Designed for trimming and opening vessels in cardiovascular and thoracic procedures



25° angled
SS1095A
17.7cm / 7"
SS1096A
22.32cm / 8 3/4"



45° angled
SS1097A
17.7cm / 7"
SS1098A
22.32cm / 8 3/4"




60° angled
SS1099A
17.7cm / 7"
SS1100A
22.32cm / 8 3/4"



90° angled
SS1101A
17.7cm / 7"
SS1102A
22.32cm / 8 3/4"


Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS






17.5 cm / 6 7/8 ″
SS8055C


Ceramic






17.5 cm / 6 7/8 ″
SS4053C

Laser Trim





17.5 cm / 6 7/8 ″
SS4055C

Tungsten Carbide

TOENNIS- ADSON





Straight

16 cm / 6 2/8 ″
SS8056S



Curved

16 cm / 6 2/8 ″
SS8057C

Ceramic





Straight

16 cm / 6 2/8 ″
SS4056S



Curved

16 cm / 6 2/8 ″
SS4057C

Laser Trim





Straight

16 cm / 6 2/8 ″
SS4058S




Curved


16 cm / 6 2/8″
SS4059C

Tungsten Carbide

MAYO - LEXER







Straight

12.7 cm / 5″
SS4060S

17.7cm / 7″
SS4061S

Curved

12.7 cm / 5″
SS4062C

17.7cm / 7″
SS4063C

Ragnell







Straight

12.7 cm / 5″
SS4064S

17.7cm / 7″
SS4065S

Curved

12.7 cm / 5″
SS4066C

17.7cm / 7″
SS4067C

Iris Metzenbaum






Curved

15.5 cm / 6 1/8 ″
SS4068C

18 cm / 7 1/8 ″
SS4069C

Reynolds Tenotomy





Curved

17.5 cm / 6 7/8 ″
SS4070C


20 cm / 7 7/8 ″
SS4071C

23 cm / 9 ″
SS4072C

27 cm / 11 ″
SS4073C

Debakey - Thorek





17.5 cm / 6 7/8 ″
SS4074C

20 cm / 7 7/8 ″
SS4075C

21 cm / 8 2/8 ″
SS4076C


24 cm / 9 4/8 ″
SS4077C

Cobra






Mayo scissors - standard






Straight		Curved	
14.5 cm / 5 6/8″	**SS4001S**	14.5 cm / 5 6/8″	**SS4008C**
15 cm / 5 7/8″	**SS4002S**	15 cm / 5 7/8″	**SS4009C**
17 cm / 6 6/8″	**SS4003S**	17 cm / 6 6/8″	**SS4010C**
19.5 / 7 5/8″	**SS4004S**	19.5 / 7 5/8″	**SS4011C**
20.5 / 8 1/8″	**SS4005S**	20.5 / 8 1/8″	**SS4012C**
23 cm / 9″	**SS4006S**	23 cm / 9″	**SS4013C**
28 cm / 11″	**SS4007S**	28 cm / 11″	**SS4014C**





Mayo scissors - Stille





Straight		Curved	
15 cm / 5 7/8″	**SS4015S**	15 cm / 5 7/8″	**SS4019C**
17 cm / 6 6/8″	**SS4016S**	17 cm / 6 6/8″	**SS4020C**
19.5 / 7 5/8″	**SS4017S**	19.5 / 7 5/8″	**SS4021C**
21.5 / 8 4/8″	**SS4018S**	21.5 / 8 4/8″	**SS4022C**



Baby Metzenbaum







Straight	Curved
11.5 cm / 4 4/8 ″ **SS4023S**	11.5 cm / 4 4/8 ″ **SS4026C**
14.5 cm / 5 4/8 ″ **SS4024S**	14.5 cm / 5 4/8 ″ **SS4027C**
16 cm / 6 2/8 ″ **SS4025S**	16 cm / 6 2/8 ″ **SS4028C**



Metzenbaum







Straight	Curved
18 cm / 7 1/8 ″ **SS4029S**	18 cm / 7 1/8 ″ **SS4035C**
20.5 cm / 8 1/8 ″ **SS4030S**	20.5 cm / 8 1/8 ″ **SS4036C**
23 cm / 9 ″ **SS4031S**	23 cm / 9 ″ **SS4037C**
26 cm / 10 2/8 ″ **SS4032S**	26 cm / 10 2/8 ″ **SS4038C**
28.5 cm / 11 2/8 ″ **SS4033S**	28.5 cm / 11 2/8 ″ **SS4039C**
31 cm / 12 2/8 ″ **SS4034S**	31 cm / 12 2/8 ″ **SS4040C**



Fine Metzenbaum







Straight	Curved
14.5 cm / 5 4/8 ″ **SS4041S**	14.5 cm / 5 4/8 ″ **SS4045C**
16 cm / 6 2/8 ″ **SS4042S**	16 cm / 6 2/8 ″ **SS4046C**
18 cm / 7 1/8 ″ **SS4043S**	18 cm / 7 1/8 ″ **SS4047C**
20.5 cm / 8 1/8 ″ **SS4044S**	20.5 cm / 8 1/8 ″ **SS4048C**







Slender “S” Bend Metzenbaum

Curved

18 cm / 7 1/8 ″ **SS4049C**

20.5 cm / 8 1/8 ″ **SS4050C**

23 cm / 9 ″ **SS4051C**





Straight		Curved	
20 cm / 7 7/8″	**SS4078S**	20 cm / 7 7/8″	**SS4080C**
23 cm / 9 ″	**SS4079S**	23 cm / 9 ″	**SS4081C**

Sims Gynecological scissors





Sims - “S” Bend

24.5 cm / 9 5/8″




Stainless Steel



Tungsten Carbide




Super-cut




Straight	Curved
SS2037S	SS2044C
SS2038S	SS2045C
SS2039S	SS2046C
SS2040S	SS2047C
SS2041S	SS2048C
SS2042S	SS2049C
SS2043S	SS2050C

Sizes
12 cm / 4 6/8 ″
13 cm / 5 1/8 ″
14.5 cm / 5 6/8 ″
15.5 cm / 6 1/8 ″
16.5 cm / 6 4/8 ″
17.5 cm / 7 2/8 ″
20.5 cm / 8 1/8 ″



Straight	Curved
SS4082S	SS4089C
SS4083S	SS4090C
SS4084S	SS4091C
SS4085S	SS4092C
SS4086S	SS4093C
SS4087S	SS4094C
SS4088S	SS4095C

Sizes
12 cm / 4 6/8 ″
13 cm / 5 1/8 ″
14.5 cm / 5 6/8 ″
15.5 cm / 6 1/8 ″
16.5 cm / 6 4/8 ″
17.5 cm / 7 2/8 ″
20.5 cm / 8 1/8 ″




Straight	Curved
SS1103S	SS1110C
SS1104S	SS1111C
SS1105S	SS1112C
SS1106S	SS1113C
SS1107S	SS1114C
SS1108S	SS1115C
SS1109S	SS1116C

Sizes
12 cm / 4 6/8 ″
13 cm / 5 1/8 ″
14.5 cm / 5 6/8 ″
15.5 cm / 6 1/8 ″
16.5 cm / 6 4/8 ″
17.5 cm / 7 2/8 ″
20.5 cm / 8 1/8 ″

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED






1X2 teeth
Tungsten Carbide Grip

12 cm / 4 6/8 ″
DF4001T

15 cm / 5 1/8 ″
DF4002T

15.25 cm / 6 ″
DF4003T



Non-tooth
Tungsten Carbide Grip


12 cm / 4 6/8 ″
DF4004P

15 cm / 5 1/8 ″
DF4005P

15.25 cm / 6 ″
DF4006P

TC Adson





12 cm / 4 3/4 ″
DF4007P

Tissue Forceps are for holding and manipulating delicate tissues. This forceps have a wide, flat thumb grasp area that is substituted with Tungsten Carbide serration. The jaws are short and the tips are narrow. This forceps is straight with 9x9 teeth

TC Adson-Brown





17.5 cm / 6 7/8 ″
DF4008T

1X2 teeth
Tungsten Carbide Grip




17.5 cm / 6 7/8 ″
DF4009T

Non-tooth
Tungsten Carbide Grip


TC Cushing





17.5 cm / 6 7/8 ″
DF4010T

1X2 teeth
Tungsten Carbide Grip



17.5 cm / 6 7/8 ″
DF4011T

Non-tooth
Tungsten Carbide Grip

TC Cushing-Angled





18.5 cm / 7 2/8 ″
DF4012T

1X2 teeth
Tungsten Carbide Grip



17.5 cm / 6 7/8 ″
DF4013T

Non-tooth
Tungsten Carbide Grip

TC Cushing-Taylor



1X2 teeth
Tungsten Carbide Grip

12 cm / 4 ″
DF4014T

15 cm / 5 ″
DF4016T

15.25 cm / 6 ″
DF4018T

18.5 cm / 7 ″
DF4020T

20.30 cm / 8 ″
DF4022T

22.86 cm / 9 ″
DF4024T

25.4 cm / 10 ″
DF4026T

30.50 cm / 12 ″
DF4028T

TC Standard Forceps





Non-Tooth
Tungsten Carbide Grip

12 cm / 4 ″
DF4015T

15 cm / 5 ″
DF4017T

15.25 cm / 6 ″
DF4019T

18.5 cm / 7 ″
DF4021T

20.30 cm / 8 ″
DF4023T

22.86 cm / 9 ″
DF4025T

25.4 cm / 10 ″
DF4027T

30.50 cm / 12 ″
DF4029T

TC Standard Forceps





Non-Tooth
Tungsten Carbide Grip

15 cm / 5 ″
DF4030T

15.25 cm / 6″
DF4031T

22.86 cm / 9 ″
DF4032T

25.4 cm / 10 ″
DF4033T

30.50 cm / 12 ″
DF4034T

TC Wangensten Forceps





Tungsten Attraumatic
Carbide Grip

12 cm / 4 ″
2mm tip **DF4035AD** 3mm tip **DF4036AD**

15 cm / 5 ″
2mm tip **DF4037AD** 3mm tip **DF4038AD**

15.25 cm / 6 ″
2mm tip **DF4039AD** 3mm tip **DF4040AD**

18.5 cm / 7 ″
2mm tip **DF4041AD** 3mm tip **DF4042AD**

20.30 cm / 8 ″
2mm tip **DF4043AD** 3mm tip **DF4044AD**

22.86 cm / 9 ″
2mm tip **DF4045AD** 3mm tip **DF4046AD**

25.4 cm / 10 ″
2mm tip **DF4047AD** 3mm tip **DF4048AD**

30.50 cm / 12 ″
2mm tip **DF4049AD** 3mm tip **DF4050AD**

Debakey Attraumatic Forceps





Tungsten Carbide Grip

15.25 cm / 6 ″
DF4051T

18.5 cm / 7 ″
DF4052T

20.30 cm / 8 ″
DF4053T


22.86 cm / 9 ″
DF4054T

25.4 cm / 10 ″
DF4055T

30.50 cm / 12 ″
DF4056T

Tuttle Forceps





Multiple Teeth
Tungsten Carbide Grip

15.25 cm / 6 ″
DF4057T


18.5 cm / 7 ″
DF4058T

20.30 cm / 8 ″
DF4059T

22.86 cm / 9 ″
DF4060T

25.4 cm / 10 ″
DF4061T


Alderkreutz Forceps



De Bakey Mosquito

Atraumatic Grip

		Straight	Curved
Overall Length 15.0 cm - 5 7/8”	SS	**VF2001S**	**VF2003C**
	CE	**VF8001S**	**VF8003C**
	Ti	**VF6001S**	**VF6003C**
Overall Length 18.0 cm - 7”	SS	**VF2002S**	**VF2004C**
	CE	**VF8002S**	**VF8004C**
	Ti	**VF6002S**	**VF6004C**



De Bakey-Rankin Atraumatic Haemostatic Forceps

Atraumatic Grip


		Straight	Curved
Overall Length 16.0 cm - 6”	SS	**VF2005S**	**VF2006C**
	CE	**VF8005S**	**VF8006C**
	Ti	**VF6005S**	**VF6006C**




De Bakey Pean - Straight

Atraumatic Grip


		Straight	Curved
Overall Length 14.5 cm - 5 6/8”	SS	VF2007S	VF2011C
	CE	VF8007S	VF8011C
	Ti	VF6007S	VF6011C
Overall Length 16.5 cm - 6 4/8”	SS	VF2008S	VF2012C
	CE	VF8008S	VF8012C
	Ti	VF6008S	VF6012C
Overall Length 18.5 cm - 7 2/8”	SS	VF2009S	VF2013C
	CE	VF8009S	VF8013C
	Ti	VF6009S	VF6013C
Overall Length 20.5 cm - 8 1/8”	SS	VF2010S	VF2014C
	CE	VF8010S	VF8014C
	Ti	VF6010S	VF6014C




Hartmann Hemostatic forceps
10 cm / 3 7/8 “



Micro-Mosquito Hemostatic Forceps
12 cm / 4 6/8 “



Halstead Mosquito Forceps
14cm / 5″



Halstead Mosquito Forceps
18cm / 7″

Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS




Curved
HF2032C

Overholt-Baby Hemostatic Forceps
13.5cm / 5 3/8″



Straight
HF2033S



Curved
HF2034C



1x2 teeth

Straight
HF2035S




Curved
HF2036C

LeriChe Hemostatic Forceps
15.5cm / 6 1/8″



Straight
HF2037S




Curved
HF2038C

Kelly-Rankin Hemostatic Forceps
16 cm / 6 ″



Straight
HF2039S




Curved
HF2040C

Crile-Rankin Hemostatic Forceps
16 cm / 6 ″


Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium



Kelly Hemostatic forceps
14.5 cm / 5 6/8 “



Crile Hemostatic forceps
14.5 / 5 6/8 “



12 cm / 4 5/8 “



14.5 cm / 5 6/8 “



14.5 cm / 5 6/8 “


Dandys Side Curved Hemostatic forceps

Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium






15.24cm 6″	18.5cm 7 2/8″	20.5cm 8 1/8″	24cm 9 4/8″	26cm 10 2/8″	31cm 12 2/8″
HF2041S	**HF2043S**	**HF2045S**	**HF2047S**	**HF2049S**	**HF2051S**

Rochester-Pean Hemostatic Forceps

Straight






15.24cm 6″	18.5cm 7 2/8″	20.5cm 8 1/8″	24cm 9 4/8″	26cm 10 2/8″	31cm 12 2/8″
HF2042C	**HF2044C**	**HF2046C**	**HF2048C**	**HF2050C**	**HF2052C**

Curved

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

Spencer well Forceps






15.24cm 6″	18.5cm 7 2/8″	20.5cm 8 1/8″	24cm 9 4/8″	26cm 10 2/8″	31cm 12 2/8″
HF2053S	**HF2055S**	**HF2057S**	**HF2059S**	**HF2061S**	**HF2063S**

Straight

Spencer well Forceps






15.24cm 6″	18.5cm 7 2/8″	20.5cm 8 1/8″	24cm 9 4/8″	26cm 10 2/8″	31cm 12 2/8″
HF2054C	**HF2056C**	**HF2058C**	**HF2060C**	**HF2062C**	**HF2064C**

Curved

HEMOSTATIC FORCEPS




Kocher Hemostatic Forceps



Straight- 1x2 teeth

15.24cm	18.5cm	20.5cm	24cm	26cm	31cm
6″	7 2/8″	8 1/8″	9 4/8″	10 2/8″	12 2/8″
HF2065S	**HF2067S**	**HF2069S**	**HF2071S**	**HF2073S**	**HF2075S**





Curved 1x2 teeth


5.24cm	18.5cm	20.5cm	24cm	26cm	31cm
6″	7 2/8″	8 1/8″	9 4/8″	10 2/8″	12 2/8″
HF2066C	**HF2068C**	**HF2070C**	**HF2072C**	**HF2074C**	**HF2076C**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS



Rochester Carmalt


Straight
17 cm / 6 6/8″
HF2077S



Curved
17 cm / 6 6/8″
HF2078C



Straight
20.5 cm / 8 1/8″
HF2079S



Curved
20.5 cm / 8 1/8″
HF2080C




Dunhill

Slight Curved
18.5 cm / 7 2/8″
HF2082C




Crafoord Sellors Vascular Hemostats

Strongly Curved
22 cm / 8 5/8″
HF2087C



Medium Curved
23 cm / 9 ″
HF2088C



Gentle Curved
24.5 cm / 9 5/8″
HF2089C


Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium




Straight
22.5 cm / 8 1/8″
HF2090S




Curved
22.5 cm / 8 1/8″
HF2091C

Roberts Hemostatic Forceps






Straight
25 cm / 9 7/8″
HF2092S



Curved
25 cm / 9 7/8″
HF2093C

Sarot Hemostatic Forceps







20.5 cm / 8 1/8″
HF2094C




20 cm / 7 7/8″
HF2095C




21.5 cm / 8 4/8″
HF2096C



22 cm / 8 5/8″
HF2097C



21.5 cm / 8 4/8″
HF2098C



21.5 cm / 8 2/8″
HF2099C



22 cm / 8 5/8″
HF2100C

27 cm / 10 5/8″
HF2101C

26.5 cm / 10 3/8″
HF2102C

27.5 cm / 10 7/8″
HF2103C

28 cm / 11″
HF2104C

27.5 cm / 10 7/8″
HF2105C

28 cm / 11 ″
HF2106C

27.5 cm / 8 7/8″
HF2107C

Overholt-Geissendörfer Dissection Forceps



3x4 teeth



Allis Baby

4x5 teeth



10.16 cm / 4″
TF2001T

13 cm / 5 1/2″
TF2002T

15.25 cm / 6″
TF2003T

17.80 cm / 7″
TF2004T

20.30 cm / 8″
TF2005T

Allis Forceps



11x12 teeth



16 cm / 6 2/8″
TF2006T

20.30 cm / 8″
TF2007T

25.4 cm / 10″
TF2008T

30.50 cm / 12″
TF2009T

Allis-Adair Forceps



5x6 teeth

15.25 cm / 6″
TF2010T

20.20 cm / 8″
TF2011T

Boys-Allis Forceps



6x7 teeth



15.25 cm / 6″
TF2012T

20.20 cm / 8″
TF2013T

Thoms-Allis Forceps



15.25 cm / 6″
TF2014T


20 cm / 7 7/8″
TF2015T

24.5 cm / 9 5/8″
TF2016T

30 cm / 11 5/8″
TF2017T

*Atraumatic-Allis Forceps





Tungsten Carbide Tip

10.16 cm / 4″
TF4001T

13 cm / 5 1/2 ″
TF4002T

15.25 cm / 6″
TF4003T

17.80 cm / 7″
TF4004T

20.30 cm / 8″
TF4005T

25.4 cm / 10″
TF4006T



Non TC

10.16 cm / 4″
TF2018T

13 cm / 5 1/2 ″
TF2019T

15.25 cm / 6
TF2020T


17.80 cm / 7
TF2021T

20.30 cm / 8
TF2022T

25.4 cm / 10
TF2023T

30.5 cm / 12
TF2024T





Atraumatic Serrations

10.16 cm / 4″
TF2025AD

13 cm / 5 1/2 ″
TF2026AD

15.25 cm / 6″
TF2027AD

17.80 cm / 7″
TF2028AD

20.30 cm / 8″
TF2029AD

25.4 cm / 10″
TF2030AD

Babcock Tissue Forceps

* Atraumatic-Babcock Forceps



Tungsten Carbide Tip

15.25 cm / 6″
TF4007T

20.30 cm / 8″
TF4008T

23 cm / 9″
TF4009T



Narrow

Wide

15.25 cm / 6″
TF2031T

20.30 cm / 8″
TF2032T



18 cm / 7 1/8″
TF2033T

20.50cm / 8 1/8″
TF2034T

23 cm / 9″
TF2035T

Duval Organ Holding Forceps

* Atraumatic Duval Organ Grasping

BABY-MIXTER FORCEPS




18 cm, 7”
HF2153

OVERHOLT MIXTER DISSECTING ALIGATOR FORCEPS



20.5 cm, 8 ⅛”
HF2154

OVERHOLT-GEISS SUTURE FORCEPS



22 cm, 8 ⅝”
HF2155

LOWER GALL DUCT FORCEPS



18 cm, 7”
HF2156



19 cm, 7 1/2"
Ø 6 mm

SC2001



SC2002

Baby-Poole Suction Sump



9 cm, 7 1/2"
Ø 10 mm

SC2003




19 cm, 7 1/2"
Ø 8 mm

SC2004

Poole Suction Sump

Code	Overall Length	Diameter Ø
ST2055	110 mm	2.0 mm
ST2056	110 mm	2.7 mm
ST2057	110 mm	3.3 mm
ST2058	110 mm	3.7 mm
ST2059	110 mm	4.0 mm
ST2060	110 mm	5.0 mm



Fergussion Suction Tubes



21 cm, 8 2/8"

SC2005

Baby Yankauer




31 cm, 12 2/8"

SC2006

Yankauer Abdominal Suction

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

BOWMAN PROBE DOUBLE ENDED



Code	Tip Size	Length
LP2001	7mm/0.8mm	13 cm
LP2002	7mm/1.1mm	13 cm
LP2003	7mm/1.4mm	13 cm
LP2004	7mm/1.6mm	13 cm
LP2005	7mm/1.9mm	13 cm

Quality Commitment
60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

HAND HELD RETRACTORS



15.5 cm / 6 1/8 ″



2 Prong — Sharp — 2 Prong — Blunt

HR2001 **HR2002**



3 Prong Sharp — 3 Prong Blunt


HR2003 **HR2004**



4 Prong Sharp — 4 Prong Blunt

HR2005 **HR2006**

Wound Retractor



16 cm / 6 ″

3 Prong — Sharp

HR2007

3 Prong — Blunt

HR2008

Double - Ended Retractors

Senn-Miller Retractor



18 cm 7 1/8 ″



Blade Size - 18 x 7 mm

HR2009



Blade Size - 16 x 5 mm

HR2010



Blade Size - 7 x 4 mm

HR2011




Blade Size - 12 x 4 mm

HR2012



Blade Size - 8 x 4 mm

HR2013



Blade Size - 7 x 9 mm

HR2014

Meyerding Retractor



Desmarres
16 cm / 6 2/8 ″

Saddle Back Rectractors

8 mm **HR2015**


10 mm **HR2016**

12 mm **HR2017**

14mm **HR2018**

16mm **HR2019**

18 mm **HR2020**



Cushings
20.5 cm / 8 1/8 ″

Saddle Back Rectractors

8 mm **HR2021**


10 mm **HR2022**

12 mm **HR2023**

14mm **HR2024**

16mm **HR2025**

18 mm **HR2026**



Gil-Vernet
24 cm / 9 4/8 ″

Saddle Back Rectractors

4 mm **HR2027**

6 mm **HR2028**

8 mm **HR2029**

11 mm **HR2030**

15 mm **HR2031**

17 mm **HR2031**

20 mm **HR2032**

23 mm **HR2033**

Knurling round handle with malleable copper blade


SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

Volkmann Rake Retractor
21.5 cm / 8 4/8 "




Sharp

1 Prong **HR2034**
2 Prong **HR2035**
3 Prong **HR2036**
4 Prong **HR2037**
5 Prong **HR2038**
6 Prong **HR2039**



Blunt

1 Prong **HR2040**
2 Prong **HR2041**
3 Prong **HR2042**
4 Prong **HR2043**
5 Prong **HR2044**
6 Prong **HR2045**


Semi Sharp


1 Prong **HR2046**
2 Prong **HR2047**
3 Prong **HR2048**
4 Prong **HR2049**
5 Prong **HR2050**
6 Prong **HR2051**

Morris Retractor
24 cm / 9.4”





51 x 51 **HR2052**
70 x 40 **HR2053**
70 x 50 **HR2054**
70 x 65 **HR2055**




Czerny Retractor, s - sharped
HR2056



Blade size 14 x 8 mm

Hooklet Retractor
16 cm / 6 2/8 "
HR2057





Blade size 33 x 20 mm

Wassmund
20.5 cm / 8 1/8 "
HR2058





Israel Hooklet Retractor
24.5 cm / 9 5/8 "



Blade size 40 x 40 mm
HR2059



Blade size 40 x 50 mm
HR2060




Blade size 50 x 60 mm
HR2061



Blade size 70 x 70 mm
HR2062

Hooklet Retractors are Rake like finger shaped instruments used to retract heavy tissue during surgical procedures. The prongs are available in a variety or widths and depths can be custom made on request



16 cm / 6 2/8 "

Langenbeck Green Retractor

Blade Size

10 x 6 mm **HR2063**

12 x 6 mm **HR2064**


18 x 6 mm **HR2065**

20 x 6 mm **HR2066**

21 x 8 mm **HR2067**



Langenbeck - Kocher Retractor



Blade Size

25 x 6 mm **HR2068**

25 x 10 mm **HR2069**

35 x 10 mm **HR2070**

35 x 15 mm **HR2071**

40 x 11 mm **HR2072**

41 x 18 mm **HR2073**

55 x 11 mm **HR2074**

60 x 18 mm **HR2075**

61 x 25 mm **HR2076**

70 x 14 mm **HR2077**

75 x 30 mm **HR2078**

75 x 40 mm **HR2079**

80 x 13 mm **HR2080**

80 x 16 mm **HR2081**

85 x 25 mm **HR2082**



HR2083

14.5 cm / 5 6/8 "


Mini-Roux Retractor



HR2084

12.5 cm / 4 7/8 "

Baby-Roux Retractor



HR2085


15 cm / 5 7/8 "

Collin - Hartman



Upper Blade Size

A : 28 x 29 mm
B : 25 x 26 mm
C : 22 x 21 mm



Lower Blade Size

A : 33 x 43 mm
B : 30 x 38 mm
C : 27 x 29 mm

HR2086
(set of three)

17 cm / 6 6/8 "

Roux or "C" Retractor



Upper Blade Size

A : 21 x 15 mm
B : 40 x 15 mm

overall length 21.5 cm / 8 4/8 "

HR2087

Lower Blade Size

A : 25 x 15 mm
B : 45 x 15 mm

Parker-Langenbeck Retractor



25 x 21 mm
HR2088

30 x 29 mm
HR2089

38 x 40 mm
HR2090

48 x 22 mm
HR2091

62 x 50 mm
HR2092

Richardson Retractors

These retractors are very useful for holding back multiple layers of deep tissue. this retractor is often used in appendectomy and "C" section procedures

HR2093

Upper Blade Size
25 x 20 mm

Lower Blade Size
30 x 28 mm


HR2094

Upper Blade Size
30 x 28 mm

Lower Blade Size
63 x 44 mm



Richardson-Eastman Retractors



15 x 17 mm
HR2095

22 x 22 mm
HR2096


26 x 31 mm
HR2097

Durhams Retractor



20.5 cm / 8 1/8"
HR2098

Cushings Retractor



Blade Size 35 x 31
HR2099

Blade Size 33 x 40
HR2100

Blade Size 39 x 50
HR2101

Blade Size 45 x 63
HR2102

Blade Size 45 x 75
HR2103


Blade Size 53 x 85
HR2104



Firtsch Retractor
25.5 cm / 10″



Doyens Retractor
24 cm / 9 4/8″



Blade Size 35 x 31
HR2105

Blade Size 35 x 31
HR2106

Blade Size 39 x 50
HR2107


Blade Size 39 x 50
HR2108

Blade Size 39 x 50
HR2109

Blade Size 39 x 50
HR2110



18.5 cm / 7 2/8 "
HR2111



119 x 65 mm
HR2113

108 x 43 mm
HR2114

80 x 22 mm
HR2115

Coryllos Retractor
24 cm / 9 4/8 "



19 cm / 7 4/8 "
HR2112

Davidson Scapular Retractor

Deaver Retractors



Blade Width 19 mm
18 cm / 7 1/8 "
HR2116



Blade Width 22 mm
21.5 cm / 8 4/8 "
HR2117



Blade Width 25 mm
30.5 cm / 12 "
HR2118



Blade Width 25 mm
33.5 cm / 13 2/8 "
HR2119



Blade Width 75 mm
31.5 cm / 12 3/8 "
HR2120



Blade Width 50 mm
31.5 cm / 12 3/8 "
HR2121




Blade Width 38 mm
32 cm / 12 5/8 "
HR2122



Blade Width 25 mm
34.5 cm / 13 5/8 "
HR2123



Right Angle Forceps



Gemini


13 cm / 5 1/8″
LF2001C

18 cm / 7 1/8″
LF2002C

21 cm / 8 2/8″
LF2003C

23 cm / 9 ″
LF2004C

28 cm / 11 ″
LF2005C



Mixter


13 cm / 5 1/8″
LF2006A

18 cm / 7 1/8″
LF2007A

21 cm / 8 2/8″
LF2008A

23 cm / 9 ″
LF2009A

28 cm / 11 ″
LF2010A



Lahey


13 cm / 5 1/8″
LF2011A

18 cm / 7 1/8″
LF2012A

21 cm / 8 2/8″
LF2013A

23 cm / 9 ″
LF2014A

28 cm / 11 ″
LF2015A




Attraumatic
Debakey

16 cm / 6 2/8″
LF2016AD

18 cm / 7 1/8″
LF2017AD

21 cm / 8 2/8″
LF2018AD

23 cm / 9″
LF2019AD




Attraumatic
Cooley

13 cm / 5 1/8″
LF2020AD

18 cm / 7 1/8″
LF2021AD

21 cm / 8 2/8″
LF2022AD

23 cm / 9″
LF2023AD




Attraumatic
Caramalt

18 cm / 7 1/8″
LF2024A

21 cm / 8 2/8″
LF2025A

23 cm / 9″
LF2026A

26 cm / 10 2/8 ″
LF2027A



Finnochietto
24.5 cm / 9 5/8″
LF2028A


Available in the following materials




Premium Quality Stainless Steel | Ceramic | Titanium




SURGIMENTS Improved Forceps




18.5 cm / 7 2/8″
LF2029C




20.5 cm / 8 1/8″
LF2030C



21 cm / 8 2/8″
LF2031C



21.5 cm / 8 2/8″
LF2032C



24 cm / 9 6/8″
LF2033C


Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium



Guyon Kidney pedical clamp




23 cm, 9”
UVC107A
SS **VC2063AD**
Ti **VC6063AD**

24 cm, 9 1/2”
UVC108A
SS **VC2064AD**
Ti **VC6064AD**



Nieren Kidney and Pancrea Atraumatic Clamp



20 cm, 8”
SS **VC2067AD**
Ti **VC6067AD**

24.5 cm, 9 3/4”
SS **VC2068AD**
Ti **VC6068AD**

20 cm, 8”
SS **VC2066AD**
Ti **VC6066AD**

23 cm, 9”
SS **VC2065AD**
Ti **VC6065AD**




Cooley Spoon Clamp



	13.5 cm, 5 3/8”	17.5 cm, 6 7/8”	21 cm, 8 2/8”	26 cm, 10 2/8”
SS	VC2171AC	VC2172AC	VC2173AC	VC2174AC
Ti	VC6171AC	VC6172AC	VC6173AC	VC6174AC



Glover Debakey Spoon Clamp





	17.5 cm, 6 7/8”	21 cm, 8 2/8”	26 cm, 10 2/8”
SS	VC2175AD	VC2176AD	VC2177AD
Ti	VC6175AD	VC6176AD	VC6177AD

Atraumatic Forceps

De Bakey, straight curved 16.5 cm









16.5 cm, 6 1/2”

SS **VC2006AD**

Ti **VC6006AD**

Derra - DeBakey






16.5 cm, 6 1/2”

SS **VC2007AD**


Ti **VC6007AD**



17.0 cm, 6 6/8"

SS **VC2008AD**

Ti **VC6008AD**



17.5 cm, 6 5/8"

SS **VC2009AD**

Ti **VC6009AD**









24 cm 9 ⅜”

SS **VC2178AD**

Ti **VC6178AD**

24 cm 9 ⅜”

SS **VC2179AD**


Ti **VC6179AD**

Weber

Atraumatic Tangential Forceps

Satinsky







26.5 cm 10 ⅜”
SS VC2155AD
Ti VC6155AD




26.0 cm, 10 ⅜”
SS VC2154AD
Ti VC6154AD



22.0 cm, 8 ⅝”
SS VC2153AD
Ti VC6153AD



27.5 cm, 10 ⅝”
SS VC2156AD
Ti VC6156AD



28.5 cm, 11 ⅜”
SS VC2157AD
Ti VC6157AD

Atraumatic Tangential Forceps

DeBakey - Satinsky



23.5 cm, 9 ⅜”
SS VC2157AD
Ti VC6157AD



24.0 cm, 9 ⅝”
SS VC2157AD
Ti VC6157AD



24.5 cm, 9 ⅝”
SS VC2157AD
Ti VC6157AD



25.0 cm, 9 ⅞”
SS VC2157AD
Ti VC6157AD

28.5 cm, 11 ⅜”
SS VC2157AD
Ti VC6157AD


Atraumatic Forceps



26.0 cm, 10 ⅜”
SS VC2125AD
Ti VC6125AD

31.5 cm, 12 ⅜”
SS VC2126AD
Ti VC6126AD

De Bakey





22.0 cm, 8 ⅝”
SS VC2124AD
Ti VC6124AD

21.0 cm, 8 ⅜”
SS VC2123AD
Ti VC6123AD

18.0 cm, 7 ⅛”
SS VC2122AD
Ti VC6122AD



SS VC2180AD
Ti VC6180AD

LELAND-JONES PERIPHERAL CLAMP
19 cm, 7 ⅜”



SS VC2181AD
Ti VC6181AD

HENLY
20 cm, 7 7/8”



SS VC2182AD
Ti VC6182AD

COOLEY DUCTUS CLAMP
17 cm, 6 ⅜”



SS VC2183AD
Ti VC6183AD


DE BAKEY BULLDOG CLAMP RING-HANDLE
12.5 cm, 5””



ZANGER, 21.5 cm, 8 4/8”

SS **VC2184AD**

Ti **VC6184AD**



WYLIE, 27 cm, 10 5/8”

SS **VC2185AD**

Ti **VC6185AD**



DE BAKEY, 30 cm, 11 7/8”

SS **VC2186AD**

Ti **VC6186AD**

Atraumatic Forceps

Bainbridge - Straight






15.0 cm, 5 ⅞”

SS VC2105AD

Ti VC6105AD




18.5 cm, 7 ⅛”

SS VC2106AD

Ti VC6106AD

Bainbridge - Curved






15.0 cm, 5 ⅞”

SS VC2107AD

Ti VC6107AD





18.5 cm, 7 ⅛”

SS VC2108AD

Ti VC6108AD

De Bakey






20.0 cm, 7 ⅞”

SS VC2109AD

Ti VC6109AD

Atraumatic Aneurysm Forceps

De Bakey



26.0 cm, 10 ⅜”
SS VC2051AD
Ti VC6051AD


27.0 cm, 10 ⅝”
SS VC2052AD
Ti VC6052AD

31.0 cm, 12 ⅜”
SS VC2053AD
Ti VC6053AD


33.0 cm, 13”
SS VC2054AD
Ti VC6054AD

Castaneda






13.0 cm, 5 ⅛”	12.5 cm, 4 ⅞”	12.0 cm, 4 ⅝”
SS PC2140AD	PC2141AD	PC2142AD
Ti PC6140AD	PC6141AD	PC6142AD




12.0 cm, 4 ⅝”	11.0 cm, 4 ⅜”
SS PC2143AD	PC2144AD
Ti PC6143AD	PC6144AD



12.0 cm, 4 ⅝”	15.0 cm, 5 ⅞”	15.0 cm, 5 ⅞”
SS PC2145AD	PC2146AD	PC2147AD
Ti PC6145AD	PC6146AD	PC6147AD

Micro Bulldog



Micro Bulldog




27mm
standard pressure 0,45N

SS **BD2038SR**
Ti **BD6038SR**

Weldon (Glover) Mini Bulldog



Weldon Mini Bulldog
standard pressure 0,45N

31mm	33mm	 28mm	 27mm
SS **BD2039SR**	**BD2040SR**	**BD2041SR**	**BD2042SR**
Ti **BD6039SR**	**BD6040SR**	**BD6041SR**	**BD6042SR**
 31mm	 30mm	 25mm	 26mm
SS **BD2043SR**	**BD2044SR**	**BD2045SR**	**BD2046SR**
Ti **BD6043SR**	**BD6044SR**	**BD6045SR**	**BD6046SR**
 25° 32mm	 45° 30mm	 60° 25mm	 90° 19mm
SS **BD2047SR**	**BD2048SR**	**BD2049SR**	**BD2050SR**
Ti **BD6047SR**	**BD6048SR**	**BD6049SR**	**BD6050SR**




DeBakey Bulldog Clamp

Atraumatic Grip

Straight

Overall Length	Length of Jaw		
80 mm - 3 1/8”	25 mm - 1”	SS	BD2051AD
		Ti	BD6051AD
90 mm - 3 1/2”	35 mm - 1 3/8”	SS	BD2052AD
		Ti	BD6052AD
105 mm - 4 1/8”	50 mm - 2”	SS	BD2053AD
		Ti	BD6053AD
124 mm - 5”	68 mm - 2 1/4”	SS	BD2054AD
		Ti	BD6054AD



DeBakey Bulldog Clamp

Atraumatic Grip

Curved

Overall Length	Length of Jaw		
80 mm - 3 1/8”	25 mm - 1”	SS	BD2055AD
		Ti	BD6055AD
90 mm - 3 1/2”	35 mm - 1 3/8”	SS	BD2056AD
		Ti	BD6056AD
105 mm - 4 1/8”	50 mm - 2”	SS	BD2057AD
		Ti	BD6057AD
124 mm - 5”	68 mm - 2 1/4”	SS	BD2058AD
		Ti	BD6058AD




Santulli Angular Model Bulldog clamp

Atraumatic Grip

Angled


Overall Length	Length of Jaw		
70 mm - 2 6/8”	30 mm - 1 3/16”	SS	BD2059AD
		Ti	BD6059AD
90 mm - 3 1/2”	35 mm - 1 3/8”	SS	BD2060AD
		Ti	BD6060AD
105 mm - 4 1/8”	50 mm - 2”	SS	BD2061AD
		Ti	BD6061AD
124 mm - 5”	68 mm - 2 1/4”	SS	BD2062AD
		Ti	BD6062AD





Right

Atraumatic Grip - Titanium



Left



Gregory Style Vascular Bulldog


9.5 cm - 3 6/8”


SS **BD2063AD**
Ti **BD6063AD**

SS **BD2064AD**
Ti **BD6064AD**

Gregory Soft Bulldog Clamp








Atraumatic Grip - Titanium

9 cm - 3 4/8” | 11 cm - 4 3/8”

SS **BD2065AD** **BD2066AD**
Ti **BD6065AD** **BD6066AD**



Gregory Carotid Clamp







11 cm - 4 3/8” Left

SS **BD2067AD**
Ti **BD6067AD**

11 cm - 4 3/8” Right

SS **BD2068AD**
Ti **BD6068AD**


DeBakey Needle Pulling Forceps - Round Handle



Tip size		Straight 1.5 mm	Straight 2.0 mm
Overall Length 18.5 cm - 7 1/4”	TC	**MF4085AD**	
Overall Length 21.0 cm - 8 1/4”	TC	**MF4086AD**	**MF4087AD**

DeBakey Needle Pulling Forceps - Flat Handle





Tip size		Straight 2.0 mm
Overall Length 18.5 cm - 7 1/4”	TC	**MF4088AD**
Overall Length 21.0 cm - 8 1/4”	TC	**MF4089AD**

Cushing Forceps - Flat Handle



Tip size		Straight 2.0 mm
Overall Length 18.0 cm - 7”	TC	**MF4090S**
Overall Length 21.0 cm - 8 1/4”	TC	**MF4091S**
Overall Length 25.0 cm - 10”	TC	**MF4092S**

Micro DeBakey Forceps - Flat Handle



	Tip size	Straight 1.0 mm	Straight 1.5 mm	Straight 2.0 mm	Straight 2.7 mm	Straight 3.2 mm
Overall Length 15 cm - 6”	SS	MF2071AD		MF2075AD		
	TC	MF4071AD		MF4075AD		
	Ti	MF6071AD		MF6075AD		
Overall Length 19.5 cm - 7 3/4”	SS	MF2072AD		MF2076AD	MF2079AD	
	TC	MF4072AD		MF4076AD	MF4079AD	
	Ti	MF6072AD		MF6076AD	MF6079AD	
Overall Length 24.0 cm - 9 1/2”	SS		MF2073AD	MF2078AD	MF2080AD	MF2081AD
	TC		MF2073AD	MF2078AD	MF2080AD	MF2081AD
	Ti		MF6073AD	MF6078AD	MF6080AD	MF6081AD
Overall Length 30.5 cm - 12”	SS		MF2074AD			
	TC		MF2074AD			
	Ti		MF6074AD			


Micro DeBakey Forceps - Angled




	Tip size	Angled 2.0 mm
Overall Length 15 cm - 6”	SS	MF2082AD
	TC	MF4082AD
	Ti	MF6082AD
Overall Length 19.5 cm - 7 3/4”	SS	MF2083AD
	TC	MF4083AD
	Ti	MF6083AD
Overall Length 24.0 cm - 9 1/2”	SS	MF2084AD
	TC	MF4084AD
	Ti	MF6084AD

Gerald Ring Tip Forceps - Flat Handle








	Tip size	Straight 1.0 mm	Straight 1.5 mm
Overall Length 18.0 cm - 7”	SS	**MF2061S**	**MF2064S**
	Ti	**MF6061S**	**MF6064S**
Overall Length 20.0 cm - 8”	SS	**MF2062S**	**MS2065S**
	Ti	**MS6062S**	**MS6065S**
Overall Length 25.0 cm - 10”	SS	**MF2063S**	**MS2066S**
	Ti	**MS6063S**	**MS6066S**

Gerald 1 x 2 Teeth Forceps - Flat Handle





	Tip size	Straight 1 x 2 Teeth
Overall Length 18.0 cm - 7”	SS	**MF2067T**
	Ti	**MF6067T**
Overall Length 20.0 cm - 8”	SS	**MF2068T**
	Ti	**MS6068T**
Overall Length 25.0 cm - 10”	SS	**MF2069T**
	Ti	**MS6069T**

Micro Gerald Forceps - Flat Handle





	Tip size	Straight 1.0 mm	Straight 1.5 mm	Straight 2.0 mm
Overall Length 18.0 cm - 7”	SS	**MF2044S**	**MF2047C**	**MF2051S**
	Ti	**MF6044S**	**MF6047C**	**MF6051S**
Overall Length 20.0 cm - 8”	SS	**MF2045S**	**MS2048C**	**MS2052S**
	Ti	**MS6045S**	**MS6048C**	**MS6052S**
Overall Length 25.0 cm - 10”	SS	**MF2046S**	**MS2049C**	**MS2053S**
	Ti	**MS6046S**	**MS6049C**	**MS6053S**
Overall Length 30.5 cm - 12”	SS		**MF2050S**	**MS2054S**
	Ti		**MS6050S**	**MS6054S**

Gerald DeBakey Forceps - Flat Handle





	Tip size	Straight 1.3 mm	Straight 2.0 mm
Overall Length 18.0 cm - 7”	SS	**MF2055AD**	**MF2058AD**
	Ti	**MF6055AD**	**MF6058AD**
Overall Length 20.0 cm - 8”	SS	**MF2056AD**	**MS2059AD**
	Ti	**MS6056AD**	**MS6059AD**
Overall Length 25.0 cm - 10”	SS	**MF2057AD**	**MS2060AD**
	Ti	**MS6057AD**	**MS6060AD**

Micro Platform Forceps - without counter balance






	Tip size	Straight 1.0 mm	Curved 1.0 mm	Ring Tip 1.0 mm	1 x 2 Teeth 1.0 mm
Overall Length 18.1 cm - 7 1/8”	SS	**MF2029S**	**MF2030C**	**MF2033S**	**MF2035T**
	Ti	**MF6029S**	**MF6030C**	**MF6033S**	**MF6035T**
Overall Length 21.0 cm - 8 1/4”	SS	**MF2031S**	**MS2032C**	**MS2034S**	
	Ti	**MS6031S**	**MS6032C**	**MS6034S**	


Micro DeBakey Forceps - with counter balance





	Tip size	Straight 1.0 mm	Curved 1.0 mm	1 x 2 Teeth 1.0 mm
Overall Length 15.0 cm - 6”	SS	**MF2036S**		**MF2043T**
	Ti	**MF6036S**		**MF6043T**
Overall Length 18.1 cm - 7 1/8”	SS	**MF2037S**	**MF2038C**	
	Ti	**MF6037S**	**MF6038C**	
Overall Length 21.0 cm - 8 1/4”	SS	**MF2039S**	**MF2040C**	
	Ti	**MF6039S**	**MF6040C**	
Overall Length 25.0 cm - 10”	SS	**MF2041S**	**MF2042C**	
	Ti	**MF6041S**	**MF6042C**	

Micro Forceps - with diamond dust



	Tip size	Straight 0.8 mm	Curved 0.8 mm	Straight 1.0 mm	Curved 1.0 mm
Overall Length 18.5 cm - 7 1/4"	SS	**MF2017S**	**MF2018C**		
	Ti	**MF6017S**	**MF6017C**		
Overall Length 21.0 cm - 8 1/4"	SS			**MF2019S**	**MS2020C**
	Ti			**MS6018S**	**MS6020C**
Overall Length 23.0 cm - 9"	SS			**MF2021S**	**MS2022C**
	Ti			**MS6021S**	**MS6022C**

Micro DeBakey Forceps - without counter balance



	Tip size	Straight 1 mm	Straight 1.5 mm
Overall Length 18.1 cm - 7 1/8"	SS	**MF2023AD**	
	Ti	**MF6023AD**	
Overall Length 21.0 cm - 8 1/4"	SS	**MF2024AD**	
	Ti	**MF6024AD**	
Overall Length 23.0 cm - 9"	SS		**MF2025AD**
	Ti		**MF6025AD**

Micro DeBakey Forceps - with counter balance



	Tip size	Straight 1 mm	Straight 1.5 mm
Overall Length 18.1 cm - 7 1/8"	SS	**MF2026AD**	
	Ti	**MF6026AD**	
Overall Length 21.0 cm - 8 1/4"	SS	**MF2027AD**	
	Ti	**MF6027AD**	
Overall Length 23.0 cm - 9"	SS		**MF2028AD**
	Ti		**MF6028AD**

Micro Ring Tip Forceps - with Counter Balance



	Tip size	Straight 1 mm	Curved 1 mm	Straight 2 mm	Straight 2.5 mm
Overall Length 15.0 cm - 6”	SS	MF2001S			
	Ti	MF6001S			
Overall Length 18.5 cm - 7 1/4”	SS	MF2002S	MF2006C	MF2009S	MF2010S
	Ti	MF6002S	MF6006C	MF6009S	MF6010S
Overall Length 21.0 cm - 8 1/4”	SS	MF2003S	MS2007C		
	Ti	MS6003S	MS6007C		
Overall Length 23.0 cm - 9”	SS	MF2004S	MS2008C		
	Ti	MS6004S	MS6008C		
Overall Length 25.0 cm - 10”	SS	MF2005S			
	Ti	MS6005S			

Micro Ring Tip Forceps - without Counter Balance



	Tip size	Straight 1 mm	Curved 1 mm	Straight 2.5 mm
Overall Length 18.1 cm - 7 1/8”	SS	MF2011S		MF2015S
	Ti	MF6011S		MF6015S
Overall Length 21.0 cm - 8 1/4”	SS	MF2012S	MF2013C	MF2016S
	Ti	MF6012S	MF6013C	MF6016S
Overall Length 23.0 cm - 9”	SS		MF2014C	
	Ti		MF6014C	



Favaloro Vascular Scissors



Overall Length	Size of Blade	125°
18 cm, 7"	10 mm	**MS2201A**
19 cm, 7 1/2"	10 mm	**MS2202A**
21 cm, 8 2/8"	10 mm	**MS2203A**
23 cm, 9"	10 mm	**MS2204A**



Dietrich Potts

Super-cut



Overall Length	Size of Blade	25°	45°	60°	90°	125°
18 cm, 7"	15 mm	**MS2205A**	**MS2209A**	**MS2213A**	**MS2217A**	**MS2221A**
19 cm, 7 1/2"	15 mm	**MS2206A**	**MS2210A**	**MS2214A**	**MS2218A**	**MS2222A**
21 cm, 8 2/8"	15 mm	**MS2207A**	**MS2211A**	**MS2215A**	**MS2219A**	**MS2223A**
23 cm, 9"	15 mm	**MS2208A**	**MS2212A**	**MS2216A**	**MS2220A**	**MS2224A**
18 cm, 7"	10 mm	**MS2225A**	**MS2229A**	**MS2233A**	**MS2237A**	**MS2241A**
19 cm, 7 1/2"	10 mm	**MS2226A**	**MS2230A**	**MS2234A**	**MS2238A**	**MS2242A**
21 cm, 8 2/8"	10 mm	**MS2227A**	**MS2231A**	**MS2235A**	**MS2239A**	**MS2243A**
23 cm, 9"	10 mm	**MS2228A**	**MS2232A**	**MS2236A**	**MS2240A**	**MS2244A**
18 cm, 7"	7 mm	**MS2245A**	**MS2249A**	**MS2253A**	**MS2257A**	**MS2261A**
19 cm, 7 1/2"	7 mm	**MS2246A**	**MS2250A**	**MS2254A**	**MS2258A**	**MS2262A**
21 cm, 8 2/8"	7 mm	**MS2247A**	**MS2251A**	**MS2255A**	**MS2259A**	**MS2263A**
23 cm, 9"	7 mm	**MS2248A**	**MS2252A**	**MS2256A**	**MS2260A**	**MS2264A**









		Straight Adventitia	Curved Up Adventitia	Curved Down Adventitia
Overall Length 16.5 cm - 6 4/8"		15 mm	15 mm	15 mm
	SS	**MS2159S**	**MS2160C**	
	TC	**MS4159S**	**MS4160C**	
Overall Length 20.0 cm - 7 7/8"	SS	**MS2161S**	**MS2162C**	**MS2163C**
	TC	**MS4161S**	**MS4162C**	**MS4163C**











		Straight Adventitia	Curved Up Adventitia	Straight Dissection	Curved Up Dissection
Overall Length 20.0 cm - 7 7/8"		15 mm	15 mm	15 mm	15 mm
	SS			**MS2164S**	**MS2165C**
	TC			**MS4164S**	**MS4165C**
Overall Length 22.5 cm - 8 7/8"	SS	**MS2166S**	**MS2167C**	**MS2168S**	**MS2169C**
	TC	**MS4166S**	**MS4167C**	**MS4168S**	**MS4169C**
Overall Length 24.5 cm - 9 5/8"	SS		**MS2170S**		
	TC		**MS4170S**		

MICRO SCISSORS







	25°	45°	60°	90°	125°
Very fine blade Overall Length 16.5 cm - 6 1/2”	8 mm	8 mm	8 mm	8 mm	8mm
SS	**MS2049A**	**MS2050A**	**MS2051A**	**MS2052A**	**MS2053A**
TC	**MS4049A**	**MS4050A**	**MS4051A**	**MS4052A**	**MS4053A**



	25°	45°	60°	90°	125°
Fine blade Overall Length 16.5 cm - 6 1/2”	11 mm	11 mm	11 mm	11 mm	11 mm
SS	**MS2054A**	**MS2055A**	**MS2056A**	**MS2057A**	**MS2058A**
TC	**MS4054A**	**MS4055A**	**MS4056A**	**MS4057A**	**MS4058A**



	25°	45°	60°	90°	125°
Fine blade Ball Overall Length 16.5 cm - 6 1/2”	11 mm	11 mm	11 mm	11 mm	11 mm
SS	**MS2059A**	**MS2060A**	**MS2061A**	**MS2062A**	**MS2063A**
TC	**MS4059A**	**MS4060A**	**MS4061A**	**MS4062A**	**MS4063A**



	25°	45°	60°	90°	125°
Fine blade Overall Length 16.5 cm - 6 1/2”	15 mm	15 mm	15 mm	15 mm	15 mm
SS	**MS2064A**	**MS2065A**	**MS2066A**	**MS2067A**	**MS2068A**
TC	**MS4064A**	**MS4065A**	**MS4066A**	**MS4067A**	**MS4068A**



		25°	45°	60°	90°	125°
Very fine blade Overall Length 18.0 cm - 7”		8 mm	8 mm	8 mm	8 mm	8mm
	SS	**MS2069A**	**MS2070A**	**MS2071A**	**MS2072A**	**MS2073A**
	TC	**MS4069A**	**MS4070A**	**MS4071A**	**MS4072A**	**MS4073A**

		25°	45°	60°	90°	125°
Fine blade Overall Length 18.0 cm - 7”		11 mm	11 mm	11 mm	11 mm	11 mm
	SS	**MS2074A**	**MS2075A**	**MS2076A**	**MS2077A**	**MS2078A**
	TC	**MS4074A**	**MS4075A**	**MS4076A**	**MS4077A**	**MS4078A**

		25°	45°	60°	90°	125°
Fine blade Ball Overall Length 18.0 cm - 7”		11 mm	11 mm	11 mm	11 mm	11 mm
	SS	**MS2079A**	**MS2080A**	**MS2081A**	**MS2082A**	**MS2083A**
	TC	**MS4079A**	**MS4080A**	**MS4081A**	**MS4082A**	**MS4083A**

		25°	45°	60°	90°	125°
Fine blade Overall Length 18.0 cm - 7”		15 mm	15 mm	15 mm	15 mm	15 mm
	SS	**MS2084A**	**MS2085A**	**MS2086A**	**MS2087A**	**MS2088A**
	TC	**MS4084A**	**MS4085A**	**MS4086A**	**MS4087A**	**MS4088A**

MICRO SCISSORS







Very fine blade Overall Length 20.0 cm - 8”	25°	45°	60°	90°	125°
	8 mm	8 mm	8 mm	8 mm	8mm
SS	MS2089A	MS2090A	MS2091A	MS2092A	MS2093A
TC	MS4089A	MS4090A	MS4091A	MS4092A	MS4093A



Fine blade Overall Length 20.0 cm - 8”	25°	45°	60°	90°	125°
	11 mm	11 mm	11 mm	11 mm	11 mm
SS	MS2094A	MS2095A	MS2096A	MS2097A	MS2098A
TC	MS4094A	MS4095A	MS4096A	MS4097A	MS4098A



Fine blade Ball Tip Overall Length 20.0 cm - 8”	25°	45°	60°	90°	125°
	11 mm	11 mm	11 mm	11 mm	11 mm
SS	MS2099A	MS2100A	MS2101A	MS2102A	MS2103A
TC	MS4099A	MS4100A	MS4101A	MS4102A	MS4103A



Fine blade Overall Length 20.0 cm - 8”	25°	45°	60°	90°	125°
	15 mm	15 mm	15 mm	15 mm	15 mm
SS	MS2104A	MS2105A	MS2106A	MS2107A	MS2108A
TC	MS4104A	MS4105A	MS4106A	MS4107A	MS4108A

MICRO SCISSORS







Very fine blade Overall Length 11.5 cm - 4 1/2”	25°	45°	60°	90°	125°
	8 mm	8 mm	8 mm	8 mm	8mm
SS	MS2109A	MS2110A	MS2111A	MS2112A	MS2113A
TC	MS4119A	MS4110A	MS4111A	MS4112A	MS4113A



Very Fine blade Overall Length 16.5 cm - 6 1/2”	25°	45°	60°	90°	125°
	8 mm	8 mm	8 mm	8 mm	8mm
SS	MS2114A	MS2115A	MS2116A	MS1197A	MS2118A
TC	MS4114A	MS4115A	MS4116A	MS4117A	MS4118A



Fine blade Overall Length 16.5 cm - 6 1/2”	25°	45°	60°	90°	125°
	11 mm	11 mm	11 mm	11 mm	11 mm
SS	MS2119A	MS2120A	MS2121A	MS2122A	MS2123A
TC	MS4119A	MS4120A	MS4121A	MS4122A	MS4123A



Fine blade Overall Length 16.5 cm - 6 1/2”	25°	45°	60°	90°	125°
	15 mm	15 mm	15 mm	15 mm	15 mm
SS	MS2124A	MS2125A	MS2126A	MS2127A	MS2128A
TC	MS4124A	MS4125A	MS4126A	MS4127A	MS4128A



		25°	45°	60°	90°	125°
Very Fine blade Overall Length 18.0 cm - 7”		8 mm	8 mm	8 mm	8 mm	8mm
	SS	**MS2129A**	**MS2130A**	**MS2131A**	**MS1132A**	**MS2133A**
	TC	**MS4129A**	**MS4130A**	**MS4131A**	**MS4132A**	**MS4133A**

		25°	45°	60°	90°	125°
Fine blade Overall Length 18.0 cm - 7”		11 mm	11 mm	11 mm	11 mm	11 mm
	SS	**MS2134A**	**MS2135A**	**MS2136A**	**MS2137A**	**MS2138A**
	TC	**MS4134A**	**MS4135A**	**MS4136A**	**MS4137A**	**MS4138A**

		25°	45°	60°	90°	125°
Fine blade Overall Length 18.0 cm - 7”		15 mm	15 mm	15 mm	15 mm	15 mm
	SS	**MS2139A**	**MS2140A**	**MS2141A**	**MS2142A**	**MS2143A**
	TC	**MS4139A**	**MS4140A**	**MS4141A**	**MS4142A**	**MS4143A**




		25°	45°	60°	90°	125°
Very Fine blade Overall Length 20.0 cm - 8”		8 mm	8 mm	8 mm	8 mm	8mm
	SS	**MS2144A**	**MS2145A**	**MS2146A**	**MS1147A**	**MS2148A**
	TC	**MS4144A**	**MS4145A**	**MS4146A**	**MS4147A**	**MS4148A**

		25°	45°	60°	90°	125°
Fine blade Overall Length 20.0 cm - 8”		11 mm	11 mm	11 mm	11 mm	11 mm
	SS	**MS2149A**	**MS2150A**	**MS2151A**	**MS2152A**	**MS2153A**
	TC	**MS4149A**	**MS4150A**	**MS4151A**	**MS4152A**	**MS4153A**


		25°	45°	60°	90°	125°
Fine blade Overall Length 20.0 cm - 8”		15 mm	15 mm	15 mm	15 mm	15 mm
	SS	**MS2154A**	**MS2155A**	**MS2156A**	**MS2157A**	**MS2158A**
	TC	**MS4154A**	**MS4155A**	**MS4156A**	**MS4157A**	**MS4158A**

Castroviejo Micro Needle Holders - 5.0 - Flat Handle




	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 11.5 cm - 4 1/2”	SS	MN2001S	MN2005C	MN2009S	MN2013C
	TC	MN4001S	MN4005C	MN4009S	MN4013C
	Ti	MN6001S	MN6005C	MN6009S	MN6013C
Overall Length 12.8 cm - 5”	SS	MN2002S	MN2006C	MN2010S	MN2014C
	TC	MN4002S	MN4006C	MN4010S	MN4014C
	Ti	MN6002S	MN6006C	MN6010C	MN6014C
Overall Length 15.3 cm - 6”	SS	MN2003S	MN2007C	MN2011S	MN2015C
	TC	MN4003S	MN4007C	MN4011S	MN4015C
	Ti	MN6003S	MN6007C	MN6011S	MN6015C
Overall Length 17.8 cm - 7”	SS	MN2004S	MN2008C	MN2012S	MN2016C
	TC	MN4004S	MN4008C	MN4012S	MN4016C
	Ti	MN6004S	MN6008C	MN6012S	MN6016C

Castroviejo Micro Needle Holders - 5.0 - Round Handle



	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 11.5 cm - 4 1/2”	SS	**MN2017S**	**MN2021C**	**MN2025S**	**MN2029C**
	TC	**MN4017S**	**MN4021C**	**MN4025S**	**MN4029C**
	Ti	**MN6005S**	**MN6012C**	**MN6019S**	**MN6026C**
Overall Length 12.8 cm - 5”	SS	**MN2018S**	**MN2022C**	**MN2026S**	**MN2030C**
	TC	**MN4018S**	**MN4022C**	**MN4026S**	**MN4030C**
	Ti	**MN6018S**	**MN6022C**	**MN6026C**	**MN6030C**
Overall Length 15.3 cm - 6”	SS	**MN2019S**	**MN2023C**	**MN2027S**	**MN2031C**
	TC	**MN4019S**	**MN4023C**	**MN4027C**	**MN4031C**
	Ti	**MN6019S**	**MN6023C**	**MN6027C**	**MN6031C**
Overall Length 17.8 cm - 7”	SS	**MN2020S**	**MN2024C**	**MN2028S**	**MN2032C**
	TC	**MN4020S**	**MN4024C**	**MN4028C**	**MN4032C**
	Ti	**MN6020S**	**MN6024C**	**MN6028C**	**MN6032C**


Jacobson Micro Needle Holders - 5.0 - Flat Handle



	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 16.5 cm - 6 1/2"	SS	MN2033S	MN2037C	MN2041S	MN2045C
	TC	MN4033S	MN4037C	MN4041S	MN4045C
	Ti	MN6033S	MN6037C	MN6041C	MN6045C
Overall Length 18.5 cm - 7 1/4"	SS	MN2034S	MN2038C	MN2042S	MN2046C
	TC	MN4034S	MN4038C	MN4042S	MN4046C
	Ti	MN6034S	MN6038C	MN6042S	MN6046C
Overall Length 20.0 cm - 8"	SS	MN2035S	MN2039C	MN2043S	MN2047C
	TC	MN4035S	MN4039C	MN4043S	MN4047C
	Ti	MN6035S	MN6039C	MN6043S	MN6047C
Overall Length 23.0 cm - 9"	SS	MN2036S	MN2040C	MN2044S	MN2048C
	TC	MN4036S	MN4040C	MN4044S	MN4048C
	Ti	MN6036S	MN6040C	MN6044S	MN6048C


	Tip size	Straight with lock 7.0	Curved with lock 7.0	Straight without lock 7.0	Curved without lock 7.0
Overall Length 16.5 cm - 6 1/2"	SS	MN2049S	MN2053C	MN2057S	MN2061C
	TC	MN4049S	MN4053C	MN4057S	MN4061C
	Ti	MN6049S	MN6053C	MN6057C	MN6061C
Overall Length 18.5 cm - 7 1/4"	SS	MN2050S	MN2054C	MN2058S	MN2062C
	TC	MN4050S	MN4054C	MN4058S	MN4062C
	Ti	MN6050S	MN6054C	MN6058S	MN6062C
Overall Length 20.0 cm - 8"	SS	MN2051S	MN2055C	MN2059S	MN2063C
	TC	MN4051S	MN4055C	MN4059S	MN4063C
	Ti	MN6051S	MN6055C	MN6059S	MN6063C
Overall Length 23.0 cm - 9"	SS	MN2052S	MN2056C	MN2060S	MN2064C
	TC	MN4052S	MN4056C	MN4060S	MN4064C
	Ti	MN6052S	MN6056C	MN6060S	MN6064C

Jacobson Micro Needle Holders - 5.0 - Round Handle




	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 16.5 cm - 6 1/2”	SS	MN2065S	MN2071C	MN2077S	MN2083C
	TC	MN4065S	MN4071C	MN4077S	MN4083C
	Ti	MN6065S	MN6071C	MN6077S	MN6083C
Overall Length 18.5 cm - 7 1/4”	SS	MN2066S	MN2072C	MN2078S	MN2084C
	TC	MN4066S	MN4072C	MN4078S	MN4084C
	Ti	MN6066S	MN6072C	MN6078C	MN6084C
Overall Length 20.0 cm - 8”	SS	MN2067S	MN2073C	MN2079S	MN2085C
	TC	MN4067S	MN4073C	MN4079S	MN4085C
	Ti	MN6067S	MN6073C	MN6079S	MN6085C
Overall Length 23.0 cm - 9”	SS	MN2068S	MN2074C	MN2080S	MN2086C
	TC	MN4068S	MN4074C	MN4080S	MN4086C
	Ti	MN6068S	MN6074C	MN6080S	MN6086C
Overall Length 25.0 cm - 10”	SS	MN2069S	MN2075C	MN2081S	MN2087C
	TC	MN4069S	MN4075C	MN4081S	MN4087C
	Ti	MN6069S	MN6075C	MN6081S	MN6087C
Overall Length 26.5 cm - 12”	SS	MN2070S	MN2076C	MN2082S	MN2088C
	TC	MN4070S	MN4076C	MN4082S	MN4088C
	Ti	MN6070S	MN6076C	MN6082C	MN6088C


Jacobson Micro Needle Holders - 7.0 - Round Handle



	Tip size	Straight with lock 7.0	Curved with lock 7.0	Straight without lock 7.0	Curved without lock 7.0
Overall Length 16.5 cm - 6 1/2”	SS	MN2089S	MN2095C	MN2101S	MN2107C
	TC	MN4089S	MN4095C	MN4101S	MN4107C
	Ti	MN6089S	MN6095C	MN6101S	MN6107C
Overall Length 18.5 cm - 7 1/4”	SS	MN2090S	MN2096C	MN2102S	MN2108C
	TC	MN4090S	MN4096C	MN4102S	MN4108C
	Ti	MN6090S	MN6096C	MN6102C	MN6108C
Overall Length 20.0 cm - 8”	SS	MN2091S	MN2097C	MN2103S	MN2109C
	TC	MN4091S	MN4097C	MN4103S	MN4109C
	Ti	MN6091S	MN6097C	MN6103S	MN6109C
Overall Length 23.0 cm - 9”	SS	MN2092S	MN2098C	MN2104S	MN2110C
	TC	MN4092S	MN4098C	MN4104S	MN4110C
	Ti	MN6092S	MN6098C	MN6104S	MN6110C
Overall Length 25.0 cm - 10”	SS	MN2093S	MN2099C	MN2105S	MN2111C
	TC	MN4093S	MN4099C	MN4105S	MN4111C
	Ti	MN6093S	MN6099C	MN6105S	MN6111C
Overall Length 26.5 cm - 12”	SS	MN2094S	MN2100C	MN2106S	MN2112C
	TC	MN4094S	MN4100C	MN4106S	MN4112C
	Ti	MN6094S	MN6100C	MN6106C	MN6112C

Ryder Micro Needle Holder - Ring Handle






1.3 mm jaws with ratchet - Ring Handle

5.0 Diamond Granule Coated Grip

Code	Overall Length	Suture Size
MN2201S	15.2 cm, 6”	5.0
MN2202S	16.51 cm, 6 1/2”	5.0
MN2203S	19.05 cm, 7 1/2”	5.0
MN2204S	20.32 cm, 8”	5.0
MN2205S	21.9 cm, 8 5/8”	5.0
MN2206S	25.4 cm, 10”	5.0
MN2207S	15.2 cm, 6”	6.0
MN2208S	16.51 cm, 6 1/2”	6.0
MN2209S	17.78 cm, 7”	6.0
MN2210S	20.32 cm, 8”	6.0

De Bakey Micro Needle Holder - Ring Handle



Code	Overall Length	Suture Size
MN2211S	18.1 cm, 7 1/8”	5.0
MN2212S	20 cm, 8”	5.0
MN2213S	21.9 cm, 8 5/8”	5.0
MN2214S	25 cm, 10”	5.0



NH4022S 18cm / 7”

NH4023S 23cm / 9”

NH4024S 26cm / 10 ¼”

NH4025S 30cm / 12”

DeBakey Needle Holder



NH4026S 15cm / 6”

NH4027S 18cm / 7”

Micro Vascular Needle Holder



NH4028S 13cm / 5”


NH4029S 15cm / 6”

NH4030S 18cm / 7”

NH4031S 20cm / 8”

NH4032S 23cm / 9”

Micro Ryder Needle Holder



NH4033S 16cm / 6 ¼”

NH4034S 18cm / 7”

NH4035S 20cm / 8”

NH4036S 26cm / 10 ¼”


French Eye (Ryder) Needle Holder



Mayo Hegar Needle Holder



Crile Wood Needle Holder




NH4010S 14cm / 5 ½”

NH4011S 16cm / 6 ¼”

NH4012S 18cm / 7”


NH4013S 20cm / 8”



NH4017S 15cm / 6”

NH4018S 18cm / 7”


NH4019S 20cm / 8”



NH4014S 23cm / 9”

NH4015S 26cm / 10 ¼”

NH4016S 30cm / 12”




NH4020S 23cm / 9”

NH4021S 26cm / 10 ¼”



Smooth




NH4001S **NH4002S**

Derf Needle Holder




Smooth



NH4003S **NH4004S**

Halsey Needle Holder






NH4005S

Nieverts Needle Holder
(offset ring)





NH4006S 10cm / 4" **NH4007S** 10cm / 4"

Stratte Needle Holder



NH4008S 10cm / 4"

NH4009S 10cm / 4"

Berry Sternal Needle Holder

Berry Sternal Needle Holder & Wire Twister is a highly versatile instrument that is useful in a vast array of surgical settings. Not only does it serve as a needle holder to aid in suturing during and at the close of surgery but it has other uses as well.





NH4037S
14.5 cm / 5 3/4”

NH4038S
17 cm / 6 3/4”

NH4039S
14.5 cm / 5 3/4”

NH4040S
17 cm / 6 3/4”

NH4041S
19 cm / 7 1/2”

Olsen Needle Holder

Olsen- Hegar needle holder is combined with a suture scissor for ease of use while suturing.





NH4042S
17 cm / 6 3/4”

NH4043S
20 cm / 7 3/4”

NH4044S
23 cm / 9”

Mathieu Needle Holder

Mathieu Needle Holder is designed with a ratchet locking mechanism at the base of the handles that can be easily squeezed to be locked and unlocked.





NH4045S
18 cm / 7”

NH4046S
20 cm / 7 3/4”

Sarot Needle Holder

Sarot Needle Holder is used for approximation suturing, often in cardiovascular procedures.



NH4047S
20.5 cm / 8”

NH4048S
24 cm / 9 1/2”

Heaney Needle Holder

Heaney Needle Holder is used for light to medium weight suturing, most commonly in gynecological abdominal hysterectomy.



Bone shears, curved, 23 cm
RS2001C




Gluck, curved, 21 cm
RS2002C




Giertz-Stille, 24.5 cm
RS2003A




Liston-Key, 26 cm
RS2004A




Stille-Liston, 28 cm
RS2005S




Stille-Liston, 23.5 cm
RS2006A




Stille-Liston, 26 cm
RS2007A




Semb, 24.5 cm
RS2008A



Doyen for Children, 18 cm
RR2001



Doyen for adults, 18 cm
RR2002



Doyen, 24 cm
RR2003




29.5 cm
HR2215

33.0 cm
HR2216

Allison Lung spatula





29.5 cm
HR2217

Lung spatula, extra wide

Morse Sternal Retractor



SP2008 Child age 2-5

Maximum Spread 5 15/16" (15cm),
Blades 3/8" (1cm) deep by 9/16" (1.5cm) wide,
Arm length 3 3/8" (8cm)

SP2009 Child

Spread 6" (15cm),
Blades 5/8" (1.6cm) deep by 3/4" (2cm) wide,
Arm length 4 3/4" (12cm)

SP2010 Adult

Spread 8" (20cm),
Blades 15/16" (2.4cm) deep by 1 1/8" (2.8cm) wide,
Arm length 8" (20cm)

Finochietto Rib Spreader



SP2011


140 mm (5 1/2"), blades 28 x 32 mm, width: 180 mm, opening width: 120 mm



SP2012


170 mm (6 3/4"), blades 36 x 45 mm, width: 200 mm, opening width: 140 mm

Finochietto Rib Spreader



SP2013

200 mm (7 7/8"), blades 44 x 65 mm,
width: 260 mm, opening width: 210 mm



SP2014


220 mm (8 3/4"), blades 65 x 65 mm,
width: 260 mm, opening width: 210 mm

CASTANEDA STERNAL RETRACTOR



Code	SP2015	SP2016	SP2017
Type	Neonatal	Infant	Pediatric
Variation	Extra Small	Small	Medium
Maximum Spread (Opening)	50 mm to 65 mm	65 mm to 75 mm	70 mm to 100 mm
Blade Dimensions (Depth x Width)	10 mm x 15 mm	12 mm x 20 mm	15 mm x 25 mm

COOLEY STERNAL RETRACTOR



Code	SP2018	SP2019	SP2020	SP2020
Type	Infant	Pediatric (Child)	Small Adult	Large Adult
Maximum Spread (Opening)	95 mm to 105 mm	120 mm to 140 mm	150 mm to 170 mm	180 mm to 210 mm
Blade Dimensions (Depth x Width)	12 mm x 20 mm	15 mm x 30 mm	21 mm x 45 mm	30 mm x 48 mm

Guarantee & Warranty Service Certificate

This is to certify that all "SURGIMENTS" branded surgical instruments (except micro surgical instruments) are guaranteed against inherent manufacturing defects for a period of 2 years and 1 year for all Tungsten Carbide range of products provided the instruments are used for the appropriate surgical use.

Any instruments that has proved to be defective when used for it's normal surgical purpose will be repaired or replaced free of cost. We will replace or repair a damaged instrument if the damage is found to have been caused by a defect in workmanship or materials.
The guarantee does not include normal wear and tear.

This obligation is limited to servicing any instruments or part returned to the factory with pre-paid transportation charges. Guarantee will not hold good for mishandling, improper usage and unauthorized handling.

SURGIMENTS®

Contact Us

No. 30, SIDCO Industrial Estate, 3rd Phase
Hosur - 635126, Tamil Nadu, India

UAM No : TN11B0014387
GST No: 33ABQPV2534B1ZQ

Call Us

+91 9448081908
9629007070
9629006060

Skype Account : SURGIMENTS1964

Email : surgiments@gmail.com

Website : www.surgiments.com

We manufacture an exclusive range of

- *Neuro & Spine Instruments*
- *Micro Vascular Instruments*
- *Cardio Thoracic Instruments*
- *Liver Transplant Instruments*
- *Renal Transplant Instruments*
- *Oncology Instruments*
- *ENT Instruments*
- *General Surgery Instruments*
- *Obstetrics & Gynecology Instruments*
- *Orthopaedics Instruments*
- *Plastic Surgery Instruments*
- *Oral Maxillo Facial Instruments*
- *Podiatry & Cosmetic Surgery*

We specialise in

- *Surgical Spider Table Mount Abdominal Self Retaining Retractor such as*
  - * *Thompson style Retractor*
  - * *Omni tract style Retractor*
  - * *Bookwalter style Retractor*
  - * *Nathanson Liver Retractor*
  - * *Nathanson style Liver Endoscopic Retractor*
- *Leyla Retractor Self Retaining Brain Retractor*

Certifications:

ISO 7153-1:2016

CE for Micro Instruments

Licenses:

MICRO, SMALL & MEDIUM ENTERPRISES
सूक्ष्म, लघु एवं मध्यम उद्यम

UDYAM REGISTERED - UDYAM-TN-11-0001406

भारत सरकार
Government of India
व्यापार चिन्ह रजिस्ट्री
Trade Marks Registry
व्यापार चिन्ह अधिनियम, 1999
Trade Marks Act, 1999

Trade Mark No. 2766611

SURGIM-Krish-TN/M/MD/013840

SURGIMENTS®

ADDING CONFIDENCE TO GIFTED HANDS

Address: N 30, SIDCO Industrial Estate, 3rd Phase, Hosur, Tamil Nadu - 635 126, India

Email: info@surgiments.com, sales@surgiments.com Website: www.surgiments.com

Helpline: +91 96290 6060, +91 96290 07070, +91 94480 81908