SURGIMENTS®

ADDING CONFIDENCE TO GIFTED HANDS

World Renowned Design Innovation & Manufacturing
of Precision Surgical Instruments

60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS



PLASTIC SURGERY

www.surgiments.com

About Us

For over 50+ years **SURGIMENTS** has built and sustained an enviable reputation for the manufacture and consistency in the supply of precision surgical instruments for super speciality and other surgical procedures.

As an ISO 9001:2015, ISO:13485 medical devices and CE certified company we have distinguished ourselves as a major leader in redefining the provision of high-quality surgical instruments and have become well known for the passion of our people, and partners, in providing unsurpassed levels of service to our customers worldwide.

Our mission is to be the healthcare industry's first choice for all their surgical instrument requirements and to deliver products of outstanding quality, with great service, at an affordable price.

What we can offer:

- High-performance surgical instruments covering various surgical specialties
- Over 1,00,000 patterns of surgical instruments and accessories
- Exceptional customer service
- Precise Microsurgical Instruments for Micro surgical procedures such as micro vascular, skull base, pitutary and micro ear, surgical procedures
- Complete range of Neuro-Spine, Ortho Cardio Thoracic, Hepatobiliary, Liver Transplant, Renal Transplant, General surgery, Paediatric Surgery, Oncology, Gynaecology, Arthroscopy, Sinus copy, Plastic and Cosmetic Surgery.

Competitive Advantage

Through precision engineering services we employ the latest technologies to enable us to offer everything from design, prototyping and on to full production run. We can assist with everything from a single component or device, through to a full instrument system.

From Concept, to Design, to Manufacture, our team of highly experienced skilled technicians can deliver the quality, the surgical industry and many other healthcare sectors insist on and expect. Our manufacturing facility has the unique combination of special purpose machines and the superior skills of artisans who are able to turn out hand-crafted, precise, durable and finely adjusted instruments. This combined with superior grades of Stainless Steel, Titanium and extra hard-working surfaces such as Ceramic and Tungsten Carbide gives an unmatched level of performance and longevity.

Our service team staffed by skilled craftsmen take much pride in restoration of damaged surgical instruments as they would do in the production of new instrument. Surgiments maintains a complete repair and sharpening after sales service facility



8.5 cm / 3 3/8 ″
TC2001S

Jones Towel Clamp



10.5 cm / 4 1/2″
TC2002S

13 cm / 5 1/8″
TC2003S

16.5 cm / 6 4/8″
TC2004S

Backhaus Towel Clamp




10.5 cm / 4 1/2″
TC2005S

13 cm / 5 1/8″
TC2006S

16.5 cm / 6 4/8″
TC2007S


Roeder Towel Clamp



Wide jaws for tube fixation

14.5 cm / 5 6/8 ″
TC2008S

Peers-Bertran Towel Clamp



11.5 cm / 4 4/8 ″
TC2009S

14 cm / 5 4/8 ″
TC2010S

Paper-Drape Clamp



19.5 cm / 7 5/8 ″
TC2011S

Lanes Towel Clamp





Tubing Clamp

15.5 cm / 6 1/8 ″
SS **TU2001S**

19.5 cm / 7 5/8 ″
SS **TU2002S**

20.5 cm / 8 1/8 ″
SS **TU2003S**



13 cm / 5 1/8 ″
SS **TU2004S**

Backhaus towel clamp with tube holder






Tubing Clamp with safety guard

15.5 cm / 6 1/8 ″
SS **TU2005S**

19.5 cm / 7 5/8 ″
SS **TU2006S**

20.5 cm / 8 1/8 ″
SS **TU2007S**





Fine seration wide jaw

11 cm / 4 3/8 ″
SS **TU2008S**

13 cm / 5 1/8 ″
SS **TU2009S**

16 cm / 6 2/8 ″
SS **TU2010S**

Lorna Clamp



13.5 cm / 5 3/8 ″
KH2001S

Knife Handle # 3



13.5 cm / 5 3/8 ″
KH2002S

Knife Handle # 4



12.5 cm / 4 7/8 ″
KH2003S

Knife Handle # 7 short



16 cm / 6 2/8 ″
KH2004S

Knife Handle # 7
Regular



16 cm / 6 2/8 ″
KH2005S

Double ended
Knife Handle # 3 & 4




3L
21.5 cm / 8 4/8 ″
KH2006S

4L
21.5 cm / 8 4/8 ″
KH2007S

Knife Handle
Long





3L
20.5 cm / 8 1/2 ″
KH2008S

4L
20.5 cm / 8 1/2 ″
KH2009S

Knife Handle
Long



3-XL
26 cm / 10 2/8 ″
KH2010S

4-XL
26 cm / 10 2/8 ″
KH2011S

Knife Handle
Extra Long



21.5 cm / 8 4/8 ″
KH2012S


Knife Round
Handle Long




21.5 cm / 8 4/8 ″
KH2013S

Bayonet Knife
Handle







1 x 2 Tooth	*Non Tooth*
12 cm / 4 6/8” **DF2001T**	12 cm / 4 6/8” **DF2004P**
15 cm / 5 1/8” **DF2002T**	15 cm / 5 1/8” **DF2005P**
15.25 cm / 6” **DF2003T**	15.25 cm / 6” **DF2006P**

SS **Adson**





12 cm, / 4 6/8” **DF2007T**	12 cm, / 4 6/8” **DF2008P**
15 cm / 5 1/8” **DF2009T**	15 cm / 5 1/8” **DF2010P**
15.25 cm / 6” **DF2011T**	15.25 cm / 6” **DF2012P**
18.5 cm / 7” **DF2013T**	18.5 cm / 7” **DF2014P**
20.3 cm / 8” **DF2015T**	20.3 cm / 8” **DF2016P**
22.86 cm / 9” **DF2017T**	22.86 cm / 9” **DF2018P**
25.4 cm / 10” **DF2019T**	25.4 cm / 10” **DF2020P**
30.6 cm / 12” **DF2021T**	30.6 cm / 12” **DF2022P**

SS **Standard Forceps**






18 cm 7 1/8”
DF2023P

SS **Potts-Smith**





18.5 cm / 7 2/8”
DF2025T



17.5 cm / 6 7/8”
DF2026P

SS **Cushing**





18.5 cm / 7 2/8”
DF2027T



17.5 cm / 6 7/8”
DF2028P

SS **Taylor**





15.25 cm / 6”
DF2029T

18.0 cm / 7 7/8”
DF2030T

24.0 cm / 9 3/4”
DF2031P

SS **Russian**





1X2 teeth
Tungsten Carbide Grip

12 cm / 4 6/8 ″
TC **DF4001T**
Ti **DF6001T**

15 cm / 5 1/8 ″
TC **DF4002T**
Ti **DF6002T**

15.25 cm / 6 ″
TC **DF4003T**
Ti **DF6003T**



Non-tooth
Tungsten Carbide Grip

12 cm / 4 6/8 ″
TC **DF4004P**
Ti **DF6004P**

15 cm / 5 1/8 ″
TC **DF4005P**
Ti **DF6005P**

15.25 cm / 6 ″
TC **DF4006P**
Ti **DF6006P**

Adson





12 cm / 4 3/4 ″
SS **DF2007P**
TC **DF4007P**

Tissue Forceps are for holding and manipulating delicate tissues. This forceps have a wide, flat thumb grasp area that is substituted with Tungsten Carbide serration. The jaws are short and the tips are narrow. This forceps is straight with 9x9 teeth

Adson-Brown





17.5 cm / 6 7/8 ″
DF4008T

1X2 teeth
Tungsten Carbide Grip




17.5 cm / 6 7/8 ″
DF4009T

Non-tooth
Tungsten Carbide Grip


TC Cushing





17.5 cm / 6 7/8 ″
DF4010T

1X2 teeth
Tungsten Carbide Grip



17.5 cm / 6 7/8 ″
DF4011T

Non-tooth
Tungsten Carbide Grip

TC Cushing-Angled





18.5 cm / 7 2/8 ″
DF4012T

1X2 teeth
Tungsten Carbide Grip



17.5 cm / 6 7/8 ″
DF4013T

Non-tooth
Tungsten Carbide Grip

TC Cushing-Taylor

Micro Ring Tip Forceps - with Counter Balance




	Tip size	Straight 1 mm	Curved 1 mm	Straight 2 mm	Straight 2.5 mm
Overall Length 15.0 cm - 6”	SS	MF2001S			
	Ti	MF6001S			
Overall Length 18.5 cm - 7 1/4”	SS	MF2002S	MF2006C	MF2009S	MF2010S
	Ti	MF6002S	MF6006C	MF6009S	MF6010S
Overall Length 21.0 cm - 8 1/4”	SS	MF2003S	MS2007C		
	Ti	MS6003S	MS6007C		
Overall Length 23.0 cm - 9”	SS	MF2004S	MS2008C		
	Ti	MS6004S	MS6008C		
Overall Length 25.0 cm - 10”	SS	MF2005S			
	Ti	MS6005S			

Micro Ring Tip Forceps - without Counter Balance



	Tip size	Straight 1 mm	Curved 1 mm	Straight 2.5 mm
Overall Length 18.1 cm - 7 1/8”	SS	MF2011S		MF2015S
	Ti	MF6011S		MF6015S
Overall Length 21.0 cm - 8 1/4”	SS	MF2012S	MF2013C	MF2016S
	Ti	MF6012S	MF6013C	MF6016S
Overall Length 23.0 cm - 9”	SS		MF2014C	
	Ti		MF6014C	

Micro Forceps - with diamond dust



	Tip size	Straight 0.8 mm	Curved 0.8 mm	Straight 1.0 mm	Curved 1.0 mm
Overall Length 18.5 cm - 7 1/4"	SS	**MF2017S**	**MF2018C**		
	Ti	**MF6017S**	**MF6017C**		
Overall Length 21.0 cm - 8 1/4"	SS			**MF2019S**	**MS2020C**
	Ti			**MS6018S**	**MS6020C**
Overall Length 23.0 cm - 9"	SS			**MF2021S**	**MS2022C**
	Ti			**MS6021S**	**MS6022C**

Micro DeBakey Forceps - without counter balance



	Tip size	Straight 1 mm	Straight 1.5 mm
Overall Length 18.1 cm - 7 1/8"	SS	**MF2023AD**	
	Ti	**MF6023AD**	
Overall Length 21.0 cm - 8 1/4"	SS	**MF2024AD**	
	Ti	**MF6024AD**	
Overall Length 23.0 cm - 9"	SS		**MF2025AD**
	Ti		**MF6025AD**

Micro DeBakey Forceps - with counter balance



	Tip size	Straight 1 mm	Straight 1.5 mm
Overall Length 18.1 cm - 7 1/8"	SS	**MF2026AD**	
	Ti	**MF6026AD**	
Overall Length 21.0 cm - 8 1/4"	SS	**MF2027AD**	
	Ti	**MF6027AD**	
Overall Length 23.0 cm - 9"	SS		**MF2028AD**
	Ti		**MF6028AD**

Micro Platform Forceps - without counter balance






	Tip size	Straight 1.0 mm	Curved 1.0 mm	Ring Tip 1.0 mm	1 x 2 Teeth 1.0 mm
Overall Length 18.1 cm - 7 1/8”	SS	**MF2029S**	**MF2030C**	**MF2033S**	**MF2035T**
	Ti	**MF6029S**	**MF6030C**	**MF6033S**	**MF6035T**
Overall Length 21.0 cm - 8 1/4”	SS	**MF2031S**	**MS2032C**	**MS2034S**	
	Ti	**MS6031S**	**MS6032C**	**MS6034S**	

Micro DeBakey Forceps - with counter balance





	Tip size	Straight 1.0 mm	Curved 1.0 mm	1 x 2 Teeth 1.0 mm
Overall Length 15.0 cm - 6”	SS	**MF2036S**		**MF2043T**
	Ti	**MF6036S**		**MF6043T**
Overall Length 18.1 cm - 7 1/8”	SS	**MF2037S**	**MF2038C**	
	Ti	**MF6037S**	**MF6038C**	
Overall Length 21.0 cm - 8 1/4”	SS	**MF2039S**	**MF2040C**	
	Ti	**MF6039S**	**MF6040C**	
Overall Length 25.0 cm - 10”	SS	**MF2041S**	**MF2042C**	
	Ti	**MF6041S**	**MF6042C**	

Micro Gerald Forceps - Flat Handle





	Tip size	Straight 1.0 mm	Straight 1.5 mm	Straight 2.0 mm
Overall Length 18.0 cm - 7”	SS	MF2044S	MF2047C	MF2051S
	Ti	MF6044S	MF6047C	MF6051S
Overall Length 20.0 cm - 8”	SS	MF2045S	MS2048C	MS2052S
	Ti	MS6045S	MS6048C	MS6052S
Overall Length 25.0 cm - 10”	SS	MF2046S	MS2049C	MS2053S
	Ti	MS6046S	MS6049C	MS6053S
Overall Length 30.5 cm - 12”	SS		MF2050S	MS2054S
	Ti		MS6050S	MS6054S

Micro Gerald Forceps - Flat Handle







	Tip size	Straight 1.3 mm	Straight 2.0 mm
Overall Length 18.0 cm - 7”	SS	MF2055AD	MF2058AD
	Ti	MF6055AD	MF6058AD
Overall Length 20.0 cm - 8”	SS	MF2056AD	MS2059AD
	Ti	MS6056AD	MS6059AD
Overall Length 25.0 cm - 10”	SS	MF2057AD	MS2060AD
	Ti	MS6057AD	MS6060AD

Gerald Ring Tip Forceps - Flat Handle








	Tip size	Straight 1.0 mm	Straight 1.5 mm
Overall Length 18.0 cm - 7”	SS	**MF2061S**	**MF2064S**
	Ti	**MF6061S**	**MF6064S**
Overall Length 20.0 cm - 8”	SS	**MF2062S**	**MS2065S**
	Ti	**MS6062S**	**MS6065S**
Overall Length 25.0 cm - 10”	SS	**MF2063S**	**MS2066S**
	Ti	**MS6063S**	**MS6066S**

Gerald 1 x 2 Teeth Forceps - Flat Handle





	Tip size	Straight 1 x 2 Teeth
Overall Length 18.0 cm - 7”	SS	**MF2067T**
	Ti	**MF6067T**
Overall Length 20.0 cm - 8”	SS	**MF2068T**
	Ti	**MS6068T**
Overall Length 25.0 cm - 10”	SS	**MF2069T**
	Ti	**MS6069T**

Micro DeBakey Forceps - Flat Handle



	Tip size	Straight 1.0 mm	Straight 1.5 mm	Straight 2.0 mm	Straight 2.7 mm	Straight 3.2 mm
Overall Length 15 cm - 6”	SS	MF2071AD		MF2075AD		
	TC	MF4071AD		MF4075AD		
	Ti	MF6071AD		MF6075AD		
Overall Length 19.5 cm - 7 3/4”	SS	MF2072AD		MF2076AD	MF2079AD	
	TC	MF4072AD		MF4076AD	MF4079AD	
	Ti	MF6072AD		MF6076AD	MF6079AD	
Overall Length 24.0 cm - 9 1/2”	SS		MF2073AD	MF2078AD	MF2080AD	MF2081AD
	TC		MF2073AD	MF2078AD	MF2080AD	MF2081AD
	Ti		MF6073AD	MF6078AD	MF6080AD	MF6081AD
Overall Length 30.5 cm - 12”	SS		MF2074AD			
	TC		MF2074AD			
	Ti		MF6074AD			

Micro DeBakey Forceps - Angled



	Tip size	Angled 2.0 mm
Overall Length 15 cm - 6”	SS	MF2082AD
	TC	MF4082AD
	Ti	MF6082AD
Overall Length 19.5 cm - 7 3/4”	SS	MF2083AD
	TC	MF4083AD
	Ti	MF6083AD
Overall Length 24.0 cm - 9 1/2”	SS	MF2084AD
	TC	MF4084AD
	Ti	MF6084AD


DeBakey Needle Pulling Forceps - Round Handle



Tip size		Straight 1.5 mm	Straight 2.0 mm
Overall Length 18.5 cm - 7 1/4”	TC	**MF4085AD**	
Overall Length 21.0 cm - 8 1/4”	TC	**MF4086AD**	**MF4087AD**

DeBakey Needle Pulling Forceps - Flat Handle






Tip size		Straight 2.0 mm
Overall Length 18.5 cm - 7 1/4”	TC	**MF4088AD**
Overall Length 21.0 cm - 8 1/4”	TC	**MF4089AD**

Cushing Forceps - Flat Handle




Tip size		Straight 2.0 mm
Overall Length 18.0 cm - 7”	TC	**MF4090S**
Overall Length 21.0 cm - 8 1/4”	TC	**MF4091S**
Overall Length 25.0 cm - 10”	TC	**MF4092S**

Brophy Tissue Forceps



Overall Length 20.0 cm - 8”	SS	**MF2093T**
	TC	**MF4093T**
	Ti	**MF6093T**

McIndoe Forceps - Flat Handle



	Tip size	Serrated 2.0 mm	1 x 2 Teeth
Overall Length 15.5 cm - 6 1/4”	SS	**MF2094S**	**MF2095T**
	TC	**MF4094S**	**MF4095T**
	Ti	**MF6094S**	**MF6095T**


Thumb Forceps - Diamond Dust



	Tip size	Straight 1.0 mm	Straight 2.0 mm
Overall Length 16.0 cm - 6 1/4”	SS	**MF2096S**	
Overall Length 20.0 cm - 8”	SS	**MF2097S**	**MF2099S**
Overall Length 24.2 cm - 9 3/4”	SS	**MF2098S**	**MF2100S**

Jewelers Forceps






		Straight Plain	Straight Diamond Dust	Angled Diamond Dust
Overall Length 11.0 cm - 4 1/4”	SS	**MF2101S**	**MF2102S**	
	Ti	**MF6101S**	**MF6102S**	
Overall Length 13.0 cm - 5 1/8”	SS	**MF2103S**	**MF2104S**	**MF2105A**
	Ti	**MF6103S**	**MF6104S**	**MF6105A**

Suture Tying Forceps






		Straight Diamond Dust	Curved Diamond Dust
Overall Length 11.0 cm - 4 1/4”	SS	**MF2106S**	**MF2107C**
	Ti	**MF6106S**	**MF6107C**
Overall Length 14.0 cm - 5 1/2”	SS	**MF2108S**	**MF2109C**
	Ti	**MF6108S**	**MF6109C**

Resano Valve Forceps





Straight

Overall Length 23.0 cm - 9”	SS	**MF2110T**
	Ti	**MF6110T**

Bishop Harman Iris Forceps



DF2062T
3 1/4", 8.3 cm
0.6 mm
1x2 Standard Teeth

DF2063T
3 1/4", 8.3 cm
0.4 mm
1x2 Delicate Teeth

DF2064T
3 1/4", 8.3 cm
0.3 mm
Extra Delicate Teeth

DF2065P
3 1/4", 8.3 cm
0.6 mm
Straight, Serrated

Cottle Columella Clamp



HF2143S
4 1/2", 12.5 cm

DeBakey Mosquito Forceps



HF2144AD
5", 12.5 cm
Straight

HF2145AD
5", 12.5 cm
Curved

Oshner-Kocher Forceps



HF2146S
6 1/4", 16.0 cm
Straight

HF2149C
6 1/4", 16.0 cm
Curved

HF2147S
7", 18.0 cm
Straight

HF2150C
7", 18.0 cm
Curved

HF2148S
8", 20.5 cm
Straight

HF2151C
8", 20.5 cm
Curved

Semb Ligature Forceps



HF2152C
9 1/2", 24.0 cm

Micro Suture Forceps



BI2007S

4 3/4", 12.1 cm
3 mm wide jaws
Straight with
typing platform

BI2007S

3 1/4", 8.3 cm
0.3 mm
Extra Delicate Teeth

Jeweler Forceps



BI2007S

4 3/4", 12.1 cm
Fine Points

BI2007S

4 3/4", 12.1 cm
Extra Fine Points

Jeweler Forceps



BI2007S

4 3/4", 12.1 cm
Fine Points

Jeweler Forceps



BI2007S

4 3/4", 12.1 cm
Extra Fine Points

Jeweler Forceps



BI2007S

4 1/2", 11.4 cm
Fine Points

Jeweler Forceps



BI2007S

4 1/2", 11.4 cm
Fine Points,
Delicate

BI2007S

5 1/4", 13.3 cm
Fine Points

Jeweler Forceps



BI2007S


4 3/8", 11.1 cm
Curved
Extra Fine Points

Jeweler Forceps




BI2007S


4 1/2", 11.4 cm
Angled




Hartmann Hemostatic forceps
10 cm / 3 7/8 “



Micro-Mosquito Hemostatic Forceps
12 cm / 4 6/8 “




Halstead Mosquito Forceps
14cm / 5″




Halstead Mosquito Forceps
18cm / 7″

Available in the following materials





Kelly Hemostatic forceps
14.5 cm / 5 6/8 “



Crile Hemostatic forceps
14.5 / 5 6/8 “



12 cm / 4 5/8 “



14.5 cm / 5 6/8 “



14.5 cm / 5 6/8 “

Dandys Side Curved Hemostatic forceps

Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium




Curved
HF2032C

Overholt-Baby Hemostatic Forceps
13.5cm / 5 3/8″



Straight
HF2033S



Curved
HF2034C



1x2 teeth

Straight
HF2035S




Curved
HF2036C

LeriChe Hemostatic Forceps
15.5cm / 6 1/8″



Straight
HF2037S




Curved
HF2038C

Kelly-Rankin Hemostatic Forceps
16 cm / 6 ″



Straight
HF2039S



Curved
HF2040C

Crile-Rankin Hemostatic Forceps
16 cm / 6 ″

Available in the following materials




Premium Quality Stainless Steel | Ceramic | Titanium

HEMOSTATIC FORCEPS




Kocher Hemostatic Forceps



Straight- 1x2 teeth

15.24cm	18.5cm	20.5cm	24cm	26cm	31cm
6″	7 2/8″	8 1/8″	9 4/8″	10 2/8″	12 2/8″
HF2065S	**HF2067S**	**HF2069S**	**HF2071S**	**HF2073S**	**HF2075S**






Curved 1x2 teeth

5.24cm	18.5cm	20.5cm	24cm	26cm	31cm
6″	7 2/8″	8 1/8″	9 4/8″	10 2/8″	12 2/8″
HF2066C	**HF2068C**	**HF2070C**	**HF2072C**	**HF2074C**	**HF2076C**

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS



Right Angle Forceps



Gemini


13 cm / 5 1/8″
LF2001C

18 cm / 7 1/8″
LF2002C

21 cm / 8 2/8″
LF2003C

23 cm / 9 ″
LF2004C

28 cm / 11 ″
LF2005C



Mixter


13 cm / 5 1/8″
LF2006A

18 cm / 7 1/8″
LF2007A

21 cm / 8 2/8″
LF2008A

23 cm / 9 ″
LF2009A

28 cm / 11 ″
LF2010A



Lahey


13 cm / 5 1/8″
LF2011A

18 cm / 7 1/8″
LF2012A

21 cm / 8 2/8″
LF2013A

23 cm / 9 ″
LF2014A

28 cm / 11 ″
LF2015A




Attraumatic
Debakey

16 cm / 6 2/8″
LF2016AD

18 cm / 7 1/8″
LF2017AD

21 cm / 8 2/8″
LF2018AD

23 cm / 9″
LF2019AD




Attraumatic
Cooley

13 cm / 5 1/8″
LF2020AD

18 cm / 7 1/8″
LF2021AD

21 cm / 8 2/8″
LF2022AD

23 cm / 9″
LF2023AD




Attraumatic
Caramalt

18 cm / 7 1/8″
LF2024A

21 cm / 8 2/8″
LF2025A

23 cm / 9″
LF2026A

26 cm / 10 2/8 ″
LF2027A



Finnochietto
24.5 cm / 9 5/8″
LF2028A

Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium



3x4 teeth



Allis Baby

4x5 teeth



10.16 cm / 4″
TF2001T

13 cm / 5 1/2″
TF2002T

15.25 cm / 6″
TF2003T

17.80 cm / 7″
TF2004T

20.30 cm / 8″
TF2005T

Allis Forceps



11x12 teeth



16 cm / 6 2/8″
TF2006T

20.30 cm / 8″
TF2007T

25.4 cm / 10″
TF2008T

30.50 cm / 12″
TF2009T

Allis-Adair Forceps



5x6 teeth

15.25 cm / 6″
TF2010T

20.20 cm / 8″
TF2011T

Boys-Allis Forceps



6x7 teeth



15.25 cm / 6″
TF2012T

20.20 cm / 8″
TF2013T

Thoms-Allis Forceps



15.25 cm / 6″
TF2014T


20 cm / 7 7/8″
TF2015T

24.5 cm / 9 5/8″
TF2016T

30 cm / 11 5/8″
TF2017T

*Atraumatic-Allis Forceps





Tungsten Carbide Tip

10.16 cm / 4″
TF4001T

13 cm / 5 1/2 ″
TF4002T

15.25 cm / 6″
TF4003T

17.80 cm / 7″
TF4004T

20.30 cm / 8″
TF4005T

25.4 cm / 10″
TF4006T



Non TC

10.16 cm / 4″
TF2018T

13 cm / 5 1/2 ″
TF2019T

15.25 cm / 6
TF2020T


17.80 cm / 7
TF2021T

20.30 cm / 8
TF2022T

25.4 cm / 10
TF2023T

30.5 cm / 12
TF2024T





Atraumatic Serrations

10.16 cm / 4″
TF2025AD

13 cm / 5 1/2 ″
TF2026AD

15.25 cm / 6″
TF2027AD

17.80 cm / 7″
TF2028AD

20.30 cm / 8″
TF2029AD

25.4 cm / 10″
TF2030AD

Babcock Tissue Forceps

* Atraumatic-Babcock Forceps



Tungsten Carbide Tip

15.25 cm / 6″
TF4007T

20.30 cm / 8″
TF4008T

23 cm / 9″
TF4009T



Narrow

Wide

15.25 cm / 6″
TF2031T

20.30 cm / 8″
TF2032T



18 cm / 7 1/8″
TF2033T

20.50cm / 8 1/8″
TF2034T

23 cm / 9″
TF2035T

Duval Organ Holding Forceps

* Atraumatic Duval Organ Grasping



Mayo




15 cm, / 5 7/8”
SS2001S

17 cm / 6 6/8”
SS2002S

19.5 cm / 7 5/8”
SS2003S

21.5 cm / 8 1/2”
SS2004S



15 cm, / 5 7/8”
SS2005CS

17 cm / 6 6/8”
SS2006C

19.5 cm / 7 5/8”
SS2007C

21.5 cm / 8 1/2”
SS2008C



Mayo - Stille



15 cm, / 5 7/8”
SS2009S

17 cm / 6 6/8”
SS2010S

19.5 cm / 7 5/8”
SS2011S

21.5 cm / 8 1/2”
SS2012S



15 cm, / 5 7/8”
SS2013S

17 cm / 6 6/8”
SS2014S


19.5 cm / 7 5/8”
SS2015S

21.5 cm / 8 1/2”
SS2016S






Mayo scissors - standard






Straight		Curved	
14.5 cm / 5 6/8″	**SS4001S**	14.5 cm / 5 6/8″	**SS4008C**
15 cm / 5 7/8″	**SS4002S**	15 cm / 5 7/8″	**SS4009C**
17 cm / 6 6/8″	**SS4003S**	17 cm / 6 6/8″	**SS4010C**
19.5 / 7 5/8″	**SS4004S**	19.5 / 7 5/8″	**SS4011C**
20.5 / 8 1/8″	**SS4005S**	20.5 / 8 1/8″	**SS4012C**
23 cm / 9″	**SS4006S**	23 cm / 9″	**SS4013C**
28 cm / 11″	**SS4007S**	28 cm / 11″	**SS4014C**





Mayo scissors - Stille





Straight		Curved	
15 cm / 5 7/8″	**SS4015S**	15 cm / 5 7/8″	**SS4019C**
17 cm / 6 6/8″	**SS4016S**	17 cm / 6 6/8″	**SS4020C**
19.5 / 7 5/8″	**SS4017S**	19.5 / 7 5/8″	**SS4021C**
21.5 / 8 4/8″	**SS4018S**	21.5 / 8 4/8″	**SS4022C**



17.5 cm / 6 7/8 ″
SS8055C

Ceramic



17.5 cm / 6 7/8 ″
SS4053C

Laser Trim



17.5 cm / 6 7/8 ″
SS4055C

Tungsten Carbide

TOENNIS- ADSON



Straight
16 cm / 6 2/8 ″
SS8056S

Curved
16 cm / 6 2/8 ″
SS8057C

Ceramic



Straight
16 cm / 6 2/8 ″
SS4056S

Curved
16 cm / 6 2/8 ″
SS4057C

Laser Trim




Straight
16 cm / 6 2/8 ″
SS4058S

Curved
16 cm / 6 2/8″
SS4059C

Tungsten Carbide

MAYO - LEXER







11.5 cm, / 4 1/2”
SS2017S

14.5 cm / 5 3/4“
SS2018S

16 cm / 6 2/3”
SS2019S


11.5 cm, / 4 1/2”
SS2020C

14.5 cm / 5 3/4““
SS2021C

16 cm / 6 2/3”
SS2022C

Baby Metzenbaum







18 cm, / 7”
SS2023S

20.5 cm / 8”
SS2024S

23 cm / 9”
SS2025S

26 cm / 10 1/4”
SS2026S

28.5 cm 11 1/4”
SS2027S

31 cm 12 2/8”
SS2028S

18 cm, / 7”
SS2029C

20.5 cm / 8”
SS2030C

23 cm / 9”
SS2031C

26 cm / 10 1/4”
SS2032C

28.5 cm 11 1/4”
SS2033C

31 cm 12 2/8”
SS2034C

Metzenbaum



Baby Metzenbaum







Straight	Curved
11.5 cm / 4 4/8 ″ **SS4023S**	11.5 cm / 4 4/8 ″ **SS4026C**
14.5 cm / 5 4/8 ″ **SS4024S**	14.5 cm / 5 4/8 ″ **SS4027C**
16 cm / 6 2/8 ″ **SS4025S**	16 cm / 6 2/8 ″ **SS4028C**



Metzenbaum







Straight	Curved
18 cm / 7 1/8 ″ **SS4029S**	18 cm / 7 1/8 ″ **SS4035C**
20.5 cm / 8 1/8 ″ **SS4030S**	20.5 cm / 8 1/8 ″ **SS4036C**
23 cm / 9 ″ **SS4031S**	23 cm / 9 ″ **SS4037C**
26 cm / 10 2/8 ″ **SS4032S**	26 cm / 10 2/8 ″ **SS4038C**
28.5 cm / 11 2/8 ″ **SS4033S**	28.5 cm / 11 2/8 ″ **SS4039C**
31 cm / 12 2/8 ″ **SS4034S**	31 cm / 12 2/8 ″ **SS4040C**



Fine Metzenbaum







Straight	Curved
14.5 cm / 5 4/8 ″ **SS4041S**	14.5 cm / 5 4/8 ″ **SS4045C**
16 cm / 6 2/8 ″ **SS4042S**	16 cm / 6 2/8 ″ **SS4046C**
18 cm / 7 1/8 ″ **SS4043S**	18 cm / 7 1/8 ″ **SS4047C**
20.5 cm / 8 1/8 ″ **SS4044S**	20.5 cm / 8 1/8 ″ **SS4048C**







Slender “S” Bend Metzenbaum

Curved

18 cm / 7 1/8 ″ **SS4049C**

20.5 cm / 8 1/8 ″ **SS4050C**

23 cm / 9 ″ **SS4051C**




Stainless Steel



Tungsten Carbide




Super-cut




Straight	Curved
SS2037S	SS2044C
SS2038S	SS2045C
SS2039S	SS2046C
SS2040S	SS2047C
SS2041S	SS2048C
SS2042S	SS2049C
SS2043S	SS2050C

Sizes
12 cm / 4 6/8 ″
13 cm / 5 1/8 ″
14.5 cm / 5 6/8 ″
15.5 cm / 6 1/8 ″
16.5 cm / 6 4/8 ″
17.5 cm / 7 2/8 ″
20.5 cm / 8 1/8 ″



Straight	Curved
SS4082S	SS4089C
SS4083S	SS4090C
SS4084S	SS4091C
SS4085S	SS4092C
SS4086S	SS4093C
SS4087S	SS4094C
SS4088S	SS4095C


Sizes
12 cm / 4 6/8 ″
13 cm / 5 1/8 ″
14.5 cm / 5 6/8 ″
15.5 cm / 6 1/8 ″
16.5 cm / 6 4/8 ″
17.5 cm / 7 2/8 ″
20.5 cm / 8 1/8 ″



Straight	Curved
SS1103S	SS1110C
SS1104S	SS1111C
SS1105S	SS1112C
SS1106S	SS1113C
SS1107S	SS1114C
SS1108S	SS1115C
SS1109S	SS1116C

Sizes
12 cm / 4 6/8 ″
13 cm / 5 1/8 ″
14.5 cm / 5 6/8 ″
15.5 cm / 6 1/8 ″
16.5 cm / 6 4/8 ″
17.5 cm / 7 2/8 ″
20.5 cm / 8 1/8 ″

Heymann Nasal Turbinectomy Scissors



NS2001 **Small,** working length 9 cm
NS2002 **Medium** (standard model), working length 9.5 cm
NS2003 **Large,** working length 11 cm
NS2004 **Medium,** serrated blades,working length 9.5 cm

Nasal Scissors





NS2005
Nasal Scissors, straight, working length 13 cm



NS2006
Curved to right



NS2007
Curved to left



NS2008
Nasal Scissors, cutting blades curved upwards,
to cut the anterior part of the middle turbinate in case of narrow nose and to prevent postoperative synechia, with cleaning connector, working length 13 cm



NS2009
Same, cutting blades curved downwards



Iris Scissor - 11.5cm/41/2
Straight Fine
SS1001S



Iris Scissor - 11.5cm/41/2
Curved Fine
SS1002C

Iris Scissors, These fine, sharp scissors are ideal for detailed dissection of fine tissue and fine suture removal



Jameson Scissor

designed for maximum control. The upper blade is sharp to cleanly cut through tissue while the lower blade is serrated to grip the tissue. The curved blade style makes these instruments ideal for cutting deep tissues



Strabismus Scissor - 11.5cm / 4 1/2"
Straight
SS1011S



Strabismus Scissor - 11.5cm / 4 1/2"
Curved
SS1012C



Jameson Scissor - Straight

SS1003S 11.5 cm / 4 1/2"
SS1004S 13 cm / 5 1/8"
SS1005S 18 cm / 7"
SS1006S 23 cm / 9"



Jameson Scissor - Curved

SS1007C 11.5 cm / 4 1/2"
SS1008C 13 cm / 5 1/8"
SS1009C 18 cm / 7"
SS1010C 23 cm / 9"





Straight

SS1013S 12.5 cm / 5"

SS1014S 15 cm / 6"

SS1015S 18 cm / 7"



Curved

SS1016C 12.5 cm / 5"

SS1017C 15 cm / 6"

SS1018C 18 cm / 7"

Razor Point Fine Scissor

Excellent for cutting / dissecting tough tissue with sharp tips





Straight

SS1019S 12.5 cm / 5"

SS1020S 15 cm / 6"

SS1021S 18 cm / 7"



Curved

SS1022C 12.5 cm / 5"

SS1023C 15 cm / 6"

SS1024C 18 cm / 7"

Stevens Tenotomy Scissor

Ergonomic design adequate grip and control while dissecting or cutting in small or narrow areas. used for delicate dissection and cutting,





Straight

SS1025S 12.5 cm / 5 3/4"

SS1026S 16 cm / 6 1/4"

SS1027S 18 cm / 7"

SS1028S 20.5 cm / 5"



Curved

SS1029C 12.5 cm / 5 3/4"

SS1030C 16 cm / 6 1/4"

SS1031C 18 cm / 7"

SS1032C 20.5 cm / 5"

Reynolds Scissor

Designed to make a clean cut. The upper blade is sharp, which cuts the tissue, while the lower blade is serrated to grip and hold the tissue ,ideal for cutting deep tissue.





Curved

SS1034C

12.5cm / 5 3/4"



Straight

SS1033S

12.5cm / 5 3/4"

Waldram Scissor - Over sized ring handles

Ergonomic scissors that feature oversized ring handles for a more comfortable grip. scissor blade and one knife blade cuts smoothly and efficiently through soft tissue

SUPER SHARP CUT SCISSORS



Mayo Scissor

The Mayo scissor's design provides a firm grip with maximum cutting power for all types of tissue. They are perfectly precise - all the way to the tip.



Straight

SS1035S 15cm / 6"

SS1036S 17cm / 6 3/4"

SS1037S 19cm / 7 1/2"

SS1038S 20cm / 8"

SS1039S 23cm / 9"

SS1040S 27cm / 10 1/2"



Curved

SS1041C 15cm / 6"

SS1042C 17cm / 6 3/4"

SS1043C 19cm / 7 1/2"


SS1044C 20cm / 8"

SS1045C 23cm / 9"

SS1046C 27cm / 10 1/2"



Mayo-Lexer Scissor



SS1047S 16.5cm / 6 1/2" Straight



SS1048C 16.5cm / 6 1/2" Curved

SUPER SHARP CUT SCISSORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



The popular Metzenbaum dissecting scissors with Super Sharp cut edges.
Light weight and well-balanced with a smooth, soft feel that follows every movement so that the scissors become a natural extension of the hand.



Slim Metzenbaum Scissor

Straight	Curved
SS1049S 10cm / 4"	**SS1054C** 10cm / 4"
SS1050S 14cm / 5 1/2"	**SS1055C** 14cm / 5 1/2"
SS1051S 15cm / 6"	**SS1056C** 15cm / 6"
SS1052S 18cm / 7"	**SS1057C** 18cm / 7"
SS1053S 20cm / 8"	**SS1058C** 20cm / 8"

McIndoe / Metzenbaum Scissors

Straight	Curved
SS1059S 15cm / 6"	**SS1064C** 15cm / 6"
SS1060S 18cm / 7"	**SS1065C** 18cm / 7"
SS1061S 20cm / 8"	**SS1066C** 20cm / 8"
SS1062S 23cm / 9"	**SS1067C** 23cm / 9"
SS1063S 26cm / 10 1/4"	**SS1068C** 26cm / 10 1/4"

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS



SS1069S 18cm / 7"

SS1070S 23cm / 9"

Gorney Scissor

Gorney facelift scissors are used in plastic surgery procedures, including rhytidectomies. With the blade open they glide through soft tissue for quick separation.



SS1075C 18cm / 7"

SS1076C 23cm / 9"

Kaye Freeman Scissor

The Kaye-Freeman pattern has open angled shanks for optimum control and reduced hand fatigue.


Gentle Curve



SS1071C 18cm / 7"

SS1072C 23cm / 9"

Deep Curve



SS1073C 18cm / 7"

SS1074C 23cm / 9"


Gentle Curve



SS1077C 18cm / 7"

SS1078C 23cm / 9"

Deep Curve



SS1079C 18cm / 7"

SS1080C 23cm / 9"

SUPER SHARP CUT SCISSORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



Straight

SS1081S
12cm / 4 3/4"
SS1082S
13cm / 5"
SS1083S
16cm / 6"
SS1084S
18cm / 7"




Curved

SS1085C
12cm / 4 3/4"
SS1086C
13cm / 5"
SS1087C
16cm / 6"
SS1088C
18cm / 7"

Ragnell (kilner) Scissor

Ragnell Scissors, also known as Kilner designed with flat blades and blunt tips often makes Ragnell scissors the dissection instrument of choice during longer procedures.





Straight

SS1089S
14cm / 5 1/2"
SS1090S
17cm / 6 3/4"
SS1091S
18cm / 7"




Curved

SS1092C
14cm / 5 1/2"
SS1093C
17cm / 6 3/4"
SS1094C
18cm / 7"

Operating Scissor

Operating Scissors with smooth blades and sharp/blunt, Also known as Surgical Scissors, are a versatile surgical instrument.,used in several types of general surgical procedures.



Designed for trimming and opening vessels in cardiovascular and thoracic procedures



25° angled
SS1095A
17.7cm / 7"
SS1096A
22.32cm / 8 3/4"



45° angled
SS1097A
17.7cm / 7"
SS1098A
22.32cm / 8 3/4"



60° angled
SS1099A
17.7cm / 7"
SS1100A
22.32cm / 8 3/4"



90° angled
SS1101A
17.7cm / 7"
SS1102A
22.32cm / 8 3/4"

Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS

Iris Scissors



SS **SS2051S**
TC **SS4051S**
3 1/2", 8.9 cm
Straight, Sharp/Sharp

SS **SS2052C**
TC **SS4052C**
3 1/2", 8.9 cm
Curved, Sharp/Sharp

SS **SS2053S**
TC **SS4053S**
4", 10.2 cm
Straight, Sharp/Sharp

SS **SS2054C**
TC **SS4054C**
4", 10.2 cm
Curved, Sharp/Sharp

SS **SS2055S**
TC **SS4055S**
4 1/2", 11.4 cm, Heavy
Straight, Sharp/Sharp

SS **SS2056S**
TC **SS4056S**
4 1/2", 11.4 cm
Straight, Sharp/Sharp

SS **SS2057S**
TC **SS4057S**
4 1/2", 11.4 cm
Straight, Sharp/Blunt

SS **SS2058S**
TC **SS4058S**
4 1/2", 11.4 cm
Straight, Blunt/Blunt

SS **SS2059C**
TC **SS4059C**
4 1/2", 11.4 cm
Curved, Sharp/Sharp

SS **SS2060C**
TC **SS4060C**
4 1/2", 11.4 cm
Curved, Sharp/Blunt

SS **SS2061C**
TC **SS4061C**
4 1/2", 11.4 cm
Curved, Blunt/Blunt

SS **SS2062A**
TC **SS4062A**
4 1/2", 11.4 cm
Angled, Sharp Points

Dahlgren Iris Scissors



SS **SS2063S**
TC **SS4063S**
4 1/8", 10.5 cm
Straight, Sharp

SS **SS2064C**
TC **SS4064C**
4 1/8", 10.5 cm
Curved, Sharp

Thomas Iris Scissors



SS **SS2065S**
TC **SS4065S**
4 3/4", 12.1 cm
Straight, Delicate, Semi Sharp

SS **SS2066C**
TC **SS4066C**
4 3/4", 12.1 cm
Curved, Delicate, Semi Sharp

Knapp Iris Scissors



SS **SS2067S**
TC **SS4067S**
4", 10.2 cm
Straight, Sharp/ Blunt

SS **SS2068C**
TC **SS4068C**
4", 10.2 cm
Curved, Sharp/Blunt

SS **SS2069S**
TC **SS4069S**
4", 10.2 cm
Straight, Blunt/Blunt

SS **SS2070C**
TC **SS4070C**
4", 10.2 cm
Curved, Blunt/Blunt

Walker Iris Scissors



SS **SS2071C**
TC **SS4071C**
4 1/2", 11.4 cm
Curved to slide, Sharp

Graul Iris Scissors



SS **SS2072S**
TC **SS4072S**
4", 10.2 cm
Straight, Delicate
Sharp, Large Rings

SS **SS2073C**
TC **SS4073C**
4", 10.2 cm
Curved, Delicate
Sharp, Large Rings

Iris Suture Scissors



SS **SS2074C**
TC **SS4074C**
4", 10.2 cm
Slightly Curved
Flat Shank, Sharp

Joseph Scissors



SS **SS2075S**
TC **SS4075S**
6 1/4", 15.9 cm
Straight, Sharp

SS **SS2076C**
TC **SS4076C**
6 1/4", 15.9 cm
Curved, Sharp

Cottle Dorsal Scissors



SS **SS2077A**
TC **SS4077A**
5 1/2", 14.0 cm
Angled

Kilner Scissors



SS **SS2078S**
TC **SS4078S**
4 1/2", 11.4 cm
Straight,
Fine Sharp Points

SS **SS2079C**
TC **SS4079C**
4 1/2", 11.4 cm
Curved on flat
Flattened Blunt Points

SS **SS2080A**
TC **SS4080A**
4 1/2", 11.4 cm
Angled on flat
Flattened Blunt Points

Kilner Dissecting Scissors



SS **SS2081C**
TC **SS4081C**
4 3/4", 12.1 cm
Curved, Blunt

SS **SS2082C**
TC **SS4082C**
5 1/4", 13.3 cm
Curved, Blunt

SS **SS2083C**
TC **SS4083C**
6", 15.2 cm
Curved, Blunt

Fomon Scissors



SS **SS2084A**
TC **SS4084A**
5 1/4", 13.5 cm
Angled

Fomon Saber Back Scissors



SS **SS2085C**
TC **SS4085C**
5 1/2", 14.0 cm
Curved, Blunt

Fomon Upper Lateral Scissors



SS **SS2086C**
TC **SS4086C**
5", 12.7 cm
Strong Curve,
Blunt

Spencer Stitch Scissors



SS **SS2087S**
TC **SS4087S**
3 1/2", 8.9 cm
Straight

SS **SS2088C**
TC **SS4088C**
3 1/2", 8.9 cm
Curved on Flat

Gorney Face Lift Scissors



SS **SS2089C**
TC **SS4089C**
5 1/4", 13.3 cm
Curved, Serrated

SS **SS2090S**
TC **SS4090S**
7 1/4", 18.4 cm
Straight, Fine Rounded, Serrated

SS **SS2091C**
TC **SS4091C**
7 1/4", 18.4 cm
Curved, Fine Rounded, Serrated

SS **SS2092S**
TC **SS4092S**
10", 25.4 cm
Straight, Serrated

Gorney Nasal Cartilage Scissors



SS **SS2093C**
TC **SS4093C**
5 1/2", 14.0 cm
Curved, Blunt

Gorney Turbinate Scissors



SS **SS2094A**
TC **SS4094A**
6 1/2", 16.5 cm
Angled

Lister Bandage Scissors



SS **SS2095A**
TC **SS4095A**
3 3/4", 9.5 cm

SS **SS2096A**
TC **SS4096A**
4 3/4", 12.1 cm

SS **SS2097A**
TC **SS4097A**
5 3/4", 14.6 cm

SS **SS2098A**
TC **SS4098A**
7 1/4", 18.4 cm

Chadwick Scissors



SS **SS2099C**
TC **SS4099C**
4 1/2", 11.5 cm
Curved

Kaye Facelift Scissors



SS **SS2100C**
TC **SS4100C**
7 1/2", 19.1 cm
Curved

Davis Facelift Scissors



SS **SS2101C**
TC **SS4101C**
6 3/4", 17.1 cm
Curved, Semi Sharp

Rees Facelift Scissors



SS **SS2102C**
TC **SS4102C**
6 1/2", 16.5 cm
Curved, Serrated

SS **SS2103C**
TC **SS4103C**
8", 20.3 cm
Curved, Serrated


Strabismus Scissors



SS **SS2104S**
TC **SS4104S**
4 1/2", 11.5 cm
Straight, Blunt

SS **SS2105C**
TC **SS4105C**
4 1/2", 11.5 cm
Curved, Blunt

Beckmann Turbinectomy Scissors



SS **SS2106C**
TC **SS4106C**
6 1/2", 16.5 cm
Curved, Serrated

Caplan Septum Scissors



SS **SS2107A**
TC **SS4107A**
8", 20.3 cm
Serrated, Double Action

Becker Septum Scissors



SS **SS2108A**
TC **SS4108A**
7 1/8", 18.1 cm
Serrated, Double Action


BRUNINGS-LUC Septum Forceps



FP2007

Length - 11 cm
Size 1

CRAIG Septum Forceps



FP2008

Length - 9 cm
Straight

CRAIG-DOMNICK Septum Forceps



FP2009

Length - 9cm
Curved

Rubin Morselizer



FP2001
7 1/2", 19.1 cm
11 x 6 mm
With Clip

Asch Septum Straightening Forceps



FP2002
9", 22.9 cm
44 x 7 mm

Walsham Septum Straightening Forceps



FP2003
9", 22.9 cm, Left
33 x 7 mm, Flat
33 x 9.5 mm, Concave

FP2004
9", 22.9 cm, Right
33 x 7 mm, Flat
33 x 9.5 mm, Concave

FP2005
9", 22.9 cm, Universal
33 x 9.5 mm, Concave

Cottle Kazanjian Nasal Hump Forceps



FP2006
7 1/2", 19.1 cm
Narrow Jaws
Straight

McIndoe Bone Cutting Forceps



FP2010

7 1/4", 18.4 cm
Angled on Flat
Double Action

Ruskin Liston Bone Forceps



FP2011

7 1/4", 18.4 cm
Wide, Straight

FP2012

7 1/4", 18.4 cm
Wide, Angled



NH2001S
12 cm / 4 6/8”

Derf



NH2004S
13.5 cm / 5 3/8”

Halsey




NH2005S
15 cm / 5 7/8”

Crile-wood



Mayo Hegar



NH2010S
14 cm / 5 1/2”

NH2011S
16 cm / 6 1/4”

NH2012S
18 cm / 7”

NH2013S
20 cm / 8”


NH2014S
23 cm / 9”

NH2015S
26 cm / 10 1/4”

NH2016S
30 cm / 12”



Smooth




NH4001S **NH4002S**

Derf Needle Holder




Smooth



NH4003S **NH4004S**

Halsey Needle Holder






NH4005S

Nieverts Needle Holder
(offset ring)





NH4006S 10cm / 4" **NH4007S** 10cm / 4"

Stratte Needle Holder



NH4008S 10cm / 4"

NH4009S 10cm / 4"

Berry Sternal Needle Holder


Berry Sternal Needle Holder & Wire Twister is a highly versatile instrument that is useful in a vast array of surgical settings. Not only does it serve as a needle holder to aid in suturing during and at the close of surgery but it has other uses as well.



Mayo Hegar Needle Holder



Crile Wood Needle Holder




NH4010S 14cm / 5 ½”

NH4011S 16cm / 6 ¼”

NH4012S 18cm / 7”


NH4013S 20cm / 8”



NH4017S 15cm / 6”

NH4018S 18cm / 7”


NH4019S 20cm / 8”



NH4014S 23cm / 9”

NH4015S 26cm / 10 ¼”

NH4016S 30cm / 12”



NH4020S 23cm / 9”

NH4021S 26cm / 10 ¼”



NH4022S 18cm / 7”

NH4023S 23cm / 9”

NH4024S 26cm / 10 ¼”

NH4025S 30cm / 12”

DeBakey Needle Holder



NH4026S 15cm / 6”

NH4027S 18cm / 7”

Micro Vascular Needle Holder



NH4028S 13cm / 5”


NH4029S 15cm / 6”

NH4030S 18cm / 7”

NH4031S 20cm / 8”

NH4032S 23cm / 9”

Micro Ryder Needle Holder



NH4033S 16cm / 6 ¼”

NH4034S 18cm / 7”

NH4035S 20cm / 8”

NH4036S 26cm / 10 ¼”

French Eye (Ryder) Needle Holder





NH4037S
14.5 cm / 5 3/4”

NH4038S
17 cm / 6 3/4”

NH4039S
14.5 cm / 5 3/4”

NH4040S
17 cm / 6 3/4”

NH4041S
19 cm / 7 1/2”

Olsen Needle Holder

Olsen- Hegar needle holder is combined with a suture scissor for ease of use while suturing.





NH4042S
17 cm / 6 3/4”

NH4043S
20 cm / 7 3/4”

NH4044S
23 cm / 9”

Mathieu Needle Holder

Mathieu Needle Holder is designed with a ratchet locking mechanism at the base of the handles that can be easily squeezed to be locked and unlocked.





NH4045S
18 cm / 7”

NH4046S
20 cm / 7 3/4”

Sarot Needle Holder

Sarot Needle Holder is used for approximation suturing, often in cardiovascular procedures.



NH4047S
20.5 cm / 8”

NH4048S
24 cm / 9 1/2”

Heaney Needle Holder

Heaney Needle Holder is used for light to medium weight suturing, most commonly in gynecological abdominal hysterectomy.

Intra Nasal Needle Holder 30 degree



SS **NH2054A**
TC **NH4054A**
Ti **NH6054A**
7 3/4", 17.0 cm
Angled

Halsey Needle Holder



SS **NH2055A**
TC **NH4055A**
Ti **NH6055A**
5 1/4", 13.3 cm
Smooth Jaws

Neivert Needle Holder




SS **NH2056A**
TC **NH4056A**
Ti **NH6056A**
5", 12.7 cm
Smooth

Gillies-Sheehan Needle Holder and Scissors




SS **NH2057A**
TC **NH4057A**
Ti **NH6057A**
6", 15.2 cm

Castroviejo Micro Needle Holders - 5.0 - Flat Handle




	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 11.5 cm - 4 1/2”	SS	MN2001S	MN2005C	MN2009S	MN2013C
	TC	MN4001S	MN4005C	MN4009S	MN4013C
	Ti	MN6001S	MN6005C	MN6009S	MN6013C
Overall Length 12.8 cm - 5”	SS	MN2002S	MN2006C	MN2010S	MN2014C
	TC	MN4002S	MN4006C	MN4010S	MN4014C
	Ti	MN6002S	MN6006C	MN6010C	MN6014C
Overall Length 15.3 cm - 6”	SS	MN2003S	MN2007C	MN2011S	MN2015C
	TC	MN4003S	MN4007C	MN4011S	MN4015C
	Ti	MN6003S	MN6007C	MN6011S	MN6015C
Overall Length 17.8 cm - 7”	SS	MN2004S	MN2008C	MN2012S	MN2016C
	TC	MN4004S	MN4008C	MN4012S	MN4016C
	Ti	MN6004S	MN6008C	MN6012S	MN6016C

Castroviejo Micro Needle Holders - 5.0 - Flat Handle



	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 11.5 cm - 4 1/2”	SS	**MN2017S**	**MN2021C**	**MN2025S**	**MN2029C**
	TC	**MN4017S**	**MN4021C**	**MN4025S**	**MN4029C**
	Ti	**MN6005S**	**MN6012C**	**MN6019S**	**MN6026C**
Overall Length 12.8 cm - 5”	SS	**MN2018S**	**MN2022C**	**MN2026S**	**MN2030C**
	TC	**MN4018S**	**MN4022C**	**MN4026S**	**MN4030C**
	Ti	**MN6018S**	**MN6022C**	**MN6026C**	**MN6030C**
Overall Length 15.3 cm - 6”	SS	**MN2019S**	**MN2023C**	**MN2027S**	**MN2031C**
	TC	**MN4019S**	**MN4023C**	**MN4027C**	**MN4031C**
	Ti	**MN6019S**	**MN6023C**	**MN6027C**	**MN6031C**
Overall Length 17.8 cm - 7”	SS	**MN2020S**	**MN2024C**	**MN2028S**	**MN2032C**
	TC	**MN4020S**	**MN4024C**	**MN4028C**	**MN4032C**
	Ti	**MN6020S**	**MN6024C**	**MN6028C**	**MN6032C**


Jacobson Micro Needle Holders - 5.0 - Flat Handle



	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 16.5 cm - 6 1/2"	SS	MN2033S	MN2037C	MN2041S	MN2045C
	TC	MN4033S	MN4037C	MN4041S	MN4045C
	Ti	MN6033S	MN6037C	MN6041C	MN6045C
Overall Length 18.5 cm - 7 1/4"	SS	MN2034S	MN2038C	MN2042S	MN2046C
	TC	MN4034S	MN4038C	MN4042S	MN4046C
	Ti	MN6034S	MN6038C	MN6042S	MN6046C
Overall Length 20.0 cm - 8"	SS	MN2035S	MN2039C	MN2043S	MN2047C
	TC	MN4035S	MN4039C	MN4043S	MN4047C
	Ti	MN6035S	MN6039C	MN6043S	MN6047C
Overall Length 23.0 cm - 9"	SS	MN2036S	MN2040C	MN2044S	MN2048C
	TC	MN4036S	MN4040C	MN4044S	MN4048C
	Ti	MN6036S	MN6040C	MN6044S	MN6048C


	Tip size	Straight with lock 7.0	Curved with lock 7.0	Straight without lock 7.0	Curved without lock 7.0
Overall Length 16.5 cm - 6 1/2"	SS	MN2049S	MN2053C	MN2057S	MN2061C
	TC	MN4049S	MN4053C	MN4057S	MN4061C
	Ti	MN6049S	MN6053C	MN6057C	MN6061C
Overall Length 18.5 cm - 7 1/4"	SS	MN2050S	MN2054C	MN2058S	MN2062C
	TC	MN4050S	MN4054C	MN4058S	MN4062C
	Ti	MN6050S	MN6054C	MN6058S	MN6062C
Overall Length 20.0 cm - 8"	SS	MN2051S	MN2055C	MN2059S	MN2063C
	TC	MN4051S	MN4055C	MN4059S	MN4063C
	Ti	MN6051S	MN6055C	MN6059S	MN6063C
Overall Length 23.0 cm - 9"	SS	MN2052S	MN2056C	MN2060S	MN2064C
	TC	MN4052S	MN4056C	MN4060S	MN4064C
	Ti	MN6052S	MN6056C	MN6060S	MN6064C

Jacobson Micro Needle Holders - 5.0 - Round Handle



	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 16.5 cm - 6 1/2”	SS	MN2065S	MN2071C	MN2077S	MN2083C
	TC	MN4065S	MN4071C	MN4077S	MN4083C
	Ti	MN6065S	MN6071C	MN6077S	MN6083C
Overall Length 18.5 cm - 7 1/4”	SS	MN2066S	MN2072C	MN2078S	MN2084C
	TC	MN4066S	MN4072C	MN4078S	MN4084C
	Ti	MN6066S	MN6072C	MN6078C	MN6084C
Overall Length 20.0 cm - 8”	SS	MN2067S	MN2073C	MN2079S	MN2085C
	TC	MN4067S	MN4073C	MN4079S	MN4085C
	Ti	MN6067S	MN6073C	MN6079S	MN6085C
Overall Length 23.0 cm - 9”	SS	MN2068S	MN2074C	MN2080S	MN2086C
	TC	MN4068S	MN4074C	MN4080S	MN4086C
	Ti	MN6068S	MN6074C	MN6080S	MN6086C
Overall Length 25.0 cm - 10”	SS	MN2069S	MN2075C	MN2081S	MN2087C
	TC	MN4069S	MN4075C	MN4081S	MN4087C
	Ti	MN6069S	MN6075C	MN6081S	MN6087C
Overall Length 26.5 cm - 12”	SS	MN2070S	MN2076C	MN2082S	MN2088C
	TC	MN4070S	MN4076C	MN4082S	MN4088C
	Ti	MN6070S	MN6076C	MN6082C	MN6088C

Jacobson Micro Needle Holders - 7.0 - Round Handle



	Tip size	Straight with lock 7.0	Curved with lock 7.0	Straight without lock 7.0	Curved without lock 7.0
Overall Length 16.5 cm - 6 1/2”	SS	MN2089S	MN2095C	MN2101S	MN2107C
	TC	MN4089S	MN4095C	MN4101S	MN4107C
	Ti	MN6089S	MN6095C	MN6101S	MN6107C
Overall Length 18.5 cm - 7 1/4”	SS	MN2090S	MN2096C	MN2102S	MN2108C
	TC	MN4090S	MN4096C	MN4102S	MN4108C
	Ti	MN6090S	MN6096C	MN6102C	MN6108C
Overall Length 20.0 cm - 8”	SS	MN2091S	MN2097C	MN2103S	MN2109C
	TC	MN4091S	MN4097C	MN4103S	MN4109C
	Ti	MN6091S	MN6097C	MN6103S	MN6109C
Overall Length 23.0 cm - 9”	SS	MN2092S	MN2098C	MN2104S	MN2110C
	TC	MN4092S	MN4098C	MN4104S	MN4110C
	Ti	MN6092S	MN6098C	MN6104S	MN6110C
Overall Length 25.0 cm - 10”	SS	MN2093S	MN2099C	MN2105S	MN2111C
	TC	MN4093S	MN4099C	MN4105S	MN4111C
	Ti	MN6093S	MN6099C	MN6105S	MN6111C
Overall Length 26.5 cm - 12”	SS	MN2094S	MN2100C	MN2106S	MN2112C
	TC	MN4094S	MN4100C	MN4106S	MN4112C
	Ti	MN6094S	MN6100C	MN6106C	MN6112C

Bayonet Micro Needle Holders - 7.0 - Round Handle



	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 16.5 cm - 6 1/2”	SS	**MN2113S**	**MN2116C**	**MN2119S**	**MN2122C**
	TC	**MN4113S**	**MN4116C**	**MN4119S**	**MN4122C**
	Ti	**MN6113S**	**MN6116C**	**MN6119S**	**MN6122C**
Overall Length 20.0 cm - 8”	SS	**MN2114S**	**MN2117C**	**MN2120S**	**MN2123C**
	TC	**MN4114S**	**MN4117C**	**MN4120S**	**MN4123C**
	Ti	**MN6114S**	**MN6117C**	**MN6120S**	**MN6123C**
Overall Length 23.0 cm - 9”	SS	**MN2115S**	**MN2118C**	**MN2121S**	**MN2124C**
	TC	**MN4115S**	**MN4118C**	**MN4121S**	**MN4124C**
	Ti	**MN6115S**	**MN6118C**	**MN6121S**	**MN6124C**

	Tip size	Straight with lock 7.0	Curved with lock 7.0	Straight without lock 7.0	Curved without lock 7.0
Overall Length 16.5 cm - 6 1/2”	SS	**MN2125S**	**MN2128C**	**MN2131S**	**MN2134C**
	TC	**MN4125S**	**MN4128C**	**MN4131S**	**MN4134C**
	Ti	**MN6125S**	**MN6128C**	**MN6131S**	**MN6134C**
Overall Length 20.0 cm - 8”	SS	**MN2126S**	**MN2129C**	**MN2132S**	**MN2135C**
	TC	**MN4126S**	**MN4129C**	**MN4132S**	**MN4135C**
	Ti	**MN6126S**	**MN6129C**	**MN6132S**	**MN6135C**
Overall Length 23.0 cm - 9”	SS	**MN2127S**	**MN2130C**	**MN2133S**	**MN2136C**
	TC	**MN4127S**	**MN4130C**	**MN4133S**	**MN4136C**
	Ti	**MN6127S**	**MN6130C**	**MN6133S**	**MN6136C**

Bayonet Micro Needle Holders - 5.0 - Round Handle



	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 16.5 cm - 6 1/2”	SS	MN2137S	MN2140C	MN2143S	MN2146C
	TC	MN4137S	MN4140C	MN4143S	MN4146C
	Ti	MN6137S	MN6140C	MN6143S	MN6146C
Overall Length 20.0 cm - 8”	SS	MN2138S	MN2141C	MN2144S	MN2147C
	TC	MN4138S	MN4141C	MN4144S	MN4147C
	Ti	MN6138S	MN6141C	MN6144S	MN6147C
Overall Length 23.0 cm - 9”	SS	MN2139S	MN2142C	MN2145S	MN2148C
	TC	MN4139S	MN4142C	MN4145S	MN4148C
	Ti	MN6139S	MN6142C	MN6145S	MN6148C

	Tip size	Straight with lock 7.0	Curved with lock 7.0	Straight without lock 7.0	Curved without lock 7.0
Overall Length 16.5 cm - 6 1/2”	SS	MN2149S	MN2152C	MN2155S	MN2158C
	TC	MN4149S	MN4152C	MN4155S	MN4158C
	Ti	MN6149S	MN6152C	MN6155S	MN6158C
Overall Length 20.0 cm - 8”	SS	MN2150S	MN2153C	MN2156S	MN2159C
	TC	MN4150S	MN4153C	MN4156S	MN4159C
	Ti	MN6150S	MN6153C	MN6156S	MN6159C
Overall Length 23.0 cm - 9”	SS	MN2151S	MN2154C	MN2157S	MN2160C
	TC	MN4151S	MN4154C	MN4157S	MN4160C
	Ti	MN6151S	MN6154C	MN6157S	MN6160C

Yasargil Micro Needle Holder



		Straight	Curved
Overall Length 16.5 cm - 6 1/2”	SS	MN2161S	MN2164C
	TC	MN4161S	MN4164C
	Ti	MN6161S	MN6164C
Overall Length 20.0 cm - 8”	SS	MN2162S	MN2165C
	TC	MN4162S	MN4165C
	Ti	MN6162S	MN6165C
Overall Length 23.0 cm - 9”	SS	MN2163S	MN2166C
	TC	MN4163S	MN4166C
	Ti	MN6163S	MN6166C

Frazier Hook



HO2001
5", 12.7 cm
4.5 mm
Sharp

HO2002
7", 17.8 cm
3.5 mm
Sharp

Tyrell Hook



HO2003
4 3/4", 12.1 cm
2 mm
Sharp

Delicate Skin Hook



HO2004
5", 12.7 cm
4.5 mm
Sharp

HO2005
7", 17.8 cm
3.5 mm
Sharp

Kilner Skin Hook



HO2006
5", 12.7 cm
2.5 mm
Sharp
Smooth handle

HO2007
6", 15.2 cm
2.5 mm
Sharp, Detachable hook
Knurling Handle

HO2008
6", 15.2 cm
2.5 mm
Sharp, Spare hook

Guthrie Hook



HO2009
5", 12.7 cm
2.5 mm
2 Sharp Prongs

HO2010
4 3/4", 12.1 cm
1.5 mm
2 Sharp Prongs
Delicate

HO2011
4 3/4", 12.1 cm
1.5 mm
2 Sharp Prongs
Extra Delicate

HO2012
6", 15.2 cm
2.5 mm
2 Sharp Prongs
Knurling Handle

Joseph Single Prong Hook



HO2013
6 1/4", 15.9 cm
6.5 mm
Sharp

Joseph Double Prong Hook



HO2014
6 1/4", 15.9 cm
2 mm
Heavy handle

HO2015
6 1/4", 15.9 cm
5 mm
Heavy handle

HO2016
6 1/4", 15.9 cm
8 mm
Heavy handle

HO2017
6 1/4", 15.9 cm
10 mm
Heavy handle

HO2018
6 1/4",15.9 cm
3 mm
Regular Pattern

HO2019
6 1/4", 15.9 cm
6 mm
Regular Pattern

HO2020
6 1/4", 15.9 cm
8 mm
Regular Pattern

HO2021
6 1/4", 15.9 cm
11 mm
Regular Pattern

HO2022
6 1/4", 15.9 cm
12 mm
Regular Pattern

Palate Hook



HO2023
8", 20.3 cm
8.5 mm
Blunt

Lewis Delicate Skin Hook



HO2024
5", 12.7 cm
2.5 mm
Sharp Delicate hook w/o bead stop

Carroll Retractor Hook



HO2025
5", 12.7 cm
2.5 mm
Sharp Delicate hook with bead stop

Converse (Gillies) Skin Hook



HO2026
7", 17.8 cm
2.5 mm
Small, Sharp

HO2027
7", 17.8 cm
4.0 mm
Large, Sharp

Klienert-Kutz Skin Hook



HO2028
6", 15.2 cm
3.0 mm
Small, Sharp

HO2029
6", 15.2 cm
5.0 mm
Medium, Sharp

HO2030
6", 15.2 cm
7.0 mm
Large, Sharp

Straight Skin Hook



HO2031
6", 15.2 cm
7.0 mm
Large, Sharp

Converse Skin Hook



HO2032
7", 17.8 cm
2.5 mm
Small, Sharp
Aluminium Handle

HO2033
6", 15.2 cm
4.0 mm
Medium, Sharp
Aluminium Handle

HO2034
7", 17.8 cm
4.0 mm
Large, Sharp
Aluminium Handle

Straight Skin Hook



HO2035
7", 17.8 cm
5.0 mm
Large, Sharp
Aluminium Handle

HO2036
6", 15.2 cm
2.5 mm
Small, Delicate, Sharp
Aluminium Handle

Nasal Tenaculum Hook



HO2037
6 1/4", 15.9 cm
6.0 mm
2 Sharp Prongs
Aluminium Handle

HO2038
6 1/4", 15.9 cm
7.0 mm
2 Sharp Prongs
Aluminium Handle

HO2039
6 1/4", 15.9 cm
9.0 mm
2 Sharp Prongs
Aluminium Handle

HAND HELD RETRACTORS



15.5 cm / 6 1/8 ″



2 Prong — Sharp — 2 Prong — Blunt

HR2001 **HR2002**



3 Prong Sharp — 3 Prong Blunt


HR2003 **HR2004**



4 Prong Sharp — 4 Prong Blunt

HR2005 **HR2006**

Wound Retractor



16 cm / 6 ″

3 Prong — Sharp

HR2007

3 Prong — Blunt

HR2008

Double - Ended Retractors

Senn-Miller Retractor



18 cm 7 1/8 ″



Blade Size - 18 x 7 mm

HR2009



Blade Size - 16 x 5 mm

HR2010



Blade Size - 7 x 4 mm

HR2011




Blade Size - 12 x 4 mm

HR2012



Blade Size - 8 x 4 mm

HR2013



Blade Size - 7 x 9 mm

HR2014

Meyerding Retractor



Desmarres
16 cm / 6 2/8 ″

Saddle Back Rectractors

8 mm **HR2015**


10 mm **HR2016**

12 mm **HR2017**

14mm **HR2018**

16mm **HR2019**

18 mm **HR2020**



Cushings
20.5 cm / 8 1/8 ″

Saddle Back Rectractors

8 mm **HR2021**


10 mm **HR2022**

12 mm **HR2023**

14mm **HR2024**

16mm **HR2025**

18 mm **HR2026**



Gil-Vernet
24 cm / 9 4/8 ″

Saddle Back Rectractors

4 mm **HR2027**

6 mm **HR2028**

8 mm **HR2029**

11 mm **HR2030**

15 mm **HR2031**

17 mm **HR2031**

20 mm **HR2032**

23 mm **HR2033**

Knurling round handle with malleable copper blade


SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED

Volkmann Rake Retractor
21.5 cm / 8 4/8 "




Sharp

1 Prong **HR2034**
2 Prong **HR2035**
3 Prong **HR2036**
4 Prong **HR2037**
5 Prong **HR2038**
6 Prong **HR2039**



Blunt

1 Prong **HR2040**
2 Prong **HR2041**
3 Prong **HR2042**
4 Prong **HR2043**
5 Prong **HR2044**
6 Prong **HR2045**


Semi Sharp


1 Prong **HR2046**
2 Prong **HR2047**
3 Prong **HR2048**
4 Prong **HR2049**
5 Prong **HR2050**
6 Prong **HR2051**

Morris Retractor
24 cm / 9.4”





51 x 51 **HR2052**
70 x 40 **HR2053**
70 x 50 **HR2054**
70 x 65 **HR2055**




Czerny Retractor, s - sharped
HR2056



Blade size 14 x 8 mm

Hooklet Retractor
16 cm / 6 2/8 "
HR2057





Blade size 33 x 20 mm

Wassmund
20.5 cm / 8 1/8 "
HR2058





Israel Hooklet Retractor
24.5 cm / 9 5/8 "



Blade size 40 x 40 mm
HR2059



Blade size 40 x 50 mm
HR2060




Blade size 50 x 60 mm
HR2061



Blade size 70 x 70 mm
HR2062

Hooklet Retractors are Rake like finger shaped instruments used to retract heavy tissue during surgical procedures. The prongs are available in a variety or widths and depths can be custom made on request



16 cm / 6 2/8 "

Langenbeck Green Retractor

Blade Size

10 x 6 mm **HR2063**

12 x 6 mm **HR2064**


18 x 6 mm **HR2065**

20 x 6 mm **HR2066**

21 x 8 mm **HR2067**



Langenbeck - Kocher Retractor



Blade Size

25 x 6 mm **HR2068**

25 x 10 mm **HR2069**

35 x 10 mm **HR2070**

35 x 15 mm **HR2071**

40 x 11 mm **HR2072**

41 x 18 mm **HR2073**

55 x 11 mm **HR2074**

60 x 18 mm **HR2075**

61 x 25 mm **HR2076**

70 x 14 mm **HR2077**

75 x 30 mm **HR2078**

75 x 40 mm **HR2079**

80 x 13 mm **HR2080**

80 x 16 mm **HR2081**

85 x 25 mm **HR2082**



HR2083

14.5 cm / 5 6/8 "


Mini-Roux Retractor



HR2084

12.5 cm / 4 7/8 "

Baby-Roux Retractor



HR2085

15 cm / 5 7/8 "

Collin - Hartman




Upper Blade Size

A : 28 x 29 mm
B : 25 x 26 mm
C : 22 x 21 mm

Lower Blade Size

A : 33 x 43 mm
B : 30 x 38 mm
C : 27 x 29 mm

HR2086
(set of three)



17 cm / 6 6/8 "

Roux or "C" Retractor



overall length 21.5 cm / 8 4/8 "

HR2087

Parker-Langenbeck Retractor



25 x 21 mm
HR2088

30 x 29 mm
HR2089

38 x 40 mm
HR2090

48 x 22 mm
HR2091

62 x 50 mm
HR2092

Richardson Retractors

These retractors are very useful for holding back multiple layers of deep tissue. this retractor is often used in appendectomy and "C" section procedures

HR2093

Upper Blade Size
25 x 20 mm

Lower Blade Size
30 x 28 mm


HR2094

Upper Blade Size
30 x 28 mm

Lower Blade Size
63 x 44 mm



Richardson-Eastman Retractors



15 x 17 mm
HR2095

22 x 22 mm
HR2096

26 x 31 mm
HR2097

Durhams Retractor



20.5 cm / 8 1/8"
HR2098

Cushings Retractor

Cottle Retractor



HR2151
5 3/4", 14.5 cm
12 mm
2 Sharp Prongs

HR2152
6 1/2", 16.5 cm
12 mm
Ball ends, 2 Prongs

Cottle Nasal Retractor



HR2153
5 3/4", 14.6 cm
11 mm
Ball Left

HR2154
5 3/4", 14.6 cm
11 mm
Ball Right

Kilner - Ragnel Retractor



HR2155
5 1/2", 14.0 cm
10 x 5 mm
16 x 5 mm
Double Ended
Delicate

Fomon Ball End Retractor



HR2156
6 1/4", 15.9 cm
1 Prong Blunt Ball End

HR2157
6 1/4", 15.9 cm
10 mm
2 Prongs Blunt Ball En

Fomon Double Ball End Retractor



HR2158
6 1/2", 16.5 cm
13 mm
2 Prongs
Blunt Ball Ends
Knurling Handle

Flexible Shaft Retractor



HR2159
6", 15.2 cm
1 Sharp Prong

HR2160
6", 15.2 cm
5 mm
2 Sharp Prongs

HR2161
6", 15.2 cm
8 mm
3 Sharp Prongs

HR2162
6", 15.2 cm
1 Blunt Prong

HR2163
6", 15.2 cm
5 mm
2 Blunt Prongs

HR2164
6", 15.2 cm
8 mm
3 Blunt Prongs

Aufricht Retractor



HR2165
7", 17.8 cm
12 mm
Fenestrated

HR2166
7", 17.8 cm
12 mm
Solid

Shaw Double Ended Retractor



HR2167
6 1/4", 15.9 cm
22 x 6.5 mm
12 x 5 mm
Double Ended

Love Nerve Retractor



HR2168
7 3/4", 19.7 cm
7 mm
Straight

HR2169
7 3/4", 19.7 cm
7 mm
Angled 45°

HR2170
7 3/4", 19.7 cm
7 mm
Angled 90°

Mathieu Retractor



HR2171
6 1/4", 15.9 cm
8 x 8.5 mm
7 x 22 mm
Sharp Double Endedd

HR2172
6 1/4", 15.9 cm
8 x 8.5 mm
7 x 22 mm
Blunt Double Endedd

Ragnell Retractor



HR2173
6 1/2", 16.5 cm
9 x 2.5 mm
15 x 5 mm
Delicate
Double Ended

Curtin Skin & Subcutaneous Tissue Retractor



HR2174
5 1/2", 14.0 cm
15 mm
6 Sharp Prongs

Kawamoto Retractor



HR2175
7”, 17.8 cm
12 mm
Fenestrated

HR2176
7”, 17.8 cm
12 mm
Solid

Cushing Retractor



HR2177
9”, 22.9 cm
10.5 mm

Miller Rake Retractor



HR2178
5 1/4”, 13.3 cm
15 mm
9 Prongs
Blunt

Davis Double Ended Retractor



HR2179
5 3/4”, 14.5 cm
19 x 5.5 mm
25 x 8.5 mm

Blair Rollet Retractor



HR2180
5”, 12.7 cm
6 mm
4 Sharp Prongs

Knapp Retractor



HR2181
5 1/4”, 13.3 cm
6 mm
4 Blunt Prongs

Converse Retractor



HR2182

4 3/4", 12.1 cm
11.5 x 12. 5 mm
Blunt Prongs

HR2183

4 3/4", 12.1 cm
12. 5 x 16 mm
Blunt Prongs

Caroline Finger Retractor



HR2184

4 1/4", 10.8 cm
6.5 mm

Camberlain Fries Retractor



HR2185

7 1/2", 19.1 cm
13 mm
Aluminium Handle

Kilner Alae Retractor



HR2186

3 1/8", 7.9 cm
3/8", .9.5 mm
2 Sharp Prongs

HR2187

3 1/8", 7.9 cm
1/2", .13.0 mm
2 Sharp Prongs

Kilner Retractor



HR2188

5 1/2", 14.0 cm
30 x 21 mm
Small

HR2189

6", 15.2 cm
38 x 26 mm
Large

Swivel Double Hook Retractor



HR2190

3 1/2", 8.9 cm
11 mm
2 Sharp Prongs
Swivel Ring

Camberlain Fries Retractor



HR2191

4 1/2", 11.4 cm
8.5 mm
2 Sharp Prongs
Thumb Ring

Sheen Nasal Retractor



HR2192

6 1/4", 16.0 cm
10 mm
2 Sharp Prongs

HR2193

3 1/8", 7.9 cm
1/2", .13.0 mm
2 Sharp Prongs

Sheen Retractor



HR2194

5 1/2", 14.0 cm
30 x 21 mm
Small

HR2195

6", 15.2 cm
38 x 26 mm
Large

Rake Retractor



HR2196
4 1/2", 11.5 cm
3 Sharp Prongs

Mini Rake Retractor



HR2197
6 1/8", 15.5 cm
3/4", 2 cm wide

Freeman Rake Retractor




HR2198
4", 10.0 cm
1 1/2", 4 cm wide
with thumb ring



HR2199
2", 5.0 cm
1 1/2", 4 cm wide
with thumb ring


Freeman Rake Retractor



HR2200
7", 18.0 cm
1 1/2", 4 cm wide
All one length

HR2201
7", 18.0 cm
1 1/2", 4 cm wide
2 recessed

Freeman Rake Retractor



HR2202
7", 18.0 cm
7/8", 2.2 cm wide
All one length

HR22023
7", 18.0 cm
7/8", 2.2 cm wide
2 recessed

Deaver Retractor



HR2204

8”, 20.3 cm
16 mm
Delicate

HR2205

8”, 20.3 cm
25 mm
Delicate

Green Thyroid Retractor



HR2213

8 3/4”
17.5 mm x 25 mm

HR2214

9”
20.5 mm x 25 mm

Minnesota Retractor



HR2212

5 1/2”, 14.0 cm

Gutow Self Retaining Retractor



SR2016


4 x 10 mm
100 mm

Humby's Skin Graft Knife



SK2001 | 12" Long | Uses a 6 1/4" Blade

Watson Mod Skin Graft Knife



SK2002 | 12" Long | Uses a 6 1/4" Blade

Cobbetts Mod Skin Graft Knife



SK2003 | 12" Long | Uses a 6 1/4" Blade

Silvers Miniature Skin Graft Knife



SK2004 | 7 1/2" Long | Uses Double Edge Razor Blade

Aufricht Glabella Rasp



RA2005S | Length - 7 1/8" | 18.1 cm | forward and backward cutting

Lewis Nasal Rasp



RA2006S | Length - 7 1/2" | 19.1 cm | fine teeth, backward cutting

Gallaher Rasp



RA2007S | Length - 6 1/2" | 16.5 cm | coarse teeth, straight

Fomon Rasp



RA2008S | Length - 8 1/4" | 21.0 cm | double ended

Joseph Rasp



RA2001S | Length - 6 1/4" | 15.9 cm

Cottle Rasp



RA2002S | Length - 8" | 20.3 cm | backward cutting

Maltz Nasal Rasp



RA2003S | Length - 7" | 17.8 cm | backward cutting

Maltz Rasp



RA2004S | Length - 8 1/4" | 21.0 cm | forward and backward cutting

MCKENTY Elevator



ER2041S | Length - 6” |15.2 cm | curved tip | 4 mm wide

MCKENTY Elevator



ER2042S | Length - 6” | 15.2 cm | curved tip | 5 mm wide

JOSEPH Periosteal Elevator



ER2043S | Length - 7” | 17.8 cm | strong curve | 6.5 mm

FOMON Periosteal Elevator



ER2044S | Length - 6-1/4” | 15.9 cm | slightly curved blade | 4.5 mm wide | standard pattern

FREER Elevator



ER2053S | Length - 7” | 17.8 cm | double end sharp and blunt blades | 5 mm wide

OHL Periosteal Elevator



ER2054S | Length - 7” | 17.8 cm | double end | 6 mm wide | sharp rounded and pointed blades

SELDIN Periosteal Elevator



ER2055S | Length - 7 3/4” | 19.7 cm | double end | slightly curved blades | 10 mm and 13 mm wide

Periosteal Elevator



ER2056S | Length - 6” | 15.2 cm | double end | slightly curved blade

SAYRE Periosteal Elevator



ER2049S | Length - 6 3/4" | 17.1 cm

CREGO Periosteal Elevator



ER2050S | Length - 8" | 20.3 cm | slightly curved blade | 7 mm

CREGO Periosteal Elevator



ER2051S | Length - 8" | 20.3 cm | fully curved blade | 7 mm

CREGO Periosteal Elevator



ER2052S | Length - 8" | 20.3 cm | fully curved blade | 14 mm

COTTLE Skin Elevator



ER2045S | Length - 7-1/2" | 19.1 cm | slightly curved blade | 9 mm wide

CUSHING "Little Joker" Periosteal Elevator



ER2046S | Length - 6" | 15.2 cm

LANGENBECK Periosteal Elevator



ER2047S | Length - 7 1/2" | 19.1 cm | narrow model | 7 mm wide blunt blade


LANGENBECK Periosteal Elevator



ER2048S | Length - 7 1/2" | 19.1 cm | wide model | 17 mm wide sharp blade

COTTLE Chisel, flat, graduated, straight, length 18.5 cm

CH2003S width 3 mm,
CH2004S width 4 mm
CH2005S width 6 mm
CH2006S width 7 mm
CH2007S width 9 mm
CH2008S width 12 mm



COTTLE Chisel, flat, graduated, curved, width 6 mm, length 18.5 cm

CH2009S

MASING Chisel, slightly curved, with rounded guard right side, length 18 cm

CH2010S Same, on left
CH2011S Same, straight



MASING Chisel, straight, double-guarded, width of cut 10 length 16 cm

CH2012S


Framer Hand Shaped Splint, Lead



SP2001
Adult Standard Size

SP2002
Infant Size

Bunnel Bone Drill



BD2001
Small Type
3 chucks for wires & Burrs

Perma Implant Tunneler Passer, Small

BI2007S


15 cm, Oval Jaws




Perma Implant Tunneler Passer, Large


BI2007S

19.5 cm. Oval Jaws



Diethrich DeBakey Bulldog






0,8N
58mm

SS **BD2001AD**
Ti **BD6001AD**

Diethrich DeBakey
cross-action, curved












	53mm	56mm	63mm
standard pressure	0,8N	0,8N	0,8N
SS	**BD2002AD**	**BD2004AD**	**BD2006AD**
Ti	**BD6002AD**	**BD6004AD**	**BD6006AD**
increased pressure	1,2N	1,2N	1,2N
SS	**BD2003AD**	**BD2004AD**	**BD2007AD**
Ti	**BD6003AD**	**BD6004AD**	**BD6007AD**

Diethrich DeBakey
cross-action, straight










	52mm	54mm	57mm
standard pressure	0,8N	0,8N	0,8N
SS	**BD2008AD**	**BD2010AD**	**BD2012AD**
Ti	**BD6008AD**	**BD6010AD**	**BD6012AD**
increased pressure	1,2N	1,2N	1,2N
SS	**BD2009AD**	**BD2011AD**	**BD2013AD**
Ti	**BD6009AD**	**BD6011AD**	**BD6013AD**

Diethrich DeBakey
cross-action, curved

Diethrich Non-Traumatic Bulldog




Diethrich Non-Traumatic
cross-action, straight



	52mm	56mm	60mm	64mm
standard pressure	0,8N	0,8N	0,8N	0,8N
SS	**BD2014SR**	**BD2017SR**	**BD2020SR**	**BD2023SR**
Ti	**BD6002SR**	**BD6017SR**	**BD6020SR**	**BD6023SR**
reduced pressure	0,6N	0,6N	0,6N	0,6N
SS	**BD2015SR**	**BD2018SR**	**BD2021SR**	**BD2024SR**
Ti	**BD6015SR**	**BD6018SR**	**BD6021SR**	**BD6024SR**
increased pressure	1,2N	1,2N	1,2N	1,2N
SS	**BD2016SR**	**BD2019SR**	**BD2022SR**	**BD2025SR**
Ti	**BD6016SR**	**BD6019SR**	**BD6022SR**	**BD6025SR**




Diethrich Non-Traumatic
cross-action, curved



	52mm	54mm	56mm	60mm
standard pressure	0,8N	0,8N	0,8N	0,8N
SS	**BD2026SR**	**BD2029SR**	**BD2032SR**	**BD2035SR**
Ti	**BD6026SR**	**BD6029SR**	**BD6032SR**	**BD6035SR**
reduced pressure	0,6N	0,6N	0,6N	0,6N
SS	**BD2027SR**	**BD2030SR**	**BD2033SR**	**BD2036SR**
Ti	**BD6027SR**	**BD6030SR**	**BD6033SR**	**BD6036SR**
increased pressure	1,2N	1,2N	1,2N	1,2N
SS	**BD2028SR**	**BD2031SR**	**BD2034SR**	**BD2037SR**
Ti	**BD6028SR**	**BD6031SR**	**BD6034SR**	**BD6037SR**

Micro Bulldog



Micro Bulldog



27mm
standard pressure 0,45N

SS **BD2038SR**
Ti **BD6038SR**

Weldon (Glover) Mini Bulldog




Weldon Mini Bulldog
standard pressure 0,45N




31mm	33mm	28mm	27mm
SS **BD2039SR**	**BD2040SR**	**BD2041SR**	**BD2042SR**
Ti **BD6039SR**	**BD6040SR**	**BD6041SR**	**BD6042SR**



31mm	30mm	25mm	26mm
SS **BD2043SR**	**BD2044SR**	**BD2045SR**	**BD2046SR**
Ti **BD6043SR**	**BD6044SR**	**BD6045SR**	**BD6046SR**



25° 32mm	45° 30mm	60° 25mm	90° 19mm
SS **BD2047SR**	**BD2048SR**	**BD2049SR**	**BD2050SR**
Ti **BD6047SR**	**BD6048SR**	**BD6049SR**	**BD6050SR**



ROSEN TUBES CURVED

CAT NO	ϕ SIZE
EST 013	1.0 mm
EST 014	1.5 mm
EST 015	2.0 mm



EST 037


Suction connection



ROSEN SUCTION TUBES

CAT NO	ϕ SIZE
EST 001	0.5 mm
EST 002	0.7 mm
EST 003	0.8 mm
EST 004	0.9 mm
EST 005	1.0 mm
EST 006	1.2 mm

CAT NO	ϕ SIZE
EST 007	1.4 mm
EST 008	1.5 mm
EST 009	1.8 mm
EST 010	2.0 mm
EST 011	2.5 mm
EST 012	3.0 mm




HOUSE SUCTION AND IRRIGATION TUBES



EST 038

Suction connection

CAT NO	SUCTION ϕ SIZE	IRRIGATION ϕ SIZE
EST 016	0.9 mm	0.7 mm
EST 017	1.2 mm	0.9 mm
EST 018	1.5 mm	1.2 mm
EST 019	1.8 mm	1.8 mm
EST 020	2.5 mm	2.0 mm
EST 021	3.0 mm	2.0 mm
EST 022	4.5 mm	2.0 mm



FRAZIER (FERGUSSON)

CAT NO	ϕ SIZE
EST 023	2.0 mm
EST 024	2.3 mm
EST 025	2.7 mm
EST 026	3.3 mm
EST 027	3.7 mm
EST 028	4.0 mm
EST 029	5.0 mm



FRAZIER (FERGUSSON)

CAT NO	ϕ SIZE
EST 030	2.0 mm
EST 031	2.3 mm
EST 032	2.7 mm
EST 033	3.3 mm
EST 034	3.7 mm
EST 035	4.0 mm
EST 036	5.0 mm



19 cm, 7 1/2"
Ø 6 mm

SC2001



SC2002

Baby-Poole Suction Sump



9 cm, 7 1/2"
Ø 10 mm

SC2003




19 cm, 7 1/2"
Ø 8 mm

SC2004

Poole Suction Sump

Code	Overall Length	Diameter Ø
ST2055	110 mm	2.0 mm
ST2056	110 mm	2.7 mm
ST2057	110 mm	3.3 mm
ST2058	110 mm	3.7 mm
ST2059	110 mm	4.0 mm
ST2060	110 mm	5.0 mm



Fergussion Suction Tubes



21 cm, 8 2/8"

SC2005


Baby Yankauer




31 cm, 12 2/8"

SC2006


Yankauer Abdominal Suction



Doyen for Children, 18 cm
RR2001



Doyen for adults, 18 cm
RR2002



Doyen, 24 cm
RR2003

We manufacture an exclusive range of

- *Neuro & Spine Instruments*
- *Micro Vascular Instruments*
- *Cardio Thoracic Instruments*
- *Liver Transplant Instruments*
- *Renal Transplant Instruments*
- *Oncology Instruments*
- *ENT Instruments*
- *General Surgery Instruments*
- *Obstetrics & Gynecology Instruments*
- *Orthopaedics Instruments*
- *Plastic Surgery Instruments*
- *Oral Maxillo Facial Instruments*
- *Podiatry & Cosmetic Surgery*

We specialise in

- *Surgical Spider Table Mount Abdominal Self Retaining Retractor such as*
  - * *Thompson style Retractor*
  - * *Omni tract style Retractor*
  - * *Bookwalter style Retractor*
  - * *Nathanson Liver Retractor*
  - * *Nathanson style Liver Endoscopic Retractor*
- *Leyla Retractor Self Retaining Brain Retractor*

Certifications:

ISO 7153-1:2016

CE for Micro Instruments

Licenses:

MICRO, SMALL & MEDIUM ENTERPRISES
सूक्ष्म, लघु एवं मध्यम उद्यम

UDYAM REGISTERED - UDYAM-TN-11-0001406

भारत सरकार
Government of India
व्यापार चिन्ह रजिस्ट्री
Trade Marks Registry
व्यापार चिन्ह अधिनियम, 1999
Trade Marks Act, 1999

Trade Mark No. 2766611

SURGIM-Krish-TN/M/MD/013840

SURGIMENTS®

ADDING CONFIDENCE TO GIFTED HANDS

Address: N 30, SIDCO Industrial Estate, 3rd Phase, Hosur, Tamil Nadu - 635 126, India

Email: info@surgiments.com, sales@surgiments.com Website: www.surgiments.com

Helpline: +91 96290 6060, +91 96290 07070, +91 94480 81908

Guarantee & Warranty Service Certificate

This is to certify that all "SURGIMENTS" branded surgical instruments (except micro surgical instruments) are guaranteed against inherent manufacturing defects for a period of 2 years and 1 year for all Tungsten Carbide range of products provided the instruments are used for the appropriate surgical use.

Any instruments that has proved to be defective when used for it's normal surgical purpose will be repaired or replaced free of cost. We will replace or repair a damaged instrument if the damage is found to have been caused by a defect in workmanship or materials.
The guarantee does not include normal wear and tear.

This obligation is limited to servicing any instruments or part returned to the factory with pre-paid transportation charges. Guarantee will not hold good for mishandling, improper usage and unauthorized handling.

SURGIMENTS®

Contact Us

No. 30, SIDCO Industrial Estate, 3rd Phase
Hosur - 635126, Tamil Nadu, India

UAM No : TN11B0014387
GST No: 33ABQPV2534B1ZQ

Call Us

+91 9448081908
9629007070
9629006060

Skype Account : SURGIMENTS1964

Email : surgiments@gmail.com

Website : www.surgiments.com