
SURGIMENTS®

ADDING CONFIDENCE TO GIFTED HANDS

World Renowned Design Innovation & Manufacturing
of Precision Surgical Instruments

60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS




RENAL TRANSPLANT SURGICAL INSTRUMENTS

www.surgiments.com

SURGIMENTS®

Table Of Content


Vascular Haemostatic Forceps	1-2
Bulldog Clamps	3-4
Atraumatic Tissue Forceps	5
Vascular Clamps	6-9
Uro Tangenital Atraumatic Clamps	10
Vascular Scissors	11
Micro Potts Scissors	12
Gerald Micro Forceps	13
Needle Holders	14-15
Super Sharp-cut Scissors	16-18
Dissecting and Operating Scissors	19
Metzenbaum Scissors	20
Mayo Scissors - Tungsten Carbide	21
Needle Holders - Tungsten Carbide	22-24
Tissue and Organ Grasping Forceps	25-26
Ligature and Dissection Forceps	27-28
Hand Held Retractors	29-34
Abdominal Table Mount Retractors	35
Book Walter Retractor	36-38



De Bakey Mosquito

Atraumatic Grip

		Straight	Curved
Overall Length 15.0 cm - 5 7/8”	SS	**VF2001S**	**VF2003C**
	CE	**VF8001S**	**VF8003C**
	Ti	**VF6001S**	**VF6003C**
Overall Length 18.0 cm - 7”	SS	**VF2002S**	**VF2004C**
	CE	**VF8002S**	**VF8004C**
	Ti	**VF6002S**	**VF6004C**



De Bakey-Rankin Atraumatic Haemostatic Forceps

Atraumatic Grip

		Straight	Curved
Overall Length 16.0 cm - 6”	SS	**VF2005S**	**VF2006C**
	CE	**VF8005S**	**VF8006C**
	Ti	**VF6005S**	**VF6006C**



De Bakey Pean - Straight

Atraumatic Grip

		Straight	Curved
Overall Length 14.5 cm - 5 6/8”	SS	VF2007S	VF2011C
	CE	VF8007S	VF8011C
	Ti	VF6007S	VF6011C
Overall Length 16.5 cm - 6 4/8”	SS	VF2008S	VF2012C
	CE	VF8008S	VF8012C
	Ti	VF6008S	VF6012C
Overall Length 18.5 cm - 7 2/8”	SS	VF2009S	VF2013C
	CE	VF8009S	VF8013C
	Ti	VF6009S	VF6013C
Overall Length 20.5 cm - 8 1/8”	SS	VF2010S	VF2014C
	CE	VF8010S	VF8014C
	Ti	VF6010S	VF6014C




DeBakey Bulldog Clamp

Atraumatic Grip

Straight

Overall Length	Length of Jaw		
80 mm - 3 1/8”	25 mm - 1”	SS	BD2051AD
		Ti	BD6051AD
90 mm - 3 1/2”	35 mm - 1 3/8”	SS	BD2052AD
		Ti	BD6052AD
105 mm - 4 1/8”	50 mm - 2”	SS	BD2053AD
		Ti	BD6053AD
124 mm - 5”	68 mm - 2 1/4”	SS	BD2054AD
		Ti	BD6054AD



DeBakey Bulldog Clamp

Atraumatic Grip

Curved

Overall Length	Length of Jaw		
80 mm - 3 1/8”	25 mm - 1”	SS	BD2055AD
		Ti	BD6055AD
90 mm - 3 1/2”	35 mm - 1 3/8”	SS	BD2056AD
		Ti	BD6056AD
105 mm - 4 1/8”	50 mm - 2”	SS	BD2057AD
		Ti	BD6057AD
124 mm - 5”	68 mm - 2 1/4”	SS	BD2058AD
		Ti	BD6058AD




Santulli Angular Model Bulldog clamp

Atraumatic Grip

Angled


Overall Length	Length of Jaw		
70 mm - 2 6/8”	30 mm - 1 3/16”	SS	BD2059AD
		Ti	BD6059AD
90 mm - 3 1/2”	35 mm - 1 3/8”	SS	BD2060AD
		Ti	BD6060AD
105 mm - 4 1/8”	50 mm - 2”	SS	BD2061AD
		Ti	BD6061AD
124 mm - 5”	68 mm - 2 1/4”	SS	BD2062AD
		Ti	BD6062AD





Right

Atraumatic Grip - Titanium



Left



Gregory Style Vascular Bulldog


9.5 cm - 3 6/8”


SS **BD2063AD**
Ti **BD6063AD**

SS **BD2064AD**
Ti **BD6064AD**

Gregory Soft Bulldog Clamp








Atraumatic Grip - Titanium

9 cm - 3 4/8” | 11 cm - 4 3/8”

SS **BD2065AD** **BD2066AD**
Ti **BD6065AD** **BD6066AD**



Gregory Carotid Clamp







11 cm - 4 3/8” Left

SS **BD2067AD**
Ti **BD6067AD**


11 cm - 4 3/8” Right

SS **BD2068AD**
Ti **BD6068AD**

Diethrich Non-Traumatic Bulldog




Diethrich Non-Traumatic
cross-action, straight



	52mm	56mm	60mm	64mm
standard pressure	0,8N	0,8N	0,8N	0,8N
SS	**BD2014SR**	**BD2017SR**	**BD2020SR**	**BD2023SR**
Ti	**BD6002SR**	**BD6017SR**	**BD6020SR**	**BD6023SR**
reduced pressure	0,6N	0,6N	0,6N	0,6N
SS	**BD2015SR**	**BD2018SR**	**BD2021SR**	**BD2024SR**
Ti	**BD6015SR**	**BD6018SR**	**BD6021SR**	**BD6024SR**
increased pressure	1,2N	1,2N	1,2N	1,2N
SS	**BD2016SR**	**BD2019SR**	**BD2022SR**	**BD2025SR**
Ti	**BD6016SR**	**BD6019SR**	**BD6022SR**	**BD6025SR**




Diethrich Non-Traumatic
cross-action, curved



	52mm	54mm	56mm	60mm
standard pressure	0,8N	0,8N	0,8N	0,8N
SS	**BD2026SR**	**BD2029SR**	**BD2032SR**	**BD2035SR**
Ti	**BD6026SR**	**BD6029SR**	**BD6032SR**	**BD6035SR**
reduced pressure	0,6N	0,6N	0,6N	0,6N
SS	**BD2027SR**	**BD2030SR**	**BD2033SR**	**BD2036SR**
Ti	**BD6027SR**	**BD6030SR**	**BD6033SR**	**BD6036SR**
increased pressure	1,2N	1,2N	1,2N	1,2N
SS	**BD2028SR**	**BD2031SR**	**BD2034SR**	**BD2037SR**
Ti	**BD6028SR**	**BD6031SR**	**BD6034SR**	**BD6037SR**

Micro Bulldog



Micro Bulldog




27mm
standard pressure 0,45N

SS **BD2038SR**
Ti **BD6038SR**


Weldon (Glover) Mini Bulldog




Weldon Mini Bulldog
standard pressure 0,45N

31mm	33mm	 28mm	 27mm
SS **BD2039SR**	**BD2040SR**	**BD2041SR**	**BD2042SR**
Ti **BD6039SR**	**BD6040SR**	**BD6041SR**	**BD6042SR**
 31mm	 30mm	 25mm	 26mm
SS **BD2043SR**	**BD2044SR**	**BD2045SR**	**BD2046SR**
Ti **BD6043SR**	**BD6044SR**	**BD6045SR**	**BD6046SR**
 25° 32mm	 45° 30mm	 60° 25mm	 90° 19mm
SS **BD2047SR**	**BD2048SR**	**BD2049SR**	**BD2050SR**
Ti **BD6047SR**	**BD6048SR**	**BD6049SR**	**BD6050SR**

Diethrich DeBakey Bulldog






0,8N
58mm

SS **BD2001AD**
Ti **BD6001AD**

Diethrich DeBakey
cross-action, curved












	53mm	56mm	63mm
standard pressure	0,8N	0,8N	0,8N
SS	**BD2002AD**	**BD2004AD**	**BD2006AD**
Ti	**BD6002AD**	**BD6004AD**	**BD6006AD**
increased pressure	1,2N	1,2N	1,2N
SS	**BD2003AD**	**BD2004AD**	**BD2007AD**
Ti	**BD6003AD**	**BD6004AD**	**BD6007AD**

Diethrich DeBakey
cross-action, straight










	52mm	54mm	57mm
standard pressure	0,8N	0,8N	0,8N
SS	**BD2008AD**	**BD2010AD**	**BD2012AD**
Ti	**BD6008AD**	**BD6010AD**	**BD6012AD**
increased pressure	1,2N	1,2N	1,2N
SS	**BD2009AD**	**BD2011AD**	**BD2013AD**
Ti	**BD6009AD**	**BD6011AD**	**BD6013AD**


Diethrich DeBakey
cross-action, curved

Castaneda






13.0 cm, 5 ⅛”	12.5 cm, 4 ⅞”	12.0 cm, 4 ⅝”
SS PC2140AD	PC2141AD	PC2142AD
Ti PC6140AD	PC6141AD	PC6142AD




12.0 cm, 4 ⅝”	11.0 cm, 4 ⅜”
SS PC2143AD	PC2144AD
Ti PC6143AD	PC6144AD



12.0 cm, 4 ⅝”	15.0 cm, 5 ⅞”	15.0 cm, 5 ⅞”
SS PC2145AD	PC2146AD	PC2147AD
Ti PC6145AD	PC6146AD	PC6147AD

DeBakey - Derra






Small

16.5 cm, 6 ⅛"

SS VC2013AD

Ti VC6013AD




Medium

16.5 cm, 6 ⅛"

SS VC2014AD

Ti VC6014AD



Large


16.5 cm, 6 ⅛"

SS VC2015AD

Ti VC6015AD

DeBakey - Beck





16.0 cm, 6 ⅜"

SS VC2016AD


Ti VC6016AD

Anastomosis Forceps

Cooley - Derra








16.5 cm, 6 ⅝”

SS **VC2026AC**


Ti **VC6026AC**



17.0 cm, 6 ⅝”

SS **VC2027AC**


Ti **VC6027AC**



17.5 cm, 6 ⅞”

SS **VC2028AC**

Ti **VC6028AC**




21.0 cm, 8 ⅜”


SS **VC2029AC**

Ti **VC6029AC**

Multipurpose Vascular Clamps - Atraumatic Carotis Forceps

Cooley Carotid Clamp







20.0 cm, 7 ⅞”

SS **VC2039AC**

Ti **VC6039AC**

Cooley - Parry





18.0 cm, 7 ⅛”

SS **VC2040AC**

Ti **VC6040AC**

26.0 cm, 10 ⅜”


SS **VC2041AC**

Ti **VC6041AC**

Multipurpose Vascular Clamps

Cooley - Atraumatic Forceps







17.0 cm, 6 ⅝”

SS VC2038AC

Ti VC6038AC

Atraumatic Iliaca Forceps






22.0 cm, 8 ⅝”


SS VC2037AC

Ti VC6037AC

Multipurpose Vascular Clamps - Atraumatic Carotis Forceps

Cooley





17.0 cm, 6 ⅝”


SS VC2042AC

Ti VC6042AC

Cooley







16.0 cm, 6 ⅜”

SS VC2043AC

Ti VC6043AC

Cooley






14.5 cm, 5 ⅝”

SS VC2044AC


Ti VC6044AC



16.0 cm, 6 ⅜”

SS VC2045AC

Ti VC6045AC



16.5 cm / 6 ⅝”


SS VC2046AC

Ti VC6046AC

Atraumatic Tangential Forceps

Satinsky







26.5 cm 10 ⅜”
SS VC2155AD
Ti VC6155AD




26.0 cm, 10 ⅜”
SS VC2154AD
Ti VC6154AD



22.0 cm, 8 ⅝”
SS VC2153AD
Ti VC6153AD



27.5 cm, 10 ⅝”
SS VC2156AD
Ti VC6156AD



28.5 cm, 11 ⅜”
SS VC2157AD
Ti VC6157AD

Atraumatic Tangential Forceps

DeBakey - Satinsky



23.5 cm, 9 ⅜”
SS VC2157AD
Ti VC6157AD



24.0 cm, 9 ⅝”
SS VC2157AD
Ti VC6157AD



24.5 cm, 9 ⅝”
SS VC2157AD
Ti VC6157AD




25.0 cm, 9 ⅞”
SS VC2157AD
Ti VC6157AD

28.5 cm, 11 ⅜”
SS VC2157AD
Ti VC6157AD




Guyon Kidney pedical clamp




23 cm, 9”
UVC107A
SS **VC2063AD**
Ti **VC6063AD**

24 cm, 9 1/2”
UVC108A
SS **VC2064AD**
Ti **VC6064AD**



Nieren Kidney and Pancrea Atraumatic Clamp



20 cm, 8”
SS **VC2067AD**
Ti **VC6067AD**

24.5 cm, 9 3/4”
SS **VC2068AD**
Ti **VC6068AD**

20 cm, 8”
SS **VC2066AD**
Ti **VC6066AD**

23 cm, 9”
SS **VC2065AD**
Ti **VC6065AD**



Favaloro Vascular Scissors



Overall Length	Size of Blade	125°
18 cm, 7"	10 mm	**MS2201A**
19 cm, 7 1/2"	10 mm	**MS2202A**
21 cm, 8 2/8"	10 mm	**MS2203A**
23 cm, 9"	10 mm	**MS2204A**



Dietrich Potts

Super-cut



Overall Length	Size of Blade	25°	45°	60°	90°	125°
18 cm, 7"	15 mm	**MS2205A**	**MS2209A**	**MS2213A**	**MS2217A**	**MS2221A**
19 cm, 7 1/2"	15 mm	**MS2206A**	**MS2210A**	**MS2214A**	**MS2218A**	**MS2222A**
21 cm, 8 2/8"	15 mm	**MS2207A**	**MS2211A**	**MS2215A**	**MS2219A**	**MS2223A**
23 cm, 9"	15 mm	**MS2208A**	**MS2212A**	**MS2216A**	**MS2220A**	**MS2224A**
18 cm, 7"	10 mm	**MS2225A**	**MS2229A**	**MS2233A**	**MS2237A**	**MS2241A**
19 cm, 7 1/2"	10 mm	**MS2226A**	**MS2230A**	**MS2234A**	**MS2238A**	**MS2242A**
21 cm, 8 2/8"	10 mm	**MS2227A**	**MS2231A**	**MS2235A**	**MS2239A**	**MS2243A**
23 cm, 9"	10 mm	**MS2228A**	**MS2232A**	**MS2236A**	**MS2240A**	**MS2244A**
18 cm, 7"	7 mm	**MS2245A**	**MS2249A**	**MS2253A**	**MS2257A**	**MS2261A**
19 cm, 7 1/2"	7 mm	**MS2246A**	**MS2250A**	**MS2254A**	**MS2258A**	**MS2262A**
21 cm, 8 2/8"	7 mm	**MS2247A**	**MS2251A**	**MS2255A**	**MS2259A**	**MS2263A**
23 cm, 9"	7 mm	**MS2248A**	**MS2252A**	**MS2256A**	**MS2260A**	**MS2264A**

MICRO SCISSORS







	25°	45°	60°	90°	125°
Very fine blade Overall Length 16.5 cm - 6 1/2”	8 mm	8 mm	8 mm	8 mm	8mm
SS	**MS2049A**	**MS2050A**	**MS2051A**	**MS2052A**	**MS2053A**
TC	**MS4049A**	**MS4050A**	**MS4051A**	**MS4052A**	**MS4053A**



	25°	45°	60°	90°	125°
Fine blade Overall Length 16.5 cm - 6 1/2”	11 mm	11 mm	11 mm	11 mm	11 mm
SS	**MS2054A**	**MS2055A**	**MS2056A**	**MS2057A**	**MS2058A**
TC	**MS4054A**	**MS4055A**	**MS4056A**	**MS4057A**	**MS4058A**



	25°	45°	60°	90°	125°
Fine blade Ball Overall Length 16.5 cm - 6 1/2”	11 mm	11 mm	11 mm	11 mm	11 mm
SS	**MS2059A**	**MS2060A**	**MS2061A**	**MS2062A**	**MS2063A**
TC	**MS4059A**	**MS4060A**	**MS4061A**	**MS4062A**	**MS4063A**



	25°	45°	60°	90°	125°
Fine blade Overall Length 16.5 cm - 6 1/2”	15 mm	15 mm	15 mm	15 mm	15 mm
SS	**MS2064A**	**MS2065A**	**MS2066A**	**MS2067A**	**MS2068A**
TC	**MS4064A**	**MS4065A**	**MS4066A**	**MS4067A**	**MS4068A**



		25°	45°	60°	90°	125°
Very Fine blade Overall Length 20.0 cm - 8”		8 mm	8 mm	8 mm	8 mm	8mm
	SS	**MS2144A**	**MS2145A**	**MS2146A**	**MS1147A**	**MS2148A**
	TC	**MS4144A**	**MS4145A**	**MS4146A**	**MS4147A**	**MS4148A**

		25°	45°	60°	90°	125°
Fine blade Overall Length 20.0 cm - 8”		11 mm	11 mm	11 mm	11 mm	11 mm
	SS	**MS2149A**	**MS2150A**	**MS2151A**	**MS2152A**	**MS2153A**
	TC	**MS4149A**	**MS4150A**	**MS4151A**	**MS4152A**	**MS4153A**

		25°	45°	60°	90°	125°
Fine blade Overall Length 20.0 cm - 8”		15 mm	15 mm	15 mm	15 mm	15 mm
	SS	**MS2154A**	**MS2155A**	**MS2156A**	**MS2157A**	**MS2158A**
	TC	**MS4154A**	**MS4155A**	**MS4156A**	**MS4157A**	**MS4158A**



		25°	45°	60°	90°	125°
Very Fine blade Overall Length 18.0 cm - 7”		8 mm	8 mm	8 mm	8 mm	8mm
	SS	**MS2129A**	**MS2130A**	**MS2131A**	**MS1132A**	**MS2133A**
	TC	**MS4129A**	**MS4130A**	**MS4131A**	**MS4132A**	**MS4133A**

		25°	45°	60°	90°	125°
Fine blade Overall Length 18.0 cm - 7”		11 mm	11 mm	11 mm	11 mm	11 mm
	SS	**MS2134A**	**MS2135A**	**MS2136A**	**MS2137A**	**MS2138A**
	TC	**MS4134A**	**MS4135A**	**MS4136A**	**MS4137A**	**MS4138A**

		25°	45°	60°	90°	125°
Fine blade Overall Length 18.0 cm - 7”		15 mm	15 mm	15 mm	15 mm	15 mm
	SS	**MS2139A**	**MS2140A**	**MS2141A**	**MS2142A**	**MS2143A**
	TC	**MS4139A**	**MS4140A**	**MS4141A**	**MS4142A**	**MS4143A**

MICRO SCISSORS







Very fine blade Overall Length 11.5 cm - 4 1/2”	25°	45°	60°	90°	125°
	8 mm	8 mm	8 mm	8 mm	8mm
SS	MS2109A	MS2110A	MS2111A	MS2112A	MS2113A
TC	MS4119A	MS4110A	MS4111A	MS4112A	MS4113A



Very Fine blade Overall Length 16.5 cm - 6 1/2”	25°	45°	60°	90°	125°
	8 mm	8 mm	8 mm	8 mm	8mm
SS	MS2114A	MS2115A	MS2116A	MS1197A	MS2118A
TC	MS4114A	MS4115A	MS4116A	MS4117A	MS4118A



Fine blade Overall Length 16.5 cm - 6 1/2”	25°	45°	60°	90°	125°
	11 mm	11 mm	11 mm	11 mm	11 mm
SS	MS2119A	MS2120A	MS2121A	MS2122A	MS2123A
TC	MS4119A	MS4120A	MS4121A	MS4122A	MS4123A



Fine blade Overall Length 16.5 cm - 6 1/2”	25°	45°	60°	90°	125°
	15 mm	15 mm	15 mm	15 mm	15 mm
SS	MS2124A	MS2125A	MS2126A	MS2127A	MS2128A
TC	MS4124A	MS4125A	MS4126A	MS4127A	MS4128A

MICRO SCISSORS







Very fine blade Overall Length 20.0 cm - 8”	25°	45°	60°	90°	125°
	8 mm	8 mm	8 mm	8 mm	8mm
SS	MS2089A	MS2090A	MS2091A	MS2092A	MS2093A
TC	MS4089A	MS4090A	MS4091A	MS4092A	MS4093A



Fine blade Overall Length 20.0 cm - 8”	25°	45°	60°	90°	125°
	11 mm	11 mm	11 mm	11 mm	11 mm
SS	MS2094A	MS2095A	MS2096A	MS2097A	MS2098A
TC	MS4094A	MS4095A	MS4096A	MS4097A	MS4098A



Fine blade Ball Tip Overall Length 20.0 cm - 8”	25°	45°	60°	90°	125°
	11 mm	11 mm	11 mm	11 mm	11 mm
SS	MS2099A	MS2100A	MS2101A	MS2102A	MS2103A
TC	MS4099A	MS4100A	MS4101A	MS4102A	MS4103A



Fine blade Overall Length 20.0 cm - 8”	25°	45°	60°	90°	125°
	15 mm	15 mm	15 mm	15 mm	15 mm
SS	MS2104A	MS2105A	MS2106A	MS2107A	MS2108A
TC	MS4104A	MS4105A	MS4106A	MS4107A	MS4108A



		25°	45°	60°	90°	125°
Very fine blade Overall Length 18.0 cm - 7”		8 mm	8 mm	8 mm	8 mm	8mm
	SS	**MS2069A**	**MS2070A**	**MS2071A**	**MS2072A**	**MS2073A**
	TC	**MS4069A**	**MS4070A**	**MS4071A**	**MS4072A**	**MS4073A**


		25°	45°	60°	90°	125°
Fine blade Overall Length 18.0 cm - 7”		11 mm	11 mm	11 mm	11 mm	11 mm
	SS	**MS2074A**	**MS2075A**	**MS2076A**	**MS2077A**	**MS2078A**
	TC	**MS4074A**	**MS4075A**	**MS4076A**	**MS4077A**	**MS4078A**


		25°	45°	60°	90°	125°
Fine blade Ball Overall Length 18.0 cm - 7”		11 mm	11 mm	11 mm	11 mm	11 mm
	SS	**MS2079A**	**MS2080A**	**MS2081A**	**MS2082A**	**MS2083A**
	TC	**MS4079A**	**MS4080A**	**MS4081A**	**MS4082A**	**MS4083A**

		25°	45°	60°	90°	125°
Fine blade Overall Length 18.0 cm - 7”		15 mm	15 mm	15 mm	15 mm	15 mm
	SS	**MS2084A**	**MS2085A**	**MS2086A**	**MS2087A**	**MS2088A**
	TC	**MS4084A**	**MS4085A**	**MS4086A**	**MS4087A**	**MS4088A**

Gerald Ring Tip Forceps - Flat Handle








	Tip size	Straight 1.0 mm	Straight 1.5 mm
Overall Length 18.0 cm - 7”	SS	**MF2061S**	**MF2064S**
	Ti	**MF6061S**	**MF6064S**
Overall Length 20.0 cm - 8”	SS	**MF2062S**	**MS2065S**
	Ti	**MS6062S**	**MS6065S**
Overall Length 25.0 cm - 10”	SS	**MF2063S**	**MS2066S**
	Ti	**MS6063S**	**MS6066S**

Gerald 1 x 2 Teeth Forceps - Flat Handle





	Tip size	Straight 1 x 2 Teeth
Overall Length 18.0 cm - 7”	SS	**MF2067T**
	Ti	**MF6067T**
Overall Length 20.0 cm - 8”	SS	**MF2068T**
	Ti	**MS6068T**
Overall Length 25.0 cm - 10”	SS	**MF2069T**
	Ti	**MS6069T**

Micro Gerald Forceps - Flat Handle





	Tip size	Straight 1.0 mm	Straight 1.5 mm	Straight 2.0 mm
Overall Length 18.0 cm - 7”	SS	**MF2044S**	**MF2047C**	**MF2051S**
	Ti	**MF6044S**	**MF6047C**	**MF6051S**
Overall Length 20.0 cm - 8”	SS	**MF2045S**	**MS2048C**	**MS2052S**
	Ti	**MS6045S**	**MS6048C**	**MS6052S**
Overall Length 25.0 cm - 10”	SS	**MF2046S**	**MS2049C**	**MS2053S**
	Ti	**MS6046S**	**MS6049C**	**MS6053S**
Overall Length 30.5 cm - 12”	SS		**MF2050S**	**MS2054S**
	Ti		**MS6050S**	**MS6054S**


Gerald DeBakey Forceps - Flat Handle






	Tip size	Straight 1.3 mm	Straight 2.0 mm
Overall Length 18.0 cm - 7”	SS	**MF2055AD**	**MF2058AD**
	Ti	**MF6055AD**	**MF6058AD**
Overall Length 20.0 cm - 8”	SS	**MF2056AD**	**MS2059AD**
	Ti	**MS6056AD**	**MS6059AD**
Overall Length 25.0 cm - 10”	SS	**MF2057AD**	**MS2060AD**
	Ti	**MS6057AD**	**MS6060AD**

Castroviejo Micro Needle Holders - 5.0 - Flat Handle




	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 11.5 cm - 4 1/2”	SS	MN2001S	MN2005C	MN2009S	MN2013C
	TC	MN4001S	MN4005C	MN4009S	MN4013C
	Ti	MN6001S	MN6005C	MN6009S	MN6013C
Overall Length 12.8 cm - 5”	SS	MN2002S	MN2006C	MN2010S	MN2014C
	TC	MN4002S	MN4006C	MN4010S	MN4014C
	Ti	MN6002S	MN6006C	MN6010C	MN6014C
Overall Length 15.3 cm - 6”	SS	MN2003S	MN2007C	MN2011S	MN2015C
	TC	MN4003S	MN4007C	MN4011S	MN4015C
	Ti	MN6003S	MN6007C	MN6011S	MN6015C
Overall Length 17.8 cm - 7”	SS	MN2004S	MN2008C	MN2012S	MN2016C
	TC	MN4004S	MN4008C	MN4012S	MN4016C
	Ti	MN6004S	MN6008C	MN6012S	MN6016C

Jacobson Micro Needle Holders - 7.0 - Round Handle




	Tip size	Straight with lock 7.0	Curved with lock 7.0	Straight without lock 7.0	Curved without lock 7.0
Overall Length 16.5 cm - 6 1/2”	SS	MN2089S	MN2095C	MN2101S	MN2107C
	TC	MN4089S	MN4095C	MN4101S	MN4107C
	Ti	MN6089S	MN6095C	MN6101S	MN6107C
Overall Length 18.5 cm - 7 1/4”	SS	MN2090S	MN2096C	MN2102S	MN2108C
	TC	MN4090S	MN4096C	MN4102S	MN4108C
	Ti	MN6090S	MN6096C	MN6102C	MN6108C
Overall Length 20.0 cm - 8”	SS	MN2091S	MN2097C	MN2103S	MN2109C
	TC	MN4091S	MN4097C	MN4103S	MN4109C
	Ti	MN6091S	MN6097C	MN6103S	MN6109C
Overall Length 23.0 cm - 9”	SS	MN2092S	MN2098C	MN2104S	MN2110C
	TC	MN4092S	MN4098C	MN4104S	MN4110C
	Ti	MN6092S	MN6098C	MN6104S	MN6110C
Overall Length 25.0 cm - 10”	SS	MN2093S	MN2099C	MN2105S	MN2111C
	TC	MN4093S	MN4099C	MN4105S	MN4111C
	Ti	MN6093S	MN6099C	MN6105S	MN6111C
Overall Length 26.5 cm - 12”	SS	MN2094S	MN2100C	MN2106S	MN2112C
	TC	MN4094S	MN4100C	MN4106S	MN4112C
	Ti	MN6094S	MN6100C	MN6106C	MN6112C

Jacobson Micro Needle Holders - 5.0 - Round Handle



	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 16.5 cm - 6 1/2”	SS	MN2065S	MN2071C	MN2077S	MN2083C
	TC	MN4065S	MN4071C	MN4077S	MN4083C
	Ti	MN6065S	MN6071C	MN6077S	MN6083C
Overall Length 18.5 cm - 7 1/4”	SS	MN2066S	MN2072C	MN2078S	MN2084C
	TC	MN4066S	MN4072C	MN4078S	MN4084C
	Ti	MN6066S	MN6072C	MN6078C	MN6084C
Overall Length 20.0 cm - 8”	SS	MN2067S	MN2073C	MN2079S	MN2085C
	TC	MN4067S	MN4073C	MN4079S	MN4085C
	Ti	MN6067S	MN6073C	MN6079S	MN6085C
Overall Length 23.0 cm - 9”	SS	MN2068S	MN2074C	MN2080S	MN2086C
	TC	MN4068S	MN4074C	MN4080S	MN4086C
	Ti	MN6068S	MN6074C	MN6080S	MN6086C
Overall Length 25.0 cm - 10”	SS	MN2069S	MN2075C	MN2081S	MN2087C
	TC	MN4069S	MN4075C	MN4081S	MN4087C
	Ti	MN6069S	MN6075C	MN6081S	MN6087C
Overall Length 26.5 cm - 12”	SS	MN2070S	MN2076C	MN2082S	MN2088C
	TC	MN4070S	MN4076C	MN4082S	MN4088C
	Ti	MN6070S	MN6076C	MN6082C	MN6088C


Jacobson Micro Needle Holders - 5.0 - Flat Handle



	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 16.5 cm - 6 1/2"	SS	MN2033S	MN2037C	MN2041S	MN2045C
	TC	MN4033S	MN4037C	MN4041S	MN4045C
	Ti	MN6033S	MN6037C	MN6041C	MN6045C
Overall Length 18.5 cm - 7 1/4"	SS	MN2034S	MN2038C	MN2042S	MN2046C
	TC	MN4034S	MN4038C	MN4042S	MN4046C
	Ti	MN6034S	MN6038C	MN6042S	MN6046C
Overall Length 20.0 cm - 8"	SS	MN2035S	MN2039C	MN2043S	MN2047C
	TC	MN4035S	MN4039C	MN4043S	MN4047C
	Ti	MN6035S	MN6039C	MN6043S	MN6047C
Overall Length 23.0 cm - 9"	SS	MN2036S	MN2040C	MN2044S	MN2048C
	TC	MN4036S	MN4040C	MN4044S	MN4048C
	Ti	MN6036S	MN6040C	MN6044S	MN6048C


	Tip size	Straight with lock 7.0	Curved with lock 7.0	Straight without lock 7.0	Curved without lock 7.0
Overall Length 16.5 cm - 6 1/2"	SS	MN2049S	MN2053C	MN2057S	MN2061C
	TC	MN4049S	MN4053C	MN4057S	MN4061C
	Ti	MN6049S	MN6053C	MN6057C	MN6061C
Overall Length 18.5 cm - 7 1/4"	SS	MN2050S	MN2054C	MN2058S	MN2062C
	TC	MN4050S	MN4054C	MN4058S	MN4062C
	Ti	MN6050S	MN6054C	MN6058S	MN6062C
Overall Length 20.0 cm - 8"	SS	MN2051S	MN2055C	MN2059S	MN2063C
	TC	MN4051S	MN4055C	MN4059S	MN4063C
	Ti	MN6051S	MN6055C	MN6059S	MN6063C
Overall Length 23.0 cm - 9"	SS	MN2052S	MN2056C	MN2060S	MN2064C
	TC	MN4052S	MN4056C	MN4060S	MN4064C
	Ti	MN6052S	MN6056C	MN6060S	MN6064C


Castroviejo Micro Needle Holders - 5.0 - Flat Handle



	Tip size	Straight with lock 5.0	Curved with lock 5.0	Straight without lock 5.0	Curved without lock 5.0
Overall Length 11.5 cm - 4 1/2”	SS	**MN2017S**	**MN2021C**	**MN2025S**	**MN2029C**
	TC	**MN4017S**	**MN4021C**	**MN4025S**	**MN4029C**
	Ti	**MN6005S**	**MN6012C**	**MN6019S**	**MN6026C**
Overall Length 12.8 cm - 5”	SS	**MN2018S**	**MN2022C**	**MN2026S**	**MN2030C**
	TC	**MN4018S**	**MN4022C**	**MN4026S**	**MN4030C**
	Ti	**MN6018S**	**MN6022C**	**MN6026C**	**MN6030C**
Overall Length 15.3 cm - 6”	SS	**MN2019S**	**MN2023C**	**MN2027S**	**MN2031C**
	TC	**MN4019S**	**MN4023C**	**MN4027C**	**MN4031C**
	Ti	**MN6019S**	**MN6023C**	**MN6027C**	**MN6031C**
Overall Length 17.8 cm - 7”	SS	**MN2020S**	**MN2024C**	**MN2028S**	**MN2032C**
	TC	**MN4020S**	**MN4024C**	**MN4028C**	**MN4032C**
	Ti	**MN6020S**	**MN6024C**	**MN6028C**	**MN6032C**

Ryder Micro Needle Holder - Ring Handle






1.3 mm jaws with ratchet - Ring Handle

5.0 Diamond Granule Coated Grip

Code	Overall Length	Suture Size
MN2201S	15.2 cm, 6”	5.0
MN2202S	16.51 cm, 6 1/2”	5.0
MN2203S	19.05 cm, 7 1/2”	5.0
MN2204S	20.32 cm, 8”	5.0
MN2205S	21.9 cm, 8 5/8”	5.0
MN2206S	25.4 cm, 10”	5.0
MN2207S	15.2 cm, 6”	6.0
MN2208S	16.51 cm, 6 1/2”	6.0
MN2209S	17.78 cm, 7”	6.0
MN2210S	20.32 cm, 8”	6.0

De Bakey Micro Needle Holder - Ring Handle



Code	Overall Length	Suture Size
MN2211S	18.1 cm, 7 1/8”	5.0
MN2212S	20 cm, 8”	5.0
MN2213S	21.9 cm, 8 5/8”	5.0
MN2214S	25 cm, 10”	5.0



Iris Scissor - 11.5cm/41/2
Straight Fine
SS1001S



Iris Scissor - 11.5cm/41/2
Curved Fine
SS1002C

Iris Scissors, These fine, sharp scissors are ideal for detailed dissection of fine tissue and fine suture removal



Jameson Scissor

designed for maximum control. The upper blade is sharp to cleanly cut through tissue while the lower blade is serrated to grip the tissue. The curved blade style makes these instruments ideal for cutting deep tissues



Strabismus Scissor - 11.5cm / 4 1/2"
Straight
SS1011S



Strabismus Scissor - 11.5cm / 4 1/2"
Curved
SS1012C



Jameson Scissor - Straight

SS1003S 11.5 cm / 4 1/2"
SS1004S 13 cm / 5 1/8"
SS1005S 18 cm / 7"
SS1006S 23 cm / 9"



Jameson Scissor - Curved

SS1007C 11.5 cm / 4 1/2"
SS1008C 13 cm / 5 1/8"
SS1009C 18 cm / 7"
SS1010C 23 cm / 9"





Straight

SS1013S 12.5 cm / 5"

SS1014S 15 cm / 6"

SS1015S 18 cm / 7"



Curved

SS1016C 12.5 cm / 5"

SS1017C 15 cm / 6"

SS1018C 18 cm / 7"

Razor Point Fine Scissor

Excellent for cutting / dissecting tough tissue with sharp tips





Straight

SS1019S 12.5 cm / 5"

SS1020S 15 cm / 6"

SS1021S 18 cm / 7"



Curved

SS1022C 12.5 cm / 5"

SS1023C 15 cm / 6"

SS1024C 18 cm / 7"

Stevens Tenotomy Scissor

Ergonomic design adequate grip and control while dissecting or cutting in small or narrow areas. used for delicate dissection and cutting,





Straight

SS1025S 12.5 cm / 5 3/4"

SS1026S 16 cm / 6 1/4"

SS1027S 18 cm / 7"

SS1028S 20.5 cm / 5"



Curved

SS1029C 12.5 cm / 5 3/4"

SS1030C 16 cm / 6 1/4"

SS1031C 18 cm / 7"

SS1032C 20.5 cm / 5"

Reynolds Scissor

Designed to make a clean cut. The upper blade is sharp, which cuts the tissue, while the lower blade is serrated to grip and hold the tissue ,ideal for cutting deep tissue.





Curved

SS1034C

12.5cm / 5 3/4"



Straight

SS1033S

12.5cm / 5 3/4"

Waldram Scissor - Over sized ring handles

Ergonomic scissors that feature oversized ring handles for a more comfortable grip. scissor blade and one knife blade cuts smoothly and efficiently through soft tissue

SUPER SHARP CUT SCISSORS

SURGIMENTS®
ISO 9001-2015, ISO 13485 & CE CERTIFIED



Mayo Scissor

The Mayo scissor's design provides a firm grip with maximum cutting power for all types of tissue. They are perfectly precise - all the way to the tip.



Straight

SS1035S 15cm / 6"

SS1036S 17cm / 6 3/4"

SS1037S 19cm / 7 1/2"

SS1038S 20cm / 8"

SS1039S 23cm / 9"

SS1040S 27cm / 10 1/2"



Curved

SS1041C 15cm / 6"

SS1042C 17cm / 6 3/4"

SS1043C 19cm / 7 1/2"


SS1044C 20cm / 8"

SS1045C 23cm / 9"

SS1046C 27cm / 10 1/2"



Mayo-Lexer Scissor




SS1047S 16.5cm / 6 1/2" Straight



SS1048C 16.5cm / 6 1/2" Curved


Quality Commitment 60+ YEARS MANUFACTURING SURGICAL INSTRUMENTS






17.5 cm / 6 7/8 ″
SS8055C


Ceramic






17.5 cm / 6 7/8 ″
SS4053C

Laser Trim





17.5 cm / 6 7/8 ″
SS4055C

Tungsten Carbide

TOENNIS- ADSON





Straight

16 cm / 6 2/8 ″
SS8056S



Curved

16 cm / 6 2/8 ″
SS8057C

Ceramic





Straight

16 cm / 6 2/8 ″
SS4056S



Curved

16 cm / 6 2/8 ″
SS4057C

Laser Trim





Straight

16 cm / 6 2/8 ″
SS4058S



Curved

16 cm / 6 2/8″
SS4059C

Tungsten Carbide

MAYO - LEXER



Baby Metzenbaum







Straight	Curved
11.5 cm / 4 4/8 ″ **SS4023S**	11.5 cm / 4 4/8 ″ **SS4026C**
14.5 cm / 5 4/8 ″ **SS4024S**	14.5 cm / 5 4/8 ″ **SS4027C**
16 cm / 6 2/8 ″ **SS4025S**	16 cm / 6 2/8 ″ **SS4028C**



Metzenbaum







Straight	Curved
18 cm / 7 1/8 ″ **SS4029S**	18 cm / 7 1/8 ″ **SS4035C**
20.5 cm / 8 1/8 ″ **SS4030S**	20.5 cm / 8 1/8 ″ **SS4036C**
23 cm / 9 ″ **SS4031S**	23 cm / 9 ″ **SS4037C**
26 cm / 10 2/8 ″ **SS4032S**	26 cm / 10 2/8 ″ **SS4038C**
28.5 cm / 11 2/8 ″ **SS4033S**	28.5 cm / 11 2/8 ″ **SS4039C**
31 cm / 12 2/8 ″ **SS4034S**	31 cm / 12 2/8 ″ **SS4040C**



Fine Metzenbaum







Straight	Curved
14.5 cm / 5 4/8 ″ **SS4041S**	14.5 cm / 5 4/8 ″ **SS4045C**
16 cm / 6 2/8 ″ **SS4042S**	16 cm / 6 2/8 ″ **SS4046C**
18 cm / 7 1/8 ″ **SS4043S**	18 cm / 7 1/8 ″ **SS4047C**
20.5 cm / 8 1/8 ″ **SS4044S**	20.5 cm / 8 1/8 ″ **SS4048C**







Slender “S” Bend Metzenbaum

Curved

18 cm / 7 1/8 ″ **SS4049C**


20.5 cm / 8 1/8 ″ **SS4050C**

23 cm / 9 ″ **SS4051C**






Mayo scissors - standard






Straight		Curved	
14.5 cm / 5 6/8″	**SS4001S**	14.5 cm / 5 6/8″	**SS4008C**
15 cm / 5 7/8″	**SS4002S**	15 cm / 5 7/8″	**SS4009C**
17 cm / 6 6/8″	**SS4003S**	17 cm / 6 6/8″	**SS4010C**
19.5 / 7 5/8″	**SS4004S**	19.5 / 7 5/8″	**SS4011C**
20.5 / 8 1/8″	**SS4005S**	20.5 / 8 1/8″	**SS4012C**
23 cm / 9″	**SS4006S**	23 cm / 9″	**SS4013C**
28 cm / 11″	**SS4007S**	28 cm / 11″	**SS4014C**





Mayo scissors - Stille






Straight		Curved	
15 cm / 5 7/8″	**SS4015S**	15 cm / 5 7/8″	**SS4019C**
17 cm / 6 6/8″	**SS4016S**	17 cm / 6 6/8″	**SS4020C**
19.5 / 7 5/8″	**SS4017S**	19.5 / 7 5/8″	**SS4021C**
21.5 / 8 4/8″	**SS4018S**	21.5 / 8 4/8″	**SS4022C**



Smooth




NH4001S **NH4002S**

Derf Needle Holder




Smooth



NH4003S **NH4004S**

Halsey Needle Holder






NH4005S

Nieverts Needle Holder
(offset ring)





NH4006S 10cm / 4" **NH4007S** 10cm / 4"

Stratte Needle Holder



NH4008S 10cm / 4"

NH4009S 10cm / 4"

Berry Sternal Needle Holder


Berry Sternal Needle Holder & Wire Twister is a highly versatile instrument that is useful in a vast array of surgical settings. Not only does it serve as a needle holder to aid in suturing during and at the close of surgery but it has other uses as well.



Mayo Hegar Needle Holder



Crile Wood Needle Holder




NH4010S 14cm / 5 ½”

NH4011S 16cm / 6 ¼”

NH4012S 18cm / 7”


NH4013S 20cm / 8”



NH4017S 15cm / 6”

NH4018S 18cm / 7”


NH4019S 20cm / 8”



NH4014S 23cm / 9”

NH4015S 26cm / 10 ¼”

NH4016S 30cm / 12”



NH4020S 23cm / 9”

NH4021S 26cm / 10 ¼”



NH4022S 18cm / 7”

NH4023S 23cm / 9”

NH4024S 26cm / 10 ¼”

NH4025S 30cm / 12”

DeBakey Needle Holder



NH4026S 15cm / 6”

NH4027S 18cm / 7”

Micro Vascular Needle Holder



NH4028S 13cm / 5”


NH4029S 15cm / 6”

NH4030S 18cm / 7”

NH4031S 20cm / 8”

NH4032S 23cm / 9”

Micro Ryder Needle Holder



NH4033S 16cm / 6 ¼”

NH4034S 18cm / 7”

NH4035S 20cm / 8”

NH4036S 26cm / 10 ¼”

French Eye (Ryder) Needle Holder



3x4 teeth



Allis Baby

4x5 teeth



10.16 cm / 4″
TF2001T

13 cm / 5 1/2″
TF2002T

15.25 cm / 6″
TF2003T

17.80 cm / 7″
TF2004T

20.30 cm / 8″
TF2005T

Allis Forceps



11x12 teeth



16 cm / 6 2/8″
TF2006T

20.30 cm / 8″
TF2007T

25.4 cm / 10″
TF2008T

30.50 cm / 12″
TF2009T

Allis-Adair Forceps



5x6 teeth

15.25 cm / 6″
TF2010T

20.20 cm / 8″
TF2011T

Boys-Allis Forceps



6x7 teeth



15.25 cm / 6″
TF2012T

20.20 cm / 8″
TF2013T

Thoms-Allis Forceps



15.25 cm / 6″
TF2014T


20 cm / 7 7/8″
TF2015T

24.5 cm / 9 5/8″
TF2016T

30 cm / 11 5/8″
TF2017T

*Atraumatic-Allis Forceps





Tungsten Carbide Tip

10.16 cm / 4″
TF4001T

13 cm / 5 1/2 ″
TF4002T

15.25 cm / 6″
TF4003T

17.80 cm / 7″
TF4004T

20.30 cm / 8″
TF4005T

25.4 cm / 10″
TF4006T



Non TC

10.16 cm / 4″
TF2018T

13 cm / 5 1/2 ″
TF2019T

15.25 cm / 6
TF2020T


17.80 cm / 7
TF2021T

20.30 cm / 8
TF2022T

25.4 cm / 10
TF2023T

30.5 cm / 12
TF2024T





Atraumatic Serrations

10.16 cm / 4″
TF2025AD

13 cm / 5 1/2 ″
TF2026AD

15.25 cm / 6″
TF2027AD

17.80 cm / 7″
TF2028AD

20.30 cm / 8″
TF2029AD

25.4 cm / 10″
TF2030AD

Babcock Tissue Forceps

* Atraumatic-Babcock Forceps



Tungsten Carbide Tip

15.25 cm / 6″
TF4007T

20.30 cm / 8″
TF4008T

23 cm / 9″
TF4009T



Narrow

Wide

15.25 cm / 6″
TF2031T

20.30 cm / 8″
TF2032T



18 cm / 7 1/8″
TF2033T

20.50cm / 8 1/8″
TF2034T


23 cm / 9″
TF2035T

Duval Organ Holding Forceps

* Atraumatic Duval Organ Grasping



Right Angle Forceps



Gemini


13 cm / 5 1/8″
LF2001C

18 cm / 7 1/8″
LF2002C

21 cm / 8 2/8″
LF2003C

23 cm / 9 ″
LF2004C

28 cm / 11 ″
LF2005C



Mixter


13 cm / 5 1/8″
LF2006A

18 cm / 7 1/8″
LF2007A

21 cm / 8 2/8″
LF2008A

23 cm / 9 ″
LF2009A

28 cm / 11 ″
LF2010A



Lahey


13 cm / 5 1/8″
LF2011A

18 cm / 7 1/8″
LF2012A

21 cm / 8 2/8″
LF2013A

23 cm / 9 ″
LF2014A

28 cm / 11 ″
LF2015A




Attraumatic
Debakey

16 cm / 6 2/8″
LF2016AD

18 cm / 7 1/8″
LF2017AD

21 cm / 8 2/8″
LF2018AD

23 cm / 9″
LF2019AD




Attraumatic
Cooley

13 cm / 5 1/8″
LF2020AD

18 cm / 7 1/8″
LF2021AD

21 cm / 8 2/8″
LF2022AD

23 cm / 9″
LF2023AD




Attraumatic
Caramalt

18 cm / 7 1/8″
LF2024A

21 cm / 8 2/8″
LF2025A

23 cm / 9″
LF2026A

26 cm / 10 2/8 ″
LF2027A



Finnochietto
24.5 cm / 9 5/8″
LF2028A


Available in the following materials




Premium Quality Stainless Steel | Ceramic | Titanium




SURGIMENTS Improved Forceps




18.5 cm / 7 2/8″
LF2029C




20.5 cm / 8 1/8″
LF2030C



21 cm / 8 2/8″
LF2031C



21.5 cm / 8 2/8″
LF2032C



24 cm / 9 6/8″
LF2033C

Available in the following materials



Premium Quality Stainless Steel | Ceramic | Titanium



HR2083

14.5 cm / 5 6/8 "


Mini-Roux Retractor



HR2084

12.5 cm / 4 7/8 "

Baby-Roux Retractor



HR2085


15 cm / 5 7/8 "

Collin - Hartman



Upper Blade Size

A : 28 x 29 mm
B : 25 x 26 mm
C : 22 x 21 mm



Lower Blade Size

A : 33 x 43 mm
B : 30 x 38 mm
C : 27 x 29 mm

HR2086
(set of three)

17 cm / 6 6/8 "

Roux or "C" Retractor



Upper Blade Size

A : 21 x 15 mm
B : 40 x 15 mm

overall length 21.5 cm / 8 4/8 "

HR2087

Lower Blade Size

A : 25 x 15 mm
B : 45 x 15 mm

Parker-Langenbeck Retractor



Desmarres
16 cm / 6 2/8 ″

Saddle Back Rectractors

8 mm **HR2015**


10 mm **HR2016**

12 mm **HR2017**

14mm **HR2018**

16mm **HR2019**

18 mm **HR2020**



Cushings
20.5 cm / 8 1/8 ″

Saddle Back Rectractors

8 mm **HR2021**


10 mm **HR2022**

12 mm **HR2023**

14mm **HR2024**

16mm **HR2025**

18 mm **HR2026**



Gil-Vernet
24 cm / 9 4/8 ″

Saddle Back Rectractors

4 mm **HR2027**

6 mm **HR2028**

8 mm **HR2029**

11 mm **HR2030**


15 mm **HR2031**

17 mm **HR2031**

20 mm **HR2032**

23 mm **HR2033**

Knurling round handle with malleable copper blade



16 cm / 6 2/8 "

Langenbeck Green Retractor

Blade Size

10 x 6 mm **HR2063**

12 x 6 mm **HR2064**


18 x 6 mm **HR2065**

20 x 6 mm **HR2066**

21 x 8 mm **HR2067**



Langenbeck - Kocher Retractor



Blade Size

25 x 6 mm **HR2068**

25 x 10 mm **HR2069**

35 x 10 mm **HR2070**

35 x 15 mm **HR2071**

40 x 11 mm **HR2072**

41 x 18 mm **HR2073**

55 x 11 mm **HR2074**

60 x 18 mm **HR2075**

61 x 25 mm **HR2076**

70 x 14 mm **HR2077**

75 x 30 mm **HR2078**

75 x 40 mm **HR2079**

80 x 13 mm **HR2080**

80 x 16 mm **HR2081**

85 x 25 mm **HR2082**



25 x 21 mm
HR2088

30 x 29 mm
HR2089

38 x 40 mm
HR2090

48 x 22 mm
HR2091

62 x 50 mm
HR2092

Richardson Retractors

These retractors are very useful for holding back multiple layers of deep tissue. this retractor is often used in appendectomy and "C" section procedures

HR2093

Upper Blade Size
25 x 20 mm

Lower Blade Size
30 x 28 mm


HR2094

Upper Blade Size
30 x 28 mm

Lower Blade Size
63 x 44 mm



Richardson-Eastman Retractors



15 x 17 mm
HR2095

22 x 22 mm
HR2096

26 x 31 mm
HR2097

Durhams Retractor



20.5 cm / 8 1/8"
HR2098

Cushings Retractor



	A : Overall Length 20cm 7 7/8 "	B : Overall Length 33cm 13 "
Blade Width 6.5 mm	**HR2124**	**HR2133**
Blade Width 9.5 mm	**HR2125**	**HR2134**
Blade Width 13 mm	**HR2126**	**HR2135**
Blade Width 16 mm	**HR2127**	**HR2136**
Blade Width 19 mm	**HR2128**	**HR2137**
Blade Width 25 mm	**HR2129**	**HR2138**
Blade Width 30 mm	**HR2130**	**HR2139**
Blade Width 37 mm	**HR2131**	**HR2140**
Blade Width 40 mm	**HR2132**	**HR2141**

Ribbon Retractor

Ribbon retractor is a Malleable surgical instrument used to separate the edges of a surgical incision or wound, or to hold back underlying organs and tissues so that body parts under the incision may be accessed from obstructing the surgeon's view.

Deaver Retractors



Blade Width 19 mm
18 cm / 7 1/8 "
HR2116



Blade Width 22 mm
21.5 cm / 8 4/8 "
HR2117



Blade Width 25 mm
30.5 cm / 12 "
HR2118



Blade Width 25 mm
33.5 cm / 13 2/8 "
HR2119



Blade Width 75 mm
31.5 cm / 12 3/8 "
HR2120



Blade Width 50 mm
31.5 cm / 12 3/8 "
HR2121



Blade Width 38 mm
32 cm / 12 5/8 "
HR2122




Blade Width 25 mm
34.5 cm / 13 5/8 "
HR2123

BOOK WALTER RETRACTOR

The Modified Book Walter Table Mounted Retractor It was designed to provide multi-directional surgical site exposure in a wide variety of abdominal procedures. It is easy to assemble & very stable, it features both a solid and a segmented ring, two types of horizontal bars, tilting and ratchets with tilting mechanism and a wide variety of general surgery blades, both rigid and malleable.









Stainless Steel Post Couple



Horizontal Flex Bar



Tilt Mechanism Ratchet



Horizontal Bar

Vertical Bar With
Table Mount





Solid Rings



Segmented Rings



Balfour Blades


Description/Size
3" x 2⅝", 6.5cm x 7.5cm
3½" x 2¾", 8.8cm x 6.9cm




Harrington "Sweetheart" Retractor

1" x 5⅝" x 2½"
2.5 x 14 x 6.3cm
2½" x 5⅝" x 3½"
6.3 x 14 x 8.8cm
2½" x 8" x 3½"
6.3 x 20 x 8.8cm
3½" x 10" x 4½"
8.8 x 25 x 11.3cm
½" x 2½" x 2"
1.3 x 6.3 x 5cm

Deaver Blades



Description/Size
2⁄3" x 2¼", 1.7cm x 5.7cm
1" x 3½", 2.5cm x 8.8cm
1" x 5", 2.5cm x 12.5cm
3" x 10", 7.5cm x 25cm



Perforated Retractor

Description/Size
2" x 6½", 5cm x 16.3cm
3" x 6½", 7.5cm x 16.3cm



kelly Retractor

Description/Size
4" x 5", 10cm x 12.5cm
4" x 5" Overall, 10cm x 12.5cm
each Malleable Finger is
3⁄8" x 5", .9cm x 12.5cm

About Us

For over 50 years Surgiments has built and sustained an enviable reputation for the manufacture and supply of precision surgical instrumentation covering every type of surgical specialty.

As an ISO 9001:2008, ISO:13485 and CE certified company we have distinguished ourselves as a major leader in redefining the provision of high-quality surgical instruments and have become well known for the passion of our people, and partners, in providing unsurpassed levels of service to our customers worldwide.

Our mission is to be the healthcare industry's first choice for all their surgical instrument requirements and to deliver products of outstanding quality, with great service, at an affordable price.

What we can offer:

- High-grade surgical instruments covering all fields of surgical specialty
- Over 1,00,000 patterns of surgical instruments and associated equipment
- Exceptional customer service
- Precise Microsurgical Instruments For Micro Vascular
- Neuro ENT procedures
- Complete range of Craniotomy in Neuro-Spine, Ortho CardioThoracic, Hepatobiliary, Liver Transplant, Renal Transplant, Pediatric Surgery, Oncology, Arthroscopy and Sinuscopy
- Plastic and Cosmetic Surgery.

Through precision engineering services we employ the latest technologies to enable us to offer everything from design, prototyping and on to full production run. We can assist with everything from a single component or device, through to a full instrument system.

From Concept, to Design, to Manufacture, our team of highly experienced skilled technicians can deliver the quality, the surgical industry and many other healthcare sectors insist on and expect. Our manufacturing facility has the unique combination of special purpose machines and the superior skills of artisans who are able to turn out hand-crafted, precise, durable and finely adjusted instruments. This combined with superior grades of Stainless Steel, Titanium and extra hard working surfaces such as Ceramic and Tungsten Carbide gives an unmatched level of performance and longevity.

Our service team staffed by skilled craftmen take much pride in restoration of damaged surgical instruments as they would do in the production of new instrument. Surgiments maintains a complete repair and sharpening after sales service facility

Guarantee & Warranty Service Certificate

This is to certify that all "SURGIMENTS" branded surgical instruments (except micro surgical instruments) are guaranteed against inherent manufacturing defects for a period of 2 years and 1 year for all Tungsten Carbide range of products provided the instruments are used for the appropriate surgical use.

Any instruments that has proved to be defective when used for it's normal surgical purpose will be repaired or replaced free of cost. We will replace or repair a damaged instrument if the damage is found to have been caused by a defect in workmanship or materials.
The guarantee does not include normal wear and tear.

This obligation is limited to servicing any instruments or part returned to the factory with pre-paid transportation charges. Guarantee will not hold good for mishandling, improper usage and unauthorized handling.

SURGIMENTS®

Contact Us

No. 30, SIDCO Industrial Estate, 3rd Phase
Hosur - 635126, Tamil Nadu, India

UAM No : TN11B0014387
GST No: 33ABQPV2534B1ZQ

Call Us

+91 9448081908
9629007070
9629006060

Skype Account : SURGIMENTS1964

Email : surgiments@gmail.com

Website : www.surgiments.com

We manufacture an exclusive range of

- *Neuro & Spine Instruments*
- *Micro Vascular Instruments*
- *Cardio Thoracic Instruments*
- *Liver Transplant Instruments*
- *Renal Transplant Instruments*
- *Oncology Instruments*
- *ENT Instruments*
- *General Surgery Instruments*
- *Obstetrics & Gynecology Instruments*
- *Orthopaedics Instruments*
- *Plastic Surgery Instruments*
- *Oral Maxillo Facial Instruments*
- *Podiatry & Cosmetic Surgery*

We specialise in

- *Surgical Spider Table Mount Abdominal Self Retaining Retractor such as*
  - * *Thompson style Retractor*
  - * *Omni tract style Retractor*
  - * *Bookwalter style Retractor*
  - * *Nathanson Liver Retractor*
  - * *Nathanson style Liver Endoscopic Retractor*
- *Leyla Retractor Self Retaining Brain Retractor*

Certifications:

ISO 7153-1:2016

CE for Micro Instruments

Licenses:

MICRO, SMALL & MEDIUM ENTERPRISES
सूक्ष्म, लघु एवं मध्यम उद्यम

UDYAM REGISTERED - UDYAM-TN-11-0001406

भारत सरकार
Government of India
व्यापार चिन्ह रजिस्ट्री
Trade Marks Registry
व्यापार चिन्ह अधिनियम, 1999
Trade Marks Act, 1999

Trade Mark No. 2766611

SURGIM-Krish-TN/M/MD/013840

SURGIMENTS®

ADDING CONFIDENCE TO GIFTED HANDS

Address: N 30, SIDCO Industrial Estate, 3rd Phase, Hosur, Tamil Nadu - 635 126, India

Email: info@surgiments.com, sales@surgiments.com Website: www.surgiments.com

Helpline: +91 96290 6060, +91 96290 07070, +91 94480 81908